




Chernobyl disaster

The **Chernobyl disaster**^[a] began on 26 April 1986 with the explosion of the No. 4 reactor of the Chernobyl Nuclear Power Plant near the city of Pripyat in the north of the Ukrainian SSR, close to the border with the Byelorussian SSR, in the Soviet Union.^[1] It is one of only two nuclear energy accidents rated at seven—the maximum severity—on the International Nuclear Event Scale, the other being the 2011 Fukushima nuclear accident. The initial emergency response and subsequent mitigation efforts involved more than 500,000 personnel and cost an estimated 18 billion roubles—roughly US\$68 billion in 2019, adjusted for inflation.^[2] It was the worst nuclear disaster in history,^{[3][4]} ^[5] and the costliest disaster in human history, costing an estimated US\$700 billion.^[6]


The accident occurred during a test of the steam turbine's ability to power the emergency feedwater pumps in the event of a simultaneous loss of external power and coolant pipe rupture. Following an accidental drop in reactor power to near-zero, the operators restarted the reactor in preparation for the turbine test with a prohibited control rod configuration. Upon successful completion of the test, the reactor was then shut down for maintenance. Due to a variety of factors, this action resulted in a power surge at the base of the reactor which brought about the rupture of reactor components and the loss of coolant. This process led to steam explosions and a meltdown, which destroyed the containment building. This was followed by a reactor core fire which lasted until 4 May 1986, during which airborne radioactive contaminants were spread throughout the USSR and Europe.^{[7][8]} In response to the initial accident, a 10-kilometre (6.2 mi) radius exclusion zone was created 36 hours after the accident, from which approximately 49,000 people were evacuated, primarily from Pripyat. The exclusion zone was later increased to a radius of 30 kilometres (19 mi), from which an additional ~68,000 people were evacuated.^[9]

Following the reactor explosion, which killed two engineers

Chernobyl disaster



Reactor 4 several months after the disaster. Reactor 3 can be seen behind the ventilation stack.



Date	26 April 1986
Time	01:23 <u>MSD</u> (<u>UTC+04:00</u>)
Location	<u>Chernobyl Nuclear Power Plant</u> , <u>Pripyat</u> , <u>Chernobyl Raion</u> , <u>Kiev Oblast</u> , <u>Ukrainian SSR</u> , <u>Soviet</u>

and severely burned two more, an emergency operation to put out the fires and stabilize the surviving reactor began, during which 237 workers were hospitalized, of whom 134 exhibited symptoms of acute radiation syndrome (ARS). Among those hospitalized, 28 died within the following three months. In the following 10 years, 14 more workers (9 of whom had been hospitalized with ARS) died of various causes mostly unrelated to radiation exposure.^[10] It remains the only time in the history of commercial nuclear power that radiation-related fatalities occurred.^{[11][12]} 15 childhood thyroid cancer deaths were attributed to the disaster as of 2011.^[13] A United Nations committee found that to date fewer than 100 deaths have resulted from the fallout.^[14] Model predictions of the eventual total death toll in the coming decades vary. The most widely cited study conducted by the World Health Organization in 2006, predicted 9,000 cancer-related fatalities in Ukraine, Belarus and Russia.^[15]

Following the disaster, Pripyat was abandoned and eventually replaced by the new purpose-built city of Slavutych. The Chernobyl Nuclear Power Plant sarcophagus was built by December 1986. It reduced the spread of radioactive contamination from the wreckage and protected the site from weathering. The confinement shelter also provided radiological protection for the crews of the undamaged reactors at the site, which were restarted in late 1986 and 1987. However, the containment structure was only intended to last for 30 years, and required sizeable reinforcement in the early 2000s. The shelter was largely supplemented in 2017 by the Chernobyl New Safe Confinement, which was constructed around the old sarcophagus structure. The new enclosure aims to enable the removal of the sarcophagus and the reactor debris while containing the radioactive materials inside, with clean-up scheduled for completion by 2065.^[16]

	<u>Union</u> (now <u>Vyshhorod Raion</u> , <u>Kyiv Oblast</u> , <u>Ukraine</u>)
Type	<u>Nuclear and Radiation accident</u>
Cause	Reactor design and operator error
Outcome	<u>INES Level 7</u> (major accident)
Deaths	2 killed by debris (including 1 missing) and 28 killed by <u>acute radiation sickness</u> . 15 terminal cases of thyroid cancer, with varying estimates of increased cancer mortality over subsequent decades (for more details, see <u>Deaths due to the disaster</u>)

Background

Reactor cooling after shutdown

In power-generating operation, most of the heat generated in a nuclear reactor by its fuel rods is derived from nuclear fission, but a significant fraction (over 6%) is derived from the radioactive decay of the accumulated fission products, a process known as decay heat. This decay heat continues for some time after the fission chain reaction has been stopped, such as following a reactor shutdown, either emergency or planned, and continued pumped circulation of coolant is essential to prevent core overheating, or in the worst case, core meltdown.^[17] RBMK reactors, like those at Chernobyl, use water as a coolant, circulated by electrically driven pumps.^{[18][19]} The coolant flow rate is considerable—Reactor No. 4 had 1661 individual fuel channels, each requiring a

coolant flow of 28 m³/h (990 cu ft/h) at full reactor power, for a total of over 45 million litres per hour (12 million gallons per hour) for the entire reactor.


In case of a total power loss at the station, each of Chernobyl's reactors had three backup diesel generators, but they took 60–75 seconds to attain full load^{[20]:15} and generate the 5.5-megawatt output required to run one main pump.^{[20]:30} In the interim, special counterweights on each pump would enable them to provide coolant via inertia, thereby bridging the gap to generator startup.^{[21][22]} However, a potential safety risk existed in the event that a station blackout occurred simultaneously with the rupture of a 600-millimetre (24 in) coolant pipe (the so-called Design Basis Accident). In this scenario the emergency core cooling system (ECCS) is needed to pump additional water into the core, replacing coolant lost to evaporation.^[23]

It had been theorized that the rotational momentum of the reactor's steam turbine could be used to generate the required electrical power to operate the ECCS via the feedwater pumps. The turbine's speed would run down as energy was taken from it, but analysis indicated that there might be sufficient energy to provide electrical power to run the coolant pumps for 45 seconds.^{[20]:16} This would not quite bridge the gap between an external power failure and the full availability of the emergency generators, but would alleviate the situation.^[24]

Safety test

The turbine run-down energy capability still needed to be confirmed experimentally, and previous tests had ended unsuccessfully. An initial test carried out in 1982 indicated that the excitation voltage of the turbine-generator was insufficient; it did not maintain the desired magnetic field after the turbine trip. The electrical system was modified, and the test was repeated in 1984 but again proved unsuccessful. In 1985, the test was conducted a third time but also yielded no results due to a problem with the recording equipment. The test procedure was to be run again in 1986 and was scheduled to take place during a controlled power-down of reactor No. 4, which was preparatory to a planned maintenance outage.^{[24][23]:51}

A test procedure had been written, but the authors were not aware of the unusual RBMK-1000 reactor behaviour under the planned operating conditions.^{[23]:52} It was regarded as purely an electrical test of the generator, not a complex unit test, even though it involved critical unit systems. According to the regulations in place at the time, such a test did not require approval by either the chief design authority for the reactor (NIKIET) or the Soviet nuclear safety regulator.^{[23]:51–52} The test program called for disabling the emergency core cooling system, a passive/active system of core cooling intended to provide water to the core in a loss-of-coolant accident, and approval from the Chernobyl site chief engineer had been obtained according to regulations.^{[23]:18}



Reactor decay heat shown as % of thermal power from time of sustained fission shutdown using two different correlations. Due to decay heat, solid fuel power reactors need high flows of coolant after a fission shutdown for a considerable time to prevent fuel cladding damage, or in the worst case, a full core meltdown.

The test procedure was intended to run as follows:

Test preparation


1. The test would take place prior to a scheduled reactor shutdown
2. The reactor thermal power was to be reduced to between 700 MW and 1,000 MW (to allow for adequate cooling, as the turbine would be spun at operating speed while disconnected from the power grid)
3. The steam-turbine generator was to be run at normal operating speed
4. Four out of eight main circulating pumps were to be supplied with off-site power, while the other four would be powered by the turbine

Electrical test

1. When the correct conditions were achieved, the steam supply to the turbine generator would be closed, and the reactor would be shut down
2. The voltage provided by the coasting turbine would be measured, along with the voltage and revolutions per minute (RPMs) of the four main circulating pumps being powered by the turbine
3. When the emergency generators supplied full electrical power, the turbine generator would be allowed to continue free-wheeling down

Test delay and shift change

The test was to be conducted during the day-shift of 25 April 1986 as part of a scheduled reactor shut down. The day shift crew had been instructed in advance on the reactor operating conditions to run the test, and, in addition, a special team of electrical engineers was present to conduct the one-minute test of the new voltage regulating system once the correct conditions had been reached.^[25] As planned, a gradual reduction in the output of the power unit began at 01:06 on 25 April, and the power level had reached 50% of its nominal 3,200 MW thermal level by the beginning of the day shift.^{[23]:53}



Process flow diagram of the reactor

The day shift performed many unrelated maintenance tasks, and was scheduled to perform the test at 14:15.^{[26]:3} Preparations for the test were carried out, including the disabling of the emergency core cooling system.^{[23]:53} Meanwhile, another regional power station unexpectedly went offline. At 14:00,^{[23]:53} the Kiev electrical grid controller requested that the further reduction of Chernobyl's output be postponed, as power was needed to satisfy the peak evening demand, so the test was postponed.

Soon, the day shift was replaced by the evening shift.^{[26]:3} Despite the delay, the emergency core cooling system was left disabled. This system had to be disconnected via a manual isolating slide valve,^{[23]:51} which in practice meant that two or three people spent the whole shift manually turning sailboat-helm-sized valve wheels.^{[26]:4} The system would have no influence on the events that unfolded next, but allowing the reactor to run for 11 hours outside of the test without emergency protection was indicative of a general lack of safety culture.^{[23]:10,18}


At 23:04, the Kiev grid controller allowed the reactor shutdown to resume. This delay had

some serious consequences: the day shift had long since departed, the evening shift was also preparing to leave, and the night shift would not take over until midnight, well into the job. According to plan, the test should have been finished during the day shift, and the night shift would only have had to maintain decay heat cooling systems in an otherwise shut-down plant.^{[20]:36–38}

The night shift had very limited time to prepare for and carry out the experiment. Anatoly Dyatlov, deputy chief-engineer of the Chernobyl Nuclear Power Plant (ChNPP), was present to supervise and direct the test. He was one of the test's chief authors and he was the highest-ranking individual present. Unit Shift Supervisor Aleksandr Akimov was in charge of the Unit 4 night shift, and Leonid Toptunov was the Senior Reactor Control Engineer responsible for the reactor's operational regimen, including the movement of the control rods. 25-year-old Toptunov had worked independently as a senior engineer for approximately three months.^{[20]:36–38}

Unexpected drop of the reactor power

The test plan called for a gradual decrease in reactor power to a thermal level of 700–1000 MW,^[27] and an output of 720 MW was reached at 00:05 on 26 April.^{[23]:53} However, due to the reactor's



Comparative Generation II reactor vessels size comparison, a design classification of commercial reactors built until the end of the 1990s.

production of a fission byproduct, xenon-135, which is a reaction-inhibiting neutron absorber, power continued to decrease in the absence of further operator action, a process known as reactor poisoning. In steady-state operation, this is avoided because xenon-135 is "burned off" as quickly as it is created from decaying iodine-135 by the absorption of neutrons from the ongoing chain reaction, becoming highly stable xenon-136. With the reactor power reduced, high quantities of previously produced iodine-135 were decaying into the neutron-absorbing xenon-135 faster than the reduced neutron flux could "burn it off".^[28] Xenon poisoning in this context made reactor control more difficult, but was a predictable and well-understood phenomenon during such a power reduction.

When the reactor power had decreased to approximately 500 MW, the reactor power control was switched from LAR (local automatic regulator) to the automatic regulators, in order to manually maintain the required power level.^{[23]:11} AR-1 then activated, removing all four of AR-1's control rods automatically, but AR-2 failed to activate due to an imbalance in its ionization chambers. In response, Toptunov reduced power to stabilize the automatic regulators' ionization sensors. The result was a sudden power drop to an unintended near-shutdown state, with a power output of 30 MW thermal or less. The exact circumstances that caused the power drop are unknown. Most reports attribute the power drop to Toptunov's error, but Dyatlov reported that it was due to a fault in the AR-2 system.^{[23]:11}

The reactor was now producing only 5% of the minimum initial power level prescribed for the test.^{[23]:73} This low reactivity inhibited the burn-off of xenon-135^{[23]:6} within the reactor core and hindered the rise of reactor power. To increase power, control-room personnel removed numerous control rods from the reactor.^[29] Several minutes elapsed before the reactor was restored to 160 MW at 00:39, at which point most control rods were at their upper limits, but the rod configuration was still within its normal operating limit, with Operational Reactivity Margin (ORM) equivalent to having more than 15 rods inserted. Over the next twenty minutes, reactor power would be increased further to 200 MW.^{[23]:73}

The operation of the reactor at the low power level (and high poisoning level) was accompanied by unstable core temperatures and coolant flow, and, possibly, by instability of neutron flux. The control room received repeated emergency signals regarding the low levels in one half of the steam/water separator drums, with accompanying drum separator pressure warnings. In response, personnel triggered several rapid influxes of feedwater. Relief valves opened to relieve excess steam into a turbine condenser.

Reactor conditions priming the accident

When a power level of 200 MW was reattained, preparation for the experiment continued, although the power level was much lower than the prescribed 700 MW. As part of the test program, two additional main circulating (coolant) pumps were activated at 01:05. The increased coolant flow lowered the overall core temperature and reduced the existing steam voids in the core. Because water absorbs neutrons better than steam, the neutron flux and reactivity decreased. The operators responded by removing more manual control rods to maintain power.^{[30][31]} It was around this time that the number of control rods inserted in the reactor fell below the required

value of 15. This was not apparent to the operators, because the RBMK did not have any instruments capable of calculating the inserted rod worth in real time.

The combined effect of these various actions was an extremely unstable reactor configuration. Nearly all of the 211 control rods had been extracted, and excessively high coolant flow rates meant that the water had less time to cool between trips through the core, therefore entering the reactor very close to the boiling point. Unlike other light-water reactor designs, the RBMK design at that time had a positive void coefficient of reactivity at typical fuel burnup levels. This meant that the formation of steam bubbles (voids) from boiling cooling water intensified the nuclear chain reaction owing to voids having lower neutron absorption than water. Unknown to the operators, the void coefficient was not counterbalanced by other reactivity effects in the given operating regime, meaning that any increase in boiling would produce more steam voids which further intensified the chain reaction, leading to a positive feedback loop. Given this characteristic, reactor No. 4 was now at risk of a runaway increase in its core power with nothing to restrain it. The reactor was now very sensitive to the regenerative effect of steam voids on reactor power.^{[23]:3,14}

Accident

Test execution

At 01:23:04, the test began.^[32] Four of the eight main circulating pumps (MCP) were to be powered by voltage from the coasting turbine, while the remaining four pumps received electrical power from the grid as normal. The steam to the turbines was shut off, beginning a run-down of the turbine generator. The diesel generators started and sequentially picked up loads; the generators were to have completely picked up the MCPs' power needs by 01:23:43. As the momentum of the turbine generator decreased, so did the power it produced for the pumps. The water flow rate decreased, leading to increased formation of steam voids in the coolant flowing up through the fuel pressure tubes.^{[23]:8}

Reactor shutdown and power excursion

At 01:23:40, as recorded by the SKALA centralized control system, a scram (emergency shutdown) of the reactor was initiated^[33] as the experiment was wrapping up.^[34] The scram was started when the AZ-5 button (also known as the EPS-5 button) of the reactor emergency protection system was pressed: this engaged the drive mechanism on all control rods to fully insert them, including the manual control rods that had been withdrawn earlier.


The personnel had already intended to shut down using the AZ-5 button in preparation for scheduled maintenance^[35] and the scram preceded the sharp increase in power.^{[23]:13} However, the precise reason why the button was pressed when it was is not certain, as only the deceased Akimov and Toptunov partook in that decision, though the atmosphere in the control room was calm at that moment, according to several eyewitnesses.^{[36][37]:85} Meanwhile, the RBMK designers claim that the button had to have been pressed only after the reactor already began to self-destruct.^{[38]:578}

When the AZ-5 button was pressed, the insertion of control rods into the reactor core began. The control rod insertion mechanism moved the rods at 0.4 metres per second (1.3 ft/s), so that the rods took 18 to 20 seconds to travel the full height of the core, about 7 metres (23 ft). A bigger problem was the design of the RBMK control rods,

each of which had a graphite neutron moderator section attached to

its end to boost reactor output by displacing water when the control rod section had been fully withdrawn from the reactor. That is, when a control rod was at maximum extraction, a neutron-moderating graphite extension was centered in the core with 1.25 metres (4.1 ft) columns of water above and below it.^[23]

Consequently, injecting a control rod downward into the reactor in a scram initially displaced neutron-absorbing water in the lower portion of the reactor with neutron-moderating graphite. Thus, an emergency scram could initially increase the reaction rate in the lower part of the core.^{[23]:4} This behaviour was discovered when the initial insertion of control rods in another RBMK



Plan view of reactor No. 4 core. The number on each control rod indicates the insertion depth in centimeters one minute prior to the disaster.

- neutron detectors (12)
- control rods (167)
- short control rods from below reactor (32)
- automatic control rods (12)
- pressure tubes with fuel rods (1661)

reactor at Ignalina Nuclear Power Plant in 1983 induced a power spike. Procedural countermeasures were not implemented in response to Ignalina. The IAEA investigative report INSAG-7 later stated, "Apparently, there was a widespread view that the conditions under which the positive scram effect would be important would never occur. However, they did appear in almost every detail in the course of the actions leading to the Chernobyl accident."^{[23]:13}

A few seconds into the scram, a power spike occurred, and the core overheated, causing some of the fuel rods to fracture. Some have speculated that this also blocked the control rod columns, jamming them at one-third insertion. Within three seconds the reactor output rose above 530 MW.^{[20]:31}

Instruments did not register the subsequent course of events; it was reconstructed through mathematical simulation. Per the simulation, the power spike would have caused an increase in fuel temperature and steam buildup, leading to a rapid increase in steam pressure. This caused the fuel cladding to fail, releasing the fuel elements into the coolant and rupturing the channels in which these elements were located.^[40]



Steam plumes continued to be generated days after the initial explosion^[39]

Steam explosions

As the scram continued, the reactor output jumped to around 30,000 MW thermal, 10 times its normal operational output, the indicated last reading on the power meter on the control panel. Some estimate the power spike may have gone 10 times higher than that. It was not possible to reconstruct the precise sequence of the processes that led to the destruction of the reactor and the power unit building, but a steam explosion—like the explosion of a steam boiler from excess vapour pressure—appears to have been the next event. There is a general understanding that it was explosive steam pressure from the damaged fuel channels escaping into the reactor's exterior cooling structure that caused the explosion that destroyed the reactor casing, tearing off and blasting the upper plate called the upper biological shield,^[41] to which the entire reactor assembly is fastened, through the roof of the reactor building. This is believed to be the first explosion that many heard.^{[42]:366}

This explosion ruptured further fuel channels, as well as severing most of the coolant lines feeding the reactor chamber, and as a result, the remaining coolant flashed to steam and escaped the reactor core. The total water loss combined with a high positive void coefficient further increased the reactor's thermal power.^[23]

A second, more powerful explosion occurred about two or three seconds after the first; this explosion dispersed the damaged core and effectively terminated the nuclear chain reaction. This

explosion also compromised more of the reactor containment vessel and ejected hot lumps of graphite moderator. The ejected graphite and the demolished channels still in the remains of the reactor vessel caught fire on exposure to air, significantly contributing to the spread of radioactive fallout and the contamination of outlying areas.^{[30][b]} The explosion is estimated to have had the power equivalent of 225 tons of TNT.^[45]

According to observers outside Unit 4, burning lumps of material and sparks shot into the air above the reactor. Some of them fell onto the roof of the machine hall and started a fire. About 25% of the red-hot graphite blocks and overheated material from the fuel channels was ejected. Parts of the graphite blocks and fuel channels were out of the reactor building. As a result of the damage to the building, an airflow through the core was established by the core's high temperature. The air ignited the hot graphite and started a graphite fire.^{[20]:32}

After the larger explosion, several employees at the power station went outside to get a clearer view of the extent of the damage. One such survivor, Alexander Yuvchenko, said that once he stepped out and looked up towards the reactor hall, he saw a "very beautiful" laser-like beam of blue light caused by the ionized-air glow that appeared to be "flooding up into infinity".^{[46][47]}

There were initially several hypotheses about the nature of the second explosion. One view was that the second explosion was caused by the combustion of hydrogen, which had been produced either by the overheated steam-zirconium reaction or by the reaction of red-hot graphite with steam that produced hydrogen and carbon monoxide. Another hypothesis, by Konstantin Checherov, published in 1998, was that the second explosion was a thermal explosion of the reactor due to the uncontrollable escape of fast neutrons caused by the complete water loss in the reactor core.^[48]

Crisis management

Fire containment

Contrary to safety regulations, bitumen, a combustible material, had been used in the construction of the roof of the reactor building and the turbine hall. Ejected material ignited at least five fires on the roof of the adjacent reactor No. 3, which was still operating. It was imperative to put out those fires and protect the cooling systems of reactor No. 3.^{[20]:42} Inside reactor No. 3, the chief of the night shift, Yuri Bagdasarov, wanted to shut down the reactor immediately, but chief engineer Nikolai Fomin would not allow this. The operators were given respirators and potassium iodide tablets and told to continue working. At 05:00, Bagdasarov made his own decision to shut down the reactor,^{[20]:44} which was confirmed in writing by Dyatlov and Station Shift Supervisor Rogozhkin.



Firefighter Leonid Telyatnikov being decorated for bravery

Shortly after the accident, firefighters arrived to try to extinguish the fires.^[32] First on the scene was a Chernobyl Power Station firefighter brigade under the command of Lieutenant Volodymyr Pravyk, who died on 11 May 1986 of acute radiation sickness. They were not told how dangerously radioactive the smoke and the debris were, and may not even have known that the accident was anything more than a regular electrical fire: "We didn't know it was the reactor. No one had told us."^[49] Grigorii Khmel, the driver of one of the fire engines, later described what happened:

We arrived there at 10 or 15 minutes to two in the morning ... We saw graphite scattered about. Misha asked: "Is that graphite?" I kicked it away. But one of the fighters on the other truck picked it up. "It's hot," he said. The pieces of graphite were of different sizes, some big, some small enough to pick them up [...] We didn't know much about radiation. Even those who worked there had no idea. There was no water left in the trucks. Misha filled a cistern and we aimed the water at the top. Then those boys who died went up to the roof—Vashchik, Kolya and others, and Volodya Pravik ... They went up the ladder ... and I never saw them again.^[50]

Anatoli Zakharov, a fireman stationed in Chernobyl since 1980, offered a different description in 2008: "I remember joking to the others, 'There must be an incredible amount of radiation here. We'll be lucky if we're all still alive in the morning.'"^[51] He also stated, "Of course we knew! If we'd followed regulations, we would never have gone near the reactor. But it was a moral obligation—our duty. We were like kamikaze."^[51]



Video still image showing a graphite moderator block ejected from the core

The immediate priority was to extinguish fires on the roof of the station and the area around the building containing Reactor No. 4 to protect No. 3 and keep its core cooling systems intact. The fires were extinguished by 5:00, but many firefighters received high doses of radiation. The fire inside reactor No. 4 continued to burn until 10 May 1986; it is possible that well over half of the graphite burned out.^{[20]:73}

It was thought by some that the core fire was extinguished by a combined effort of helicopters dropping more than 5,000 tonnes (11 million pounds) of sand, lead, clay, and neutron-absorbing boron onto the burning reactor. It is now known that virtually none of these materials reached the core.^[52] Historians estimate that about 600 Soviet pilots risked dangerous levels of radiation to fly the thousands of flights needed to cover reactor No. 4 in this attempt to seal off radiation.^[53]

From eyewitness accounts of the firefighters involved before they died (as reported on the CBC television series *Witness*), one described his experience of the radiation as "tasting like metal", and feeling a sensation similar to that of pins and needles all over his face. This is consistent with the description given by Louis Slotin, a Manhattan Project physicist who died days after a fatal radiation overdose from a criticality accident.^[54]

The explosion and fire threw hot particles of the nuclear fuel and also far more dangerous fission

products (radioactive isotopes such as caesium-137, iodine-131, strontium-90, and other radionuclides) into the air. The residents of the surrounding area observed the radioactive cloud on the night of the explosion.

Radiation levels

The ionizing radiation levels in the worst-hit areas of the reactor building have been estimated to be 5.6 roentgens per second (R/s), equivalent to more than 20,000 roentgens per hour. A lethal dose is around 500 roentgens (~5 Gray (Gy) in modern radiation units) over five hours, so in some areas, unprotected workers received fatal doses in less than a minute. Unfortunately, a dosimeter capable of measuring up to 1,000 R/s was buried in the rubble of a collapsed part of the building, and another one failed when turned on. Most remaining dosimeters had limits of 0.001 R/s and therefore read "off scale". Thus, the reactor crew could ascertain only that the radiation levels were somewhere above 0.001 R/s (3.6 R/h), while the true levels were vastly higher in some areas.^{[20]:42–50}

Because of the inaccurate low readings, the reactor crew chief Aleksandr Akimov assumed that the reactor was intact. The evidence of pieces of graphite and reactor fuel lying around the building was ignored, and the readings of another dosimeter brought in by 04:30 were dismissed under the assumption that the new dosimeter must have been defective.^{[20]:42–50} Akimov stayed with his crew in the reactor building until morning, sending members of his crew to try to pump water into the reactor. None of them wore any protective gear. Most, including Akimov, died from radiation exposure within three weeks.^{[55][56]:247–248}

Evacuation

The nearby city of Pripjat was not immediately evacuated. The townspeople, in the early hours of the morning, at 01:23 local time, went about their usual business, completely oblivious to what had just happened. However, within a few hours of the explosion, dozens of people fell ill. Later, they reported severe headaches and metallic tastes in their mouths, along with uncontrollable fits of coughing and vomiting.^[57] As the plant was run by authorities in Moscow, the government of Ukraine did not receive prompt information on the accident.^[58]



Pripjat with the Chernobyl Nuclear Power Plant in the distance

Valentyna Shevchenko, then Chairwoman of the Presidium of Verkhovna Rada of the Ukrainian SSR, said that Ukraine's acting Minister of Internal Affairs Vasyl Durdynets phoned her at work at 09:00 to report current affairs; only at the end of the conversation did he add that there had been a fire at the Chernobyl nuclear power plant, but it was extinguished and everything was fine. When Shevchenko asked "How are the people?", he replied that there was nothing to be concerned about: "Some are celebrating a wedding, others are gardening, and others are fishing in the Pripjat River".^[58]

Shevchenko then spoke by telephone to Volodymyr Shcherbytsky, general secretary of the

Communist Party of Ukraine and *de facto* head of state, who said he anticipated a delegation of the state commission headed by Boris Shcherbina, the deputy chairman of the Council of Ministers of the USSR.^[58]


A commission was established later in the day to investigate the accident. It was headed by Valery Legasov, First Deputy Director of the Kurchatov Institute of Atomic Energy, and included leading nuclear specialist Evgeny Velikhov, hydro-meteorologist Yuri Izrael, radiologist Leonid Ilyin, and others. They flew to Boryspil International Airport and arrived at the power plant in the evening of 26 April.^[58] By that time two people had already died and 52 were hospitalized. The delegation soon had ample evidence that the reactor was destroyed and extremely high levels of radiation had caused a number of cases of radiation exposure. In the early daylight hours of 27 April, they ordered the evacuation of Pripyat. Initially it was decided to evacuate the population for three days; later this was made permanent.^[58]



Ruins of abandoned house in Chernobyl (May 2019)

By 11:00 on 27 April, buses had arrived in Pripyat to start the evacuation.^[58] The evacuation began at 14:00. A translated excerpt of the evacuation announcement follows:

For the attention of the residents of Pripyat! The City Council informs you that due to the accident at Chernobyl Power Station in the city of Pripyat the radioactive conditions in the vicinity are deteriorating. The Communist Party, its officials and the armed forces are taking necessary steps to combat this. Nevertheless, with the view to keep people as safe and healthy as possible, the children being top priority, we need to temporarily evacuate the citizens in the nearest towns of Kiev region. For these reasons, starting from 27 April 1986, 14:00 each apartment block will be able to have a bus at its disposal, supervised by the police and the city officials. It is highly advisable to take your documents, some vital personal belongings and a certain amount of food, just in case, with you. The senior executives of public and industrial facilities of the city has decided on the list



Pripyat evacuation broadcast

▶
2:34

Russian language announcement

Problems playing this file? See [media help](#).

of employees needed to stay in Pripyat to maintain these facilities in a good working order. All the houses will be guarded by the police during the evacuation period. Comrades, leaving your residences temporarily please make sure you have turned off the lights, electrical equipment and water and shut the windows. Please keep calm and orderly in the process of this short-term evacuation.^[59]

To expedite the evacuation, residents were told to bring only what was necessary, and that they would remain evacuated for approximately three days. As a result, most personal belongings were left behind, and residents were only allowed to recover certain items after months had passed. By 15:00, 53,000 people were evacuated to various villages of the Kiev region.^[58] The next day, talks began for evacuating people from the 10-kilometre (6.2 mi) zone.^[58] Ten days after the accident, the evacuation area was expanded to 30 kilometres (19 mi).^{[60]:115,120–121} The Chernobyl Nuclear Power Plant Exclusion Zone has remained ever since, although its shape has changed and its size has been expanded.



Abandoned objects in the evacuation zone

The surveying and detection of isolated fallout hotspots outside this zone over the following year eventually resulted in 135,000 long-term evacuees in total agreeing to be moved.^[9] The years between 1986 and 2000 saw the near tripling in the total number of permanently resettled persons from the most severely contaminated areas to approximately 350,000.^{[61][62]}

Official announcement

Evacuation began one and a half days before the accident was publicly acknowledged by the Soviet Union. In the morning of 28 April, radiation levels set off alarms at the Forsmark Nuclear Power Plant in Sweden,^{[63][64]} over 1,000 kilometres (620 mi) from the Chernobyl Plant. Workers at Forsmark reported the case to the Swedish Radiation Safety Authority, which determined that the radiation had originated elsewhere. That day, the Swedish government contacted the Soviet government to inquire about whether there had been a nuclear accident in the Soviet Union. The Soviets initially denied it, and it was only after the Swedish government suggested they were about to file an official alert with the International Atomic Energy Agency, that the Soviet government admitted that an accident had taken place at Chernobyl.^{[64][65]}



Picture taken by French satellite SPOT-1 on 1 May 1986

At first, the Soviets only conceded that a minor accident had occurred, but once they began evacuating more than 100,000 people, the full scale of the situation was realized by the global community.^[66] At 21:02 the evening of 28 April, a 20-second announcement was read in the TV news programme *Vremya*: "There has been an accident at the Chernobyl Nuclear Power Plant. One of the nuclear reactors was damaged. The effects of the accident are being remedied. Assistance has been provided for any affected people. An investigative commission has been set up."^{[67][68]}

This was the entire announcement, and the first time the Soviet Union officially announced a nuclear accident. The Telegraph Agency of the Soviet Union (TASS) then discussed the Three Mile Island accident and other American nuclear accidents, which Serge Schmemmann of *The New York Times* wrote was an example of the common Soviet tactic of whataboutism. The mention of a commission also indicated to observers the seriousness of the incident,^[65] and subsequent state radio broadcasts were replaced with classical music, which was a common method of preparing the public for an announcement of a tragedy in the USSR.^[67]

Around the same time, ABC News released its report about the disaster.^[69] Shevchenko was the first of the Ukrainian state top officials to arrive at the disaster site early on 28 April. There she spoke with members of medical staff and people, who were calm and hopeful that they could soon return to their homes. Shevchenko returned home near midnight, stopping at a radiological checkpoint in Vilcha, one of the first that were set up soon after the accident.^[58]

There was a notification from Moscow that there was no reason to postpone the 1 May International Workers' Day celebrations in Kiev (including the annual parade), but on 30 April a meeting of the Political bureau of the Central Committee of the CPSU took place to discuss the plan for the upcoming celebration. Scientists were reporting that the radiological background level in Kiev was normal. At the meeting, which was finished at 18:00, it was decided to shorten celebrations from the regular three and a half to four hours to under two hours.^[58]

Several buildings in Pripyat were officially kept open after the disaster to be used by workers still involved with the plant. These included the Jupiter factory (which closed in 1996) and the Azure Swimming Pool, used by the Chernobyl liquidators for recreation during the clean-up (which closed in 1998).


Core meltdown risk mitigation

Bubbler pools


Two floors of bubbler pools beneath the reactor served as a large water reservoir for the emergency cooling pumps and as a pressure suppression system capable of condensing steam in case of a small broken steam pipe; the third floor above them, below the reactor, served as a steam tunnel. The steam released by a broken pipe was supposed to enter the steam tunnel and be led into the pools to bubble through a layer of water. After the disaster, the pools and the basement were flooded because of ruptured cooling water pipes and accumulated firefighting water.

The smoldering graphite, fuel and other material, at more than 1,200 °C (2,190 °F),^[71] started to burn through the reactor floor and mixed with molten concrete from the reactor lining, creating corium, a radioactive semi-liquid material comparable to lava.^{[70][72]} It was feared that if this mixture melted through the floor into the pool of water, the resulting steam production would further contaminate the area or even cause a steam explosion, ejecting more radioactive material from the reactor. It became necessary to drain the pool.^[73] These fears ultimately proved unfounded, since corium began dripping harmlessly into the flooded bubbler pools before the water could be removed.

^[74] The molten fuel hit the water and cooled into a light-brown ceramic pumice, whose low density allowed the substance to float on the water's surface.^[74]



Chernobyl lava-like corium, formed by fuel-containing mass, flowed into the basement of the plant.^[70]



Extremely high levels of radioactivity in the lava under the Chernobyl number four reactor in 1986

Unaware of this fact, the government commission directed that the bubbler pools be drained by opening its sluice gates. The valves controlling it, however, were located in a flooded corridor in a subterranean annex adjacent to the reactor building. Volunteers in diving suits and respirators (for protection against radioactive aerosols), and equipped with dosimeters, entered the knee-deep radioactive water and managed to open the valves.^{[75][76]} These were the engineers Oleksiy Ananenko and Valeri Bezpалov (who knew where the valves were), accompanied by the shift supervisor Boris Baranov.^{[77][78][79]} The three men were awarded the Order For Courage by Ukrainian President Petro Poroshenko in May 2018.^[80]

Numerous media reports falsely suggested that all three men died just days after the incident. In fact, all three survived and continued to work in the nuclear energy industry.^[81] Ananenko and Bezpалov were still alive as of 2021, while Baranov had died of heart failure in 2005 at age 65.^[82] Once the bubbler pool gates were opened by the three volunteers, fire brigade pumps were then used to drain the basement. The operation was not completed until 8 May, after 20,000 tonnes (20,000 long tons; 22,000 short tons) of water were pumped out.^[83]

Foundation protection measures



New Safe Confinement in 2017.

The government commission was concerned that the molten core would burn into the earth and contaminate groundwater below the reactor. To reduce the likelihood of this, it was decided to freeze the earth beneath the reactor, which would also stabilize the foundations. Using oil well drilling equipment, the injection of liquid nitrogen began on 4 May. It was estimated that 25 tonnes (55 thousand pounds) of liquid nitrogen per day would be required to keep the soil frozen at -100 °C (-148 °F).^{[20]:59} This idea was quickly scrapped.^[84]

As an alternative, subway builders and coal miners were deployed to excavate a tunnel below the reactor to make room for a cooling system. The final makeshift design for the cooling system was to incorporate a coiled formation of pipes cooled with water and covered on top with a thin thermally conductive graphite layer. The graphite layer as a natural refractory material would prevent the concrete above from melting. This graphite cooling plate layer was to be encapsulated between two concrete layers, each 1 metre (3 ft 3 in) thick for stabilisation. This system was designed by Leonid Bolshov, the director of the Institute for Nuclear Safety and Development formed in 1988. Bolshov's graphite-concrete "sandwich" would be similar in concept to later core catchers that are now part of many nuclear reactor designs.^[85]

Bolshov's graphite cooling plate, alongside the prior nitrogen injection proposal, were not used following the drop in aerial temperatures and indicative reports that the fuel melt had stopped. It was later determined that the fuel had flowed three floors, with a few cubic meters coming to rest at ground level. The precautionary underground channel with its active cooling was therefore deemed redundant, as the fuel was self-cooling. The excavation was then simply filled with concrete to strengthen the foundation below the reactor.^[86]

Immediate site and area remediation

Debris removal

In the months after the explosion, attention turned to removing the radioactive debris from the roof.^[87] While the worst of the radioactive debris had remained inside what was left of the reactor, it was estimated that there was approximately 100 tons of debris on that roof which had to be removed to enable the safe construction of the "sarcophagus"—a concrete structure that would entomb the reactor and reduce radioactive dust being released into the atmosphere.^[87] The initial plan was to use robots to clear the debris off the roof. The Soviets used approximately 60 remote-controlled robots, most of them built in the Soviet Union itself. Many failed due to the difficult terrain, combined with the effect of high radiation fields on their batteries and electronic controls.^[87] In 1987, Valery Legasov, first deputy director of the Kurchatov Institute of Atomic Energy in Moscow, said: "We learned that robots are not the great remedy for everything. Where there was very high radiation, the robot ceased to be a robot—the electronics quit working."^[88]

Consequently, the most highly radioactive materials were shoveled by Chernobyl liquidators from the military wearing heavy protective gear (dubbed "bio-robots"). These soldiers could only spend a maximum of 40–90 seconds working on the rooftops of the surrounding buildings because of the extremely high doses of radiation given off by the blocks of graphite and other debris. Only 10% of the debris cleared from the roof was performed by robots; the other 90% was removed by 3,828 men who absorbed, on average, an estimated dose of 25 rem (250 mSv) of radiation each.^[87]

Construction of the sarcophagus

With the extinguishing of the open air reactor fire, the next step was to prevent the spread of contamination. This could be due to wind action which could carry away loose contamination, and by birds which could land within the wreckage and then carry contamination elsewhere. In addition, rainwater could wash contamination away from the reactor area and into the sub-surface water table, where it could migrate outside the site area. Rainwater falling on the wreckage could also weaken the remaining reactor structure by accelerating corrosion of steelwork. A further challenge was to reduce the large amount of emitted gamma radiation, which was a hazard to the workforce operating the adjacent reactor No. 3.



No. 4 reactor site in 2006 showing the sarcophagus containment structure; Reactor No. 3 is to the left of the smoke stack

The solution chosen was to enclose the wrecked reactor by the construction of a huge composite steel and concrete shelter, which became known as the "Sarcophagus". It had to be erected quickly and within the constraints of high levels of ambient gamma radiation. The design started on 20 May 1986, 24 days after the disaster, and construction was from June to late November.^[89] This major construction project was carried out under the very difficult circumstances of high levels of radiation both from the core remnants and the deposited radioactive contamination around it.

The construction workers had to be protected from radiation, and techniques such as crane drivers working from lead-lined control cabins were employed. The construction work included erecting walls around the perimeter, clearing and surface concreting the surrounding ground to remove sources of radiation and to allow access for large construction machinery, constructing a thick radiation shielding wall to protect the workers in reactor No. 3, fabricating a high-rise buttress to strengthen weak parts of the old structure, constructing an overall roof, and provisioning a ventilation extract system to capture any airborne contamination arising within the shelter.

Investigations of the reactor condition

During the construction of the sarcophagus, a scientific team, as part of an investigation dubbed "Complex Expedition", re-entered the reactor to locate and contain nuclear fuel to prevent another explosion. These scientists manually collected cold fuel rods, but great heat was still emanating from the core. Rates of radiation in different parts of the building were monitored by drilling holes

into the reactor and inserting long metal detector tubes. The scientists were exposed to high levels of radiation and radioactive dust.^[52]

In December 1986, after six months of investigation, the team discovered with the help of a remote camera that an intensely radioactive mass more than 2 metres (6 ft 7 in) wide had formed in the basement of Unit Four. The mass was called "the elephant's foot" for its wrinkled appearance.^[90] It was composed of melted sand, concrete, and a large amount of nuclear fuel that had escaped from the reactor. The concrete beneath the reactor was steaming hot, and was breached by now-solidified lava and spectacular unknown crystalline forms termed chernobylite. It was concluded that there was no further risk of explosion.^[52]

Area cleanup

The official contaminated zones saw a massive clean-up effort lasting seven months.^{[60]:177–183} The official reason for such early (and dangerous) decontamination efforts, rather than allowing time for natural decay, was that the land must be repopulated and brought back into cultivation. Within fifteen months 75% of the land was under cultivation, even though only a third of the evacuated villages were resettled. Defence forces must have done much of the work. Yet this land was of marginal agricultural value. According to historian David Marples, the administration had a psychological purpose for the clean-up: they wished to forestall panic regarding nuclear energy, and even to restart the Chernobyl power station.^{[60]:78–79,87,192–193}



Soviet badge and medal awarded to Chernobyl liquidators

Helicopters regularly sprayed large areas of contaminated land with "Barda", a sticky polymerizing fluid, designed to entrap radioactive dust.^[91]

Although a number of radioactive emergency vehicles were buried in trenches, many of the vehicles used by the liquidators, including the helicopters, still remained, as of 2018, parked in a field in the Chernobyl area. Scavengers have since removed many functioning, but highly radioactive, parts.^[92] Liquidators worked under deplorable conditions, poorly informed and with poor protection. Many, if not most of them, exceeded radiation safety limits.^{[60]:177–183}^[93]

A unique "clean up" medal was given to the clean-up workers, known as "liquidators".^[94]

Investigations and the evolution of identified causes

To investigate the causes of the accident the IAEA used the International Nuclear Safety Advisory Group (INSAG), which had been created by the IAEA in 1985.^[95] It produced two significant reports on Chernobyl; INSAG-1 in 1986, and a revised report, INSAG-7 in 1992. In summary, according to INSAG-1, the main cause of the accident was the operators' actions, but according to

INSAG-7, the main cause was the reactor's design.^{[23]:24[96]} Both IAEA reports identified an inadequate "safety culture" (INSAG-1 coined the term) at all managerial and operational levels as a major underlying factor of different aspects of the accident. This was stated to be inherent not only in operations but also during design, engineering, construction, manufacture and regulation.^{[23]:21,24}

Fizzled nuclear explosion hypothesis

The force of the second explosion and the ratio of xenon radioisotopes released after the accident led Sergei A. Pakhomov and Yuri V. Dubasov in 2009 to theorize that the second explosion could have been an extremely fast nuclear power transient resulting from core material melting in the absence of its water coolant and moderator. Pakhomov and Dubasov argued that there was no delayed supercritical increase in power but a runaway prompt criticality which would have developed much faster. He felt the physics of this would be more similar to the explosion of a fizzled nuclear weapon, and it produced the second explosion.^[97]

Their evidence came from Cherepovets, a city 1,000 kilometres (620 mi) northeast of Chernobyl, where physicists from the V.G. Khlopin Radium Institute measured anomalous high levels of xenon-135—a short half-life isotope—four days after the explosion. This meant that a nuclear event in the reactor may have ejected xenon to higher altitudes in the atmosphere than the later fire did, allowing widespread movement of xenon to remote locations.^[98] This was an alternative to the more accepted explanation of a positive-feedback power excursion where the reactor disassembled itself by steam explosion.^{[23][97]}

The energy released by the second explosion, which produced the majority of the damage, was estimated by Pakhomov and Dubasov to be at 40 billion joules, the equivalent of about 10 tons of TNT.^[97]

Pakhomov and Dubasov's nuclear fizzle hypothesis was examined in 2017 by Lars-Erik De Geer, Christer Persson and Henning Rodhe, who put the hypothesized fizzle event as the more probable cause of the first explosion.^{[45]:11[99][100]} Both analyses argue that the nuclear fizzle event, whether producing the second or first explosion, consisted of a prompt chain reaction that was limited to a small portion of the reactor core, since self-disassembly occurs rapidly in fizzle events.^{[97][45]}

De Geer, Persson and Rodhe commented:

We believe that thermal neutron mediated nuclear explosions at the bottom of a number of fuel channels in the reactor caused a jet of debris to shoot upwards through the refuelling tubes. This jet then rammed the tubes' 350kg plugs, continued through the roof and travelled into the atmosphere to altitudes of 2.5–3km where the weather conditions provided a route to Cherepovets. The steam explosion which ruptured the reactor vessel occurred some 2.7 seconds later.^[98]

This second explosion was estimated by the authors to have had the power equivalent of 225 tons

of TNT.^[45]

Release and spread of radioactive materials

Although it is difficult to compare releases between the Chernobyl accident and a deliberate air burst nuclear detonation, it has nevertheless been estimated that about four hundred times more radioactive material was released from Chernobyl than by the atomic bombing of Hiroshima and Nagasaki together. However, the Chernobyl accident only released about one hundredth to one thousandth of the total amount of radioactivity released during nuclear weapons testing at the height of the Cold War; the wide estimate being due to the different abundances of isotopes released.^[101]

At Chernobyl, approximately 100,000 square kilometres (39,000 sq mi) of land was significantly contaminated with fallout, with the worst hit regions being in Belarus, Ukraine and Russia.^[102] Lower levels of contamination were detected over all of Europe except for the Iberian Peninsula.^{[103][104][105]} Most of the fallout with radioactive dust particles was released during the first ten days after the accident. By around 2 May, a radioactive cloud had reached the Netherlands and Belgium.

The initial evidence that a major release of radioactive material was affecting other countries came not from Soviet sources, but from Sweden. On the morning of 28 April,^[106] workers at the Forsmark Nuclear Power Plant in central Sweden (approximately 1,100 km (680 mi) from the Chernobyl site) were found to have radioactive particles on their clothes, except they had this whenever they came to work rather than when exiting.^[107]

It was Sweden's elevated radioactivity level, detected at noon on 28 April that, having been determined as not caused by a leak at the Swedish plant, first suggested a serious nuclear problem originating from the western Soviet Union. The evacuation of Prip'yat on 27 April had been silently completed without the disaster being declared outside the Soviet Union. A rise in radiation levels in the subsequent days had also been measured in Finland, but a civil service strike delayed the response and publication.^[108]

Areas of Europe contaminated with ¹³⁷Cs^[109]

Country	37–185 kBq/m ²		185–555 kBq/m ²		555–1,480 kBq/m ²		> 1,480 kBq/m ²	
	km ²	% of country	km ²	% of country	km ²	% of country	km ²	% of country
Belarus	29,900	14.4	10,200	4.9	4,200	2.0	2,200	1.1
Ukraine	37,200	6.2	3,200	0.53	900	0.15	600	0.1
Russia	49,800	0.3	5,700	0.03	2,100	0.01	300	0.002
Sweden	12,000	2.7	—	—	—	—	—	—
Finland	11,500	3.4	—	—	—	—	—	—
Austria	8,600	10.3	—	—	—	—	—	—
Norway	5,200	1.3	—	—	—	—	—	—
Bulgaria	4,800	4.3	—	—	—	—	—	—
Switzerland	1,300	3.1	—	—	—	—	—	—
Greece	1,200	0.9	—	—	—	—	—	—
Slovenia	300	1.5	—	—	—	—	—	—
Italy	300	0.1	—	—	—	—	—	—
Moldova	60	0.2	—	—	—	—	—	—
Totals	162,160 km²		19,100 km²		7,200 km²		3,100 km²	

Contamination from the Chernobyl accident was scattered irregularly depending on weather conditions, much of it deposited on mountainous regions such as the Alps, the Welsh mountains and the Scottish Highlands, where adiabatic cooling caused radioactive rainfall. The resulting patches of contamination were often highly localized, and localized water-flows contributed to large variations in radioactivity over small areas. Sweden and Norway also received heavy fallout when the contaminated air collided with a cold front, bringing rain.^{[110]:43–44,78} There was also groundwater contamination.

Rain was deliberately seeded over 10,000 square kilometres (3,900 sq mi) of Belarus by the Soviet Air Force to remove radioactive particles from clouds heading toward highly populated areas. Heavy, black-coloured rain fell on the city of Gomel.^[111] Reports from Soviet and Western scientists indicate that the Belarusian SSR received about 60% of the contamination that fell on the former Soviet Union. However, the 2006 TORCH report stated that up to half of the volatile particles had actually landed outside the former USSR area currently making up Ukraine, Belarus, and Russia. An unconnected large area in Russian SFSR south of Bryansk was also contaminated, as were parts of northwestern Ukrainian SSR. Studies in surrounding countries indicate that more than one million people could have been affected by radiation.^[112]

2016 data from a long-term monitoring program (The Korma Report II)^[113] showed a decrease in internal radiation exposure of the inhabitants of a region in Belarus close to Gomel. Resettlement may now be possible in prohibited areas provided that people comply with appropriate dietary rules.


In Western Europe, precautionary measures taken in response to the radiation included banning the importation of certain foods. A 2006 study by the French society for nuclear energy found that contamination was "relatively limited, diminishing from west to east", such that a hunter consuming 40 kilograms of contaminated wild boar in 1997 would be exposed to about one millisievert.^[114]

Relative isotopic abundances

The Chernobyl release was characterized by the physical and chemical properties of the radioisotopes in the core. Particularly dangerous were the highly radioactive fission products, those with high nuclear decay rates that accumulate in the food chain, such as some of the isotopes of iodine, caesium and strontium. Iodine-131 was and caesium-137 remains the two most responsible for the radiation exposure received by the general population.^[2]

Detailed reports on the release of radioisotopes from the site were published in 1989^[115] and 1995,^[116] with the latter report updated in 2002.^[2]

At different times after the accident, different isotopes were responsible for the majority of the external dose. The remaining quantity of any radioisotope, and therefore the activity of that isotope, after 7 decay half-lives have passed, is less than 1% of its initial magnitude,^[117] and it continues to reduce beyond 0.78% after 7 half-lives to 0.10% remaining after 10 half-lives have passed and so on.^{[118][119]} Some radionuclides have decay products that are likewise radioactive, which is not accounted for here. The release of radioisotopes from the nuclear fuel was largely controlled by their boiling points, and the majority of the radioactivity present in the core was retained in the reactor.




Contributions of the various isotopes to the atmospheric absorbed dose in the contaminated area of Pripjat, from soon after the accident to 27 years after the accident

- All of the noble gases, including krypton and xenon, contained within the reactor were released immediately into the atmosphere by the first steam explosion.^[2] The atmospheric release of xenon-133, with a half-life of 5 days, is estimated at 5200 PBq.^[2]
- 50 to 60% of all core radioiodine in the reactor, about 1760 PBq (1760×10^{15} becquerels), or about 0.4 kilograms (0.88 lb), was released, as a mixture of sublimed vapour, solid particles, and organic iodine compounds. Iodine-131 has a half-life of 8 days.^[2]
- 20 to 40% of all core caesium-137 was released, 85 PBq in all.^{[2][120]} Caesium was released in aerosol form; caesium-137, along with isotopes of strontium, are the two primary elements preventing the Chernobyl exclusion zone being re-inhabited.^[121] 8.5×10^{16} Bq equals 24 kilograms of caesium-137.^[121] Cs-137 has a half-life of 30 years.^[2]
- Tellurium-132, half-life 78 hours, an estimated 1150 PBq was released.^[2]
- An early estimate for total nuclear fuel material released to the environment was $3 \pm 1.5\%$; this

was later revised to $3.5 \pm 0.5\%$. This corresponds to the atmospheric emission of 6 tonnes (5.9 long tons; 6.6 short tons) of fragmented fuel.^[116]

Two sizes of particles were released: small particles of 0.3 to 1.5 micrometres, each an individually unrecognizable small dust or smog sized particulate matter and larger settling dust sized particles that therefore were quicker to fall-out of the air, of 10 micrometres in diameter. These larger particles contained about 80% to 90% of the released high boiling point or non-volatile radioisotopes; zirconium-95, niobium-95, lanthanum-140, cerium-144 and the transuranic elements, including neptunium, plutonium and the minor actinides, embedded in a uranium oxide matrix.



Logarithmic scaled graph of the external relative gamma dose for a person in the open near the disaster site

The dose that was calculated is the relative external gamma dose rate for a person standing in the open. The exact dose to a person in the real world who would spend most of their time sleeping indoors in a shelter and then venturing out to consume an internal dose from the inhalation or ingestion of a radioisotope, requires a personnel specific radiation dose reconstruction analysis and whole body count exams, of which 16,000 were conducted in Ukraine by Soviet medical personnel in 1987.^[122]

Environmental impact


Water bodies

The Chernobyl nuclear power plant is located next to the Pripyat River, which feeds into the Dnieper reservoir system, one of the largest surface water systems in Europe, which at the time supplied water to Kiev's 2.4 million residents, and was still in spring flood when the accident occurred.^{[60]:60} The radioactive contamination of aquatic systems therefore became a major problem in the immediate aftermath of the accident.^[123]

In the most affected areas of Ukraine, levels of radioactivity (particularly from radionuclides ¹³¹I, ¹³⁷Cs and ⁹⁰Sr) in drinking water caused concern during the weeks and months after the accident.^[123] Guidelines for levels of radioiodine in drinking water were temporarily raised to 3,700 Bq/L, allowing most water to be reported as safe.^[123] Officially it was stated that all contaminants had settled to the bottom "in an insoluble phase" and would not dissolve for 800–1000 years.^{[60]:64} A year after the accident it was announced that even the water of the Chernobyl plant's cooling pond was within acceptable norms. Despite this, two months after the disaster the Kiev water supply was switched from the Dnieper to the Desna River.^{[60]:64–65} Meanwhile, massive silt traps were constructed, along with an enormous 30-metre (98 ft) deep underground barrier to prevent

groundwater from the destroyed reactor entering the Pripyat River. [60]:65–67

Groundwater was not badly affected by the Chernobyl accident since radionuclides with short half-lives decayed away long before they could affect groundwater supplies, and longer-lived radionuclides such as radiocaesium and radiostrontium were adsorbed to surface soils before they could transfer to groundwater. [124] However, significant transfers of radionuclides to groundwater have occurred from waste disposal sites in



Reactor and surrounding area in April 2009

the 30 km (19 mi) exclusion zone around Chernobyl. Although there is a potential for transfer of radionuclides from these disposal sites off-site (i.e. out of the 30 km (19 mi) exclusion zone), the IAEA Chernobyl Report [124] argues that this is not significant in comparison to current levels of washout of surface-deposited radioactivity.

Bio-accumulation of radioactivity in fish [125] resulted in concentrations (both in western Europe and in the former Soviet Union) that in many cases were significantly above guideline maximum levels for consumption. [123] Guideline maximum levels for radiocaesium in fish vary from country to country but are approximately 1000 Bq/kg in the European Union. [126] In the Kiev Reservoir in Ukraine, concentrations in fish were in the range of 3000 Bq/kg during the first few years after the accident. [125]

In small "closed" lakes in Belarus and the Bryansk region of Russia, concentrations in a number of fish species varied from 100 to 60,000 Bq/kg during the period 1990–1992. [127] The contamination of fish caused short-term concern in parts of the UK and Germany and in the long term (years rather than months) in the affected areas of Ukraine, Belarus, and Russia as well as in parts of Scandinavia. [123]

Chernobyl's radiocaesium deposits were used to calibrate sedimentation samples from Lake Qattinah in Syria. The $^{137}_{55}\text{Cs}$ provides a sharp, maximal, data point in radioactivity of the core sample at the 1986 depth, and acts as a date check on the depth of the $^{210}_{82}\text{Pb}$ in the core sample. [128]

Flora, fauna, and funga

After the disaster, four square kilometres (1.5 sq mi) of pine forest directly downwind of the reactor turned reddish-brown and died, earning the name of the "Red Forest". [129] Some animals in the worst-hit areas also died or stopped reproducing. Most domestic animals were removed from the exclusion zone, but horses left on an island in the Pripyat River 6 km (4 mi) from the power plant

died when their thyroid glands were destroyed by radiation doses of 150–200 Sv.^[130] Some cattle on the same island died and those that survived were stunted because of thyroid damage. The next generation appeared to be normal.^[130] The mutation rates for plants and animals have increased by a factor of 20 because of the release of radionuclides from Chernobyl. There is evidence for elevated mortality rates and increased rates of reproductive failure in contaminated areas, consistent with the expected frequency of deaths due to mutations.^[131]



Radiation levels around Chernobyl in 1996

On farms in Narodychi Raion of Ukraine it is claimed that from 1986 to 1990 nearly 350 animals were born with gross deformities such as missing or extra limbs, missing eyes, heads or ribs, or deformed skulls; in comparison, only three abnormal births had been registered in the five years prior.^[132]

Subsequent research on microorganisms, while limited, suggests that in the aftermath of the disaster, bacterial and viral specimens exposed to the radiation (including Mycobacterium tuberculosis, herpesvirus, cytomegalovirus, hepatitis-causing viruses, and tobacco mosaic virus) underwent rapid changes.^[133] Activations of soil micromycetes have been reported.^[133] It is currently unclear how these changes in species with rapid reproductive turnover (which were not destroyed by the radiation but instead survived) will manifest in terms of virulence, drug resistance, immune evasion, and so on. A paper in 1998 reported the discovery of an Escherichia



Piglet with dipygus on exhibit at the Ukrainian National Chernobyl Museum

coli mutant that was hyper-resistant to a variety of DNA-damaging elements, including x-ray radiation, UV-C, and 4-nitroquinoline 1-oxide (4NQO).^[134] Cladosporium sphaerospermum, a species of fungus that has thrived in the Chernobyl contaminated area, has been investigated for the purpose of using the fungus' particular melanin to protect against high-radiation environments, such as space travel.^[135] The disaster has been described by lawyers, academics and journalists as an example of ecocide.^{[136][137][138][139]}

Human food chain

With radiocaesium binding less with humic acid, peaty soils than the known binding "fixation" that occurs on kaolinite rich clay soils, many marshy areas of Ukraine had the highest soil to dairy-milk transfer coefficients, of soil activity in ~ 200 kBq/m² to dairy milk activity in Bq/L, that had ever been reported, with the transfer, from initial land activity into milk activity, ranging from 0.3^{-2} to 20^{-2} times that which was on the soil, a variance depending on the natural acidity-conditioning of the pasture.^[122]

In 1987, Soviet medical teams conducted some 16,000 whole-body count examinations on inhabitants in otherwise comparatively lightly contaminated regions with good prospects for recovery. This was to determine the effect of banning local food and using only food imports on the internal body burden of radionuclides in inhabitants. Concurrent agricultural countermeasures were used when cultivation did occur, to further reduce the soil to human transfer as much as possible. The expected highest body activity was in the first few years, where the unabated ingestion of local food (primarily milk) resulted in the transfer of activity from soil to body. After the dissolution of the Soviet Union, the now reduced scale initiative to monitor human body activity in these regions of Ukraine recorded a small and gradual half-decade-long rise in internal committed dose before returning to the previous trend of observing ever lower body counts each year.

This momentary rise is hypothesized to be due to the cessation of the Soviet food imports together with many villagers returning to older dairy food cultivation practices and large increases in wild berry and mushroom foraging, the latter of which have similar peaty soil to fruiting body, radiocaesium transfer coefficients.^[122]

In a 2007 paper, a robot sent into the No. 4 reactor returned with samples of black, melanin-rich radiotrophic fungi that grow on the reactor's walls.^[142]

Of the 440,350 wild boar killed in the 2010 hunting season in Germany, approximately one thousand were contaminated with levels of radiation above the permitted limit of 600 becquerels of caesium per kilogram, of dry weight, due to residual radioactivity from Chernobyl.^[143] While all animal meat contains a natural level of potassium-40 at a similar level of activity, with both wild and farm animals in Italy containing " 415 ± 56 becquerels kg⁻¹ dw" of that naturally occurring gamma emitter.^[144]

Because Elaphomyces fungal species bioaccumulate radiocaesium, boars of the Bavarian Forest that consume these "deer truffles" are contaminated at higher levels than their environment's soil.^[145] Given that nuclear weapons release a higher ¹³⁵C/¹³⁷C ratio than nuclear reactors, the high

¹³⁵C content in these boars suggests that their radiological contamination can be largely attributed to the Soviet Union's nuclear weapons testing in Ukraine, which peaked during the late 1950s and early 1960s.^[146]

In 2015, long-term empirical data showed no evidence of a negative influence of radiation on mammal abundance.^[147]

Precipitation on distant high ground

On high ground, such as mountain ranges, there is increased precipitation due to adiabatic cooling. This resulted in localized concentrations of contaminants on distant areas; higher in Bq/m² values to many lowland areas much closer to the source of the plume. This effect occurred on high ground in Norway and the UK.

Norway

The Norwegian Agricultural Authority reported that in 2009, a total of 18,000 livestock in Norway required uncontaminated feed for a period before slaughter, to ensure that their meat had an activity below the government permitted value of caesium per kilogram deemed suitable for human consumption. This contamination was due to residual radioactivity from Chernobyl in the mountain plants they graze on in the wild during the summer. 1,914 sheep required uncontaminated feed for a time before slaughter during 2012, with these sheep located in only 18 of Norway's municipalities, a decrease from the 35 municipalities in 2011 and the 117 municipalities affected during 1986.^[148] The after-effects of Chernobyl on the mountain lamb industry in Norway were expected to be seen for a further 100 years, although the severity of the effects would decline over that period.^[149] Scientists report this is due to radioactive caesium-137 isotopes being taken up by fungi such as *Cortinarius caperatus* which is in turn eaten by sheep while grazing.^[148]

United Kingdom

The United Kingdom restricted the movement of sheep from upland areas when radioactive caesium-137 fell across parts of Northern Ireland, Wales, Scotland, and northern England. In the immediate aftermath of the disaster in 1986, the movement of a total of 4,225,000 sheep was restricted across a total of 9,700 farms, to prevent contaminated meat entering the human food chain.^[150] The number of sheep and the number of farms affected has decreased since 1986. Northern Ireland was released from all restrictions in 2000, and by 2009, 369 farms containing around 190,000 sheep remained under the restrictions in Wales, Cumbria, and northern Scotland.^[150] The restrictions applying in Scotland were lifted in 2010, while those applying to Wales and Cumbria were lifted during 2012, meaning no farms in the UK remain restricted because of Chernobyl fallout.^{[151][152]}



After the disaster, four square kilometres (1.5 sq mi) of pine forest directly downwind of the reactor turned reddish-brown and died, earning the name of the "Red Forest", though it soon recovered.^[129] This photograph was taken years later, in March 2009,^[140] after the forest began to grow again, with the lack of foliage at the time of the photograph merely due to the local winter at the time.^[141]

The legislation used to control sheep movement and compensate farmers (farmers were latterly compensated per animal to cover additional costs in holding animals prior to radiation monitoring) was revoked during October and November 2012, by the relevant authorities in the UK.^[153] Had restrictions in the UK not occurred, a heavy consumer of lamb meat would likely have received a dose of 4.1 mSv over a lifetime.^[154]

Human impact

Acute radiation effects and immediate aftermath

The only known, causal deaths from the accident involved workers in the plant and firefighters. The reactor explosion killed two engineers and burned two others, among the 237 workers hospitalized. 134 of those exhibited symptoms of acute radiation syndrome, including one disputed case. 28 died within three months, all of whom were hospitalized for ARS and 26 were among the 56 patients hospitalized for burns. Among the fatalities in the acute phase (approximately three months), all but one were hospitalized for grade 3 or 4 ARS. 15 out of 22 with grade 3 ARS survived. Only one out of 21 with grade 4 ARS survived.^[10]



Prip'yat lies abandoned with the Chernobyl facility visible in the distance

Some sources report a total initial fatality of 31,^{[155][156]} which includes one additional death caused by coronary thrombosis attributed to stress or coincidence, but this occurred off-site.^[10]

There were fishermen on the reservoir a half-kilometer from the reactor to the east. Of these, two shore fishermen, Protosov and Pustavoit, are said to have sustained doses estimated at 400 roentgens and vomited, but survived.^[55] The majority of Prip'yat residents slept through the distant sound of the explosion, including station engineer Breus, who only became aware at 6 a.m., the beginning of his shift. He was later taken to hospital and, while there, made the acquaintance of a teen who had ventured out alone by bike to watch the roof fires during the night, stopping and viewing the scene at the "Bridge of Death" 51.3949°N 30.0695°E﻿ / ﻿51.3949°N 30.0695°E﻿ / 51.3949; 30.0695. The cyclist was treated and released from hospital, remaining in touch with Breus as of 2019.^{[157][158][159]}

Most serious cases of ARS were treated with the assistance of American specialist Robert Peter Gale, who documented a first of its kind treatment and supervised bone marrow transplant procedures which were unsuccessful.^{[160][161]} In 2019, Gale wrote a letter to correct the


popularized, though egregious, portrayal of his patients as dangerous to visitors.^[162] All those who died were station operators and firefighters, over half of which were from the continued wearing of dusty soaked uniforms, causing beta burns to cover large areas of skin. In the first few minutes to days, the beta-to-gamma energy ratio is some 30:1.^[163]^[164]^[165] Owing to the large area of burned skin and sensitivity of the gastrointestinal tract, bacterial infection was and remains the overarching concern to those affected with ARS, as a leading cause of death, quarantine from the *outside* environment is a part of the normal treatment protocol. Many surviving firefighters, continue to have skin that is atrophied, spider veined with underlying fibrosis due to experiencing extensive beta burns.^[165]

Long-term impact

In the 10 years following the accident, 14 more people who had been initially hospitalized died of various causes mostly unrelated to radiation exposure. Only two were the result of myelodysplastic syndrome.^[10] Scientific consensus, in the form of the Chernobyl Forum, suggests that, although unexpected, there has been no statistically significant increase in the incidence rate of solid cancers among rescue workers.^[166] Follow-up studies have found this to be the case, with apparent increases in thyroid cancer simply attributed to more meticulous cancer screening for rescue workers.^[167]

Childhood thyroid cancer is an exception, with approximately 4,000 new incidents in the general population by 2002 within contaminated regions of Belarus, Russia, and Ukraine, most of which are attributed to high environmental levels of radioactive iodine shortly after the accident. The recovery rate is ~99%, with only 15 terminal cases (9 deaths) at the time of the report.^[166] There has been no increase in mutation rate among children of the liquidators or general population living in the contaminated areas.^[168]^[169] From this same report is a commonly cited estimate for potential future cancer fatalities which speculated that, at worst, ~4,000 additional cancer-related fatalities were to be expected.^[166]

Psychosomatic illness and post-traumatic stress, resulting from widespread fear of radiological



Radiation exposure to first responders at Chernobyl in comparison to a range of situations, from normal activities up to nuclear accident. Each step up the scale indicates a tenfold increase in radiation level.

disease, is a greater issue impacting many more with lethal health effects, especially as it receives relatively little attention. People who believe they or others have been impacted by radiological illness, erroneous or otherwise, exhibit greater issues with feelings of no control or fatalistic/pessimistic outlooks, leading to harmful behaviors, such as a lack of initiative to treat diseases. Such fears are strengthened by poor public understanding of the effects of radiation.^{[170][166]}

Whether the area was publicly announced as a contaminated area is a better predictor of general health than the contamination itself. "Resettlement status" is an even stronger predictor: the residents of contaminated regions who were evacuated and resettled into uncontaminated regions can be compared with the residents who remained in the contaminated regions. Resettled citizens erroneously believed they had an illness, related to radiation exposure, more often than citizens who remained in the contaminated regions. This brings into question the effectiveness of resettlement.^[170]

By 2000, the number of Ukrainians claiming to be radiation "sufferers" and receiving state benefits had jumped to 3.5 million, or 5% of the population. Many are populations resettled from contaminated zones or former or current Chernobyl plant workers.^{[93]:4–5} There was and remains a motivated "push" to achieve "sufferer" status as it gives access to state benefits and medical services otherwise not available.^[171] The apparent increases of ill health in this large group result partly from increased medical vigilance following the accident; many benign cases that would previously have gone unnoticed and untreated (especially cancer) are now recorded.^[102]

Of all 66,000 Belarusian emergency workers, by the mid-1990s their government reported that 150 (roughly 0.2%) died. In contrast, in the much larger work force from Ukraine, in the hundreds of thousands, some 5,722 casualties from a host of non-accident causes, were reported among Ukrainian clean-up workers up to 1995, by the National Committee for Radiation Protection of the Ukrainian Population.^{[102][172]} In September 1987, the IAEA held an Advisory Group Meeting at the Curie Institute in Paris on the medical handling of the skin lesions relating to the acute deaths.^[173]

Effects of main harmful radionuclides

The four most harmful radionuclides spread from Chernobyl were iodine-131, caesium-134, caesium-137 and strontium-90, with half-lives of 8 days, 2.07 years, 30.2 years and 28.8 years respectively.^{[174]:8} The iodine was initially viewed with less alarm than the other isotopes, because of its short half-life, but it is highly volatile and appears to have travelled furthest and caused the most severe health problems.^{[102]:24} Strontium is the least volatile and of main concern in the areas near Chernobyl.^{[174]:8}

Iodine tends to become concentrated in thyroid and milk glands, leading, among other things, to increased incidence of thyroid cancers. The total ingested dose was largely from iodine and, unlike the other fission products, rapidly found its way from dairy farms to human ingestion.^[175] Similarly in dose reconstruction, for those evacuated at different times and from various towns, the inhalation dose was dominated by iodine (40%), along with airborne tellurium (20%) and oxides of rubidium (20%) both as equally secondary, appreciable contributors.^[176]

Long term hazards such as caesium tends to accumulate in vital organs such as the heart,^[177] while strontium accumulates in bones and may be a risk to bone-marrow and lymphocytes.^{[174]:8} Radiation is most damaging to cells that are actively dividing. In adult mammals cell division is slow, except in hair follicles, skin, bone marrow and the gastrointestinal tract, which is why vomiting and hair loss are common symptoms of acute radiation sickness.^{[178]:42}

Disputed investigation

The two primary individuals involved with the attempt to suggest that the mutation rate among animals was, and continues to be, higher in the Chernobyl zone, are the Anders Moller and Timothy Mousseau group.^{[179][180][181][182]} Apart from continuing to publish experimentally unrepeatable and discredited papers, Mousseau gives talks at symposiums for "Physicians for Social Responsibility", an anti-nuclear advocacy group devoted to bring about a "nuclear free planet".^[183] Moller has been reprimanded for publishing papers that crossed the scientific "misconduct"/"fraud" line.^[184] The duo have more attempted to publish meta-analyses, in which the primary references they analyse and draw their conclusions from is their own papers along with the discredited book *Chernobyl: Consequences of the Catastrophe for People and the Environment*.^[185]

Withdrawn investigation

In 1996, geneticist Ronald Chesser and Robert Baker published a paper^[186] on the thriving vole population within the exclusion zone, in which the central conclusion of their work was essentially that "The mutation rate in these animals is hundreds and probably thousands of times greater than normal". This claim occurred after they had done a comparison of the mitochondrial DNA of the "Chernobyl voles" with that of a control group of voles from outside the region.^[187] The authors discovered they had incorrectly classified the species of vole and were genetically comparing two entirely different vole species. They issued a retraction in 1997.^{[179][188][189]}

Abortions

Following the accident, journalists mistrusted many medical professionals and in turn encouraged the public to mistrust them.^[190] Throughout the European continent, due to this media-driven framing of the contamination, requests for induced abortions of otherwise normal pregnancies were obtained out of fears of radiation.

Worldwide, an estimated excess of about 150,000 elective abortions may have been performed on otherwise healthy pregnancies out of fears of radiation, according to Robert Baker and a 1987 article by Linda E. Ketchum in the *Journal of Nuclear Medicine* which mentions but does not reference an IAEA source.^{[190][191][192][193][194][195]}

The statistical data excludes the Soviet–Ukraine–Belarus abortion rates, as they are unavailable. From the available data, an increase in abortions in what were healthy developing human offspring in Denmark occurred in the months following the accident, at a rate of about 400 cases.^[191] In Greece, following the accident, many obstetricians were unable to resist requests from worried

pregnant mothers over fears of radiation. Although it was determined that the effective dose to Greeks would not exceed one mSv (100 mrem), a dose much lower than that which it was determined would induce embryonic abnormalities or other non-stochastic effects, there was an observed 2,500 increase of otherwise wanted pregnancies being terminated.^[192]

No evidence of changes in the prevalence of human deformities/birth congenital anomalies that might be associated with the accident are apparent in Belarus or Ukraine, the two republics that had the highest exposure to fallout.^[196] In Sweden^[197] and in Finland where no increase in abortion rates occurred, it was likewise determined that "no association between the temporal and spatial variations in radioactivity and variable incidence of congenital malformations [was found]."^[198]

Larger "mainly western European" data sets, approaching a million births in the EUROCAT database, divided into "exposed" and control groups were assessed in 1999. As no Chernobyl impacts were detected, the researchers conclude "in retrospect, the widespread fear in the population about the possible effects of exposure on the unborn fetus was not justified".^[199] Despite studies from Germany and Turkey, the only robust evidence of negative pregnancy outcomes that transpired after the accident were these elective abortion indirect effects, in Greece, Denmark, Italy etc., due to the anxieties created.^[196]

In very high doses, it was known that radiation could cause a physiological increase in the rate of pregnancy anomalies, but unlike the dominant linear no-threshold model of radiation and cancer rate increases, it was known, by researchers familiar with both the prior human exposure data and animal testing, that the "Malformation of organs appears to be a deterministic effect with a threshold dose" below which, no rate increase is observed.^[200] This teratology (birth defects) issue was discussed by the Harvard Medical School in 1999, publishing a detailed review of dose reconstructions and pregnancy data following the accident, inclusive of data from Kiev's largest obstetrics hospitals.^[200] It concludes that "the lay press with...reporters playing up anecdotal stories of children with birth defects" is, together with dubious studies that show selection bias, the primary factors causing the persistent belief Chernobyl increased the background rate of birth defects. Pregnancy data does not support this perception as no women took part in the most radioactive liquidator operations, no in-utero individuals would have been expected to have received a threshold dose.^[200]

Studies of low statistical significance on some of the most contaminated and proximal regions of Ukraine and Belarus, tentatively argue with some 50 children who were irradiated by the accident in utero during weeks 8 to 25 of gestation had an increased rate of intellectual disability, lower verbal IQ, and possibly other negative effects. These findings may be due to confounding factors or annual variations in random chance.^[201]

The Chernobyl liquidators, essentially an all-male civil defense emergency workforce, would go on to father normal children, without an increase in developmental anomalies or a statistically significant increase in the frequencies of germline mutations in their progeny.^[168] This normality is similarly seen in the children of the survivors of the Goiânia accident.^[202] A 2021 study based on whole-genome sequencing of children of parents employed as liquidators indicated no trans-generational genetic effects of exposure of parents to ionizing radiation.^[203]

Cancer assessments

A report by the International Atomic Energy Agency examines the environmental consequences of the accident.^[124] The United Nations Scientific Committee on the Effects of Atomic Radiation has estimated a global collective dose of radiation exposure from the accident "equivalent on average to 21 additional days of world exposure to natural background radiation"; individual doses were far higher than the global mean among those most exposed, including 530,000 primarily male recovery workers (the Chernobyl liquidators) who averaged an effective dose equivalent to an extra 50 years of typical natural background radiation exposure each.^{[204][205][206]}

Estimates of deaths that will eventually result from the accident vary enormously; disparities reflect lack of solid scientific data and different methodologies used to quantify mortality—whether the discussion is confined to specific geographical areas or extends worldwide, and whether the deaths are immediate, short term, or long term. In 1994, thirty-one deaths were directly attributed to the accident, all among the reactor staff and emergency workers.^[155]


The Chernobyl Forum predicts that the eventual death toll could reach 4,000 among those exposed to the highest levels of radiation (200,000 emergency workers, 116,000 evacuees and 270,000 residents of the most contaminated areas); this figure is a total causal death toll prediction, combining the deaths of approximately 50 emergency workers who died soon after the accident from acute radiation syndrome, 15 children who have died of thyroid cancer and a predicted total of 3,935 deaths from radiation-induced cancer and leukaemia.^[207]

In a paper in the *International Journal of Cancer* in 2006, the authors expanded the discussion on those exposed to all of Europe they stated, without entering into a discussion on deaths, that in terms of total excess cancers attributed to the accident:^[208]

The risk projections suggest that by now [2006] Chernobyl may have caused about 1000 cases of thyroid cancer and 4000 cases of other cancers in Europe, representing about 0.01% of all incident cancers since the accident. Models predict that by 2065 about 16,000 cases of thyroid cancer and 25,000 cases of other cancers may be expected due to radiation from the accident, whereas several hundred million cancer cases are expected from other causes.

Anti-nuclear advocacy groups have publicized non-peer-reviewed estimates that include mortality estimates for those who were exposed to even smaller amounts of radiation. The Union of Concerned Scientists (UCS) calculated that, among the hundreds of millions of people exposed worldwide, there will be an eventual 50,000 excess cancer cases, resulting in 25,000 excess cancer deaths, excluding thyroid cancer.^[209] However, these calculations are based on a simple linear no-threshold model multiplication and the misapplication of the collective dose, which the International Commission on Radiological Protection (ICRP) states "should not be done" as using the collective dose is "inappropriate to use in risk projections".^[210] Along similar lines to the UCS approach, the 2006 TORCH report, commissioned by the European Greens political party, likewise simplistically calculates an eventual 30,000 to 60,000 excess cancer deaths in total, around the globe.^[103]

Yet the death rate from thyroid cancer has remained the same as prior to the technology.^[212] For these and other reasons, it is suggested that no reliable increase has been detected in the environs of Chernobyl, that cannot otherwise be explained as an artifact of the globally well documented Screening effect.^[211] In 2004, the UN collaborative, Chernobyl Forum, revealed thyroid cancer among children to be one of the main health impacts from the Chernobyl accident. This is due to the ingestion of contaminated dairy products, along with the inhalation of the short-lived, highly radioactive isotope, Iodine-131. In that publication, more than 4,000 cases of childhood thyroid cancer were reported. It is important to note that there was no evidence of an increase in solid cancers or leukemia. It said that there was an increase in psychological problems among the affected population.^[213] The WHO's Radiation Program reported that the 4,000 cases of thyroid cancer resulted in nine deaths.^[207]



Thyroid cancer incidence in children and adolescents in Belarus

- Adults, ages 19 to 34
- Adolescents, ages 15 to 18
- Children, ages up to 14

While widely regarded as having a cause and effect relationship, the causality of Chernobyl with the increases in recorded rates of thyroid cancer is disputed,^[211] as in both the US and South Korea, upon the advent of ultrasonography and widespread medical screening, the latter recorded an almost identical epidemic in thyroid cancer rates, with South Korea reporting a 15 fold increase upon the switch of diagnostic tool, the highest thyroid cancer rate in the world.^[212]

According to the United Nations Scientific Committee on the Effects of Atomic Radiation, up to the year 2005, an excess of more than 6,000 cases of thyroid cancer had been reported. That is, over the estimated pre-accident baseline thyroid cancer rate, more than 6,000 casual cases of thyroid cancer have been reported in children and adolescents exposed at the time of the accident, a number that is expected to increase. They concluded that there is no other evidence of major health impacts from the radiation exposure.^[214]

Well-differentiated thyroid cancers are generally treatable,^[215] and when treated the five-year survival rate of thyroid cancer is 96%, and 92% after 30 years.^[216] the United Nations Scientific Committee on the Effects of Atomic Radiation had reported 15 deaths from thyroid cancer in 2011.^[13] The International Atomic Energy Agency (IAEA) also states that there has been no increase in the rate of birth defects or abnormalities, or solid cancers—such as lung cancer—corroborating the assessments by the UN committee.^[213] UNSCEAR raised the possibility of long term genetic

defects, pointing to a doubling of radiation-induced minisatellite mutations among children born in 1994.^[217] However, the risk of thyroid cancer associated with the Chernobyl accident is still high according to published studies.^{[218][219]}

The German affiliate of the anti-nuclear energy organization,^[220] the *International Physicians for the Prevention of Nuclear War* suggest that 10,000 people are affected by thyroid cancer as of 2006, and that 50,000 cases are expected in the future.^[221]

Other disorders

Fred Mettler, a radiation expert at the University of New Mexico, puts the number of worldwide cancer deaths outside the highly contaminated zone at perhaps 5,000, for a total of 9,000 Chernobyl-associated fatal cancers, saying "the number is small (representing a few percent) relative to the normal spontaneous risk of cancer, but the numbers are large in absolute terms".^[222] The same report outlined studies based on data found in the Russian Registry from 1991 to 1998 that suggested that "of 61,000 Russian workers exposed to an average dose of 107 mSv about [five percent] of all fatalities that occurred may have been due to radiation exposure".^[213]

The report went into depth about the risks to mental health of exaggerated fears about the effects of radiation.^[213] According to the IAEA the "designation of the affected population as 'victims' rather than 'survivors' has led them to perceive themselves as helpless, weak and lacking control over their future". The IAEA says that this may have led to behaviour that has caused further health effects.^[223]

Fred Mettler commented that 20 years later: "The population remains largely unsure of what the effects of radiation actually are and retain a sense of foreboding. A number of adolescents and young adults who have been exposed to modest or small amounts of radiation feel that they are somehow fatally flawed and there is no downside to using illicit drugs or having unprotected sex. To reverse such attitudes and behaviours will likely take years, although some youth groups have begun programs that have promise."^[222] In addition, disadvantaged children around Chernobyl experience health problems that are attributable not only to the Chernobyl accident, but also to the poor state of post-Soviet health systems.^[213]

The United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR), part of the Chernobyl Forum, have produced their own assessments of the radiation effects.^[224] UNSCEAR was set up as a collaboration between various United Nation bodies, including the World Health Organization, after the atomic bomb attacks on Hiroshima and Nagasaki, to assess the long-term effects of radiation on human health.^[225]

Possibly due to the Chernobyl disaster in January 1987 year ,an unusually high number of cases of Down syndrome were reported in the Republic of Belarus, but there was no subsequent upward trend in incidence.^[226]

Long-term radiation deaths

The number of potential deaths arising from the Chernobyl disaster is heavily debated. The World

Health Organization's prediction of 4,000 future cancer deaths in surrounding countries^[15] is based on the Linear no-threshold model (LNT), which assumes that the damage inflicted by radiation at low doses is directly proportional to the dose.^[227] Radiation epidemiologist Roy Shore contends that estimating health effects in a population from the LNT model "is not wise because of the uncertainties".^[228]

According to the Union of Concerned Scientists the number of excess cancer deaths worldwide (including all contaminated areas) is approximately 27,000 based on the same LNT.^[229]

Another study critical of the Chernobyl Forum report was commissioned by Greenpeace, which asserted that the most recently published figures indicate that in Belarus, Russia and Ukraine the accident could have resulted in 10,000–200,000 additional deaths in the period between 1990 and 2004.^[230] The Scientific Secretary of the Chernobyl Forum criticized the report's reliance on non-peer-reviewed locally produced studies. Although most of the study's sources were from peer-reviewed journals, including many Western medical journals, the higher mortality estimates were from non-peer-reviewed sources,^[230] while Gregory Härtl (spokesman for the WHO) suggested that the conclusions were motivated by ideology.^[231]

Chernobyl: Consequences of the Catastrophe for People and the Environment is a 2007 Russian publication that concludes that there were 985,000 premature deaths as a consequence of the radioactivity released.^[232] The results were criticized by M. I. Balonov from the Institute of Radiation Hygiene in St. Petersburg, Russia, who described them as biased, drawing from sources that were difficult to independently verify and lacking a proper scientific base. Balonov expressed his opinion that "the authors unfortunately did not appropriately analyse the content of the Russian-language publications, for example, to separate them into those that contain scientific evidence and those based on hasty impressions and ignorant conclusions".^[232]

According to U.S. Nuclear Regulatory Commission member and Professor of Health Physics Kenneth Mossman,^[233] the "LNT philosophy is overly conservative, and low-level radiation may be less dangerous than commonly believed."^[234] Yoshihisa Matsumoto, a radiation biologist at the Tokyo Institute of Technology, cites laboratory experiments on animals to suggest there must be a threshold dose below which DNA repair mechanisms can completely repair any radiation damage.^[228] Mossman suggests that the proponents of the current model believe that being conservative is justified due to the uncertainties surrounding low level doses and it is better to have a "prudent public health policy".^[233]

Another significant issue is establishing consistent data on which to base the analysis of the impact of the Chernobyl accident. Since 1991, large social and political changes have occurred within the affected regions and these changes have had significant impact on the administration of health care, on socio-economic stability, and the manner in which statistical data is collected.^[235] Ronald Chesser, a radiation biologist at Texas Tech University, says that "the subsequent Soviet collapse, scarce funding, imprecise dosimetry, and difficulties tracking people over the years have limited the number of studies and their reliability".^[228]

Socio-economic impact

It is difficult to establish the total economic cost of the disaster. According to Mikhail Gorbachev, the Soviet Union spent 18 billion Rbls (the equivalent of US\$2.5 billion at that time, or \$5.9 billion in today's dollars^[236]) on containment and decontamination, virtually bankrupting itself.^[237] In 2005, the total cost over 30 years for Belarus which includes the monthly payments to liquidators, was estimated at US\$235 billion;^[213] about \$352 billion in today's dollars given inflation rates.^[236] Gorbachev in April 2006 wrote "The nuclear meltdown at Chernobyl 20 years ago this month, even more than my launch of perestroika, was perhaps the real cause of the collapse of the Soviet Union."^[238]

Ongoing costs are well known; in their 2003–2005 report, the Chernobyl Forum stated that between five and seven percent of government spending in Ukraine is still related to Chernobyl, while in Belarus more than \$13 billion is thought to have been spent between 1991 and 2003, with 22% of national budget having been Chernobyl-related in 1991, falling to six percent by 2002.^[213] In 2018, Ukraine spent five to seven percent of its national budget on recovery activities related to the Chernobyl disaster.^[239] Overall economic loss is estimated at \$235 billion in Belarus.^[239] Much of the current cost relates to the payment of Chernobyl-related social benefits to some seven million people across the three countries.^[213]

A significant economic impact at the time was the removal of 784,320 ha (1,938,100 acres) of agricultural land and 694,200 ha (1,715,000 acres) of forest from production. While much of this has been returned to use, agricultural production costs have risen due to the need for special cultivation techniques, fertilizers and additives.^[213] Politically, the accident gave great significance to the new Soviet policy of glasnost,^[240] and helped forge closer Soviet–US relations at the end of the Cold War, through bioscientific cooperation.^{[93]:44–48} The disaster also became a key factor in the dissolution of the Soviet Union in 1991, and a major influence in shaping the 'new' Eastern Europe.^{[93]:20–21} Gorbachev stated in respect to the disaster that, "More than anything else, (Chernobyl) opened the possibility of much greater freedom of expression, to the point that the (Soviet) system as we knew it could no longer continue."^[241]

Both Ukraine and Belarus, in their first months of independence, lowered legal radiation thresholds from the Soviet Union's previous, elevated thresholds (from 35 rems per lifetime under the USSR to 7 rems per lifetime in Ukraine and 0.1 rems per year in Belarus).^{[242]:46–47,119–124}

Ukrainians viewed the Chernobyl disaster as another attempt by Russians to destroy them,



Abandoned buildings in Chernobyl



Russian president Dmitry Medvedev and Ukrainian president Viktor Yanukovich laying flowers at the memorial to the victims of the Chernobyl disaster in April 2011.



Exposition at Ukrainian National Chernobyl Museum

comparable to the Holodomor.^{[243][244][245]} Meanwhile, commentators have argued that the events of the Chernobyl disaster were uniquely inclined to occur in a communist country versus a capitalist country.^[246] It has been argued that Soviet power plant administrators were not empowered to make crucial decisions when time was of the essence.^[247]

A famous Austrian Alpine farmer Sepp Holzer reported decades later that the Chernobyl disaster had ruined his business selling edible mushrooms (such as shiitake and king stropharia): "Despite the fact that our mushrooms were obviously not contaminated, overnight it became impossible to sell them."^[248]

Long term site remediation

Following the accident, questions arose about the future of the plant and its eventual fate. All work on the unfinished reactors No. 5 and No. 6 was halted three years later. However, the trouble at the Chernobyl plant did not end with the disaster in reactor No. 4. The damaged reactor was sealed off and 200 cubic meters (260 cu yd) of concrete was placed between the disaster site and the operational buildings. The work was managed by Grigoriy Mihaylovich Naginskiy, the deputy chief engineer of Installation and Construction Directorate—90. The Ukrainian government allowed the three remaining reactors to continue operating because of an energy shortage in the country.



Portraits of deceased Chernobyl liquidators used for an anti-nuclear power protest in Geneva

Decommissioning of other reactors

In October 1991, a fire occurred in the turbine building of reactor No. 2;^[249] the authorities subsequently declared the reactor damaged beyond repair, and it was taken offline. Reactor No. 1 was decommissioned in November 1996 as part of a deal between the Ukrainian government and international organizations such as the IAEA to end operations at the plant. On 15 December 2000, then-President Leonid Kuchma personally turned off reactor No. 3 in an official ceremony, shutting down the entire site.^[250]

No. 4 reactor confinement

Soon after the accident, the reactor building was quickly encased by a mammoth concrete sarcophagus in a notable feat of construction under severe conditions. Crane operators worked blindly from inside lead-lined cabins taking instructions from distant radio observers, while gargantuan-sized pieces of concrete were moved to the site on custom-made vehicles. The purpose of the sarcophagus was to stop any further release of radioactive particles into the atmosphere, isolate the exposed core from the weather and provide safety for the continued operations of adjacent reactors one through three.^[251]

The concrete sarcophagus was never intended to last very long, with a lifespan of only 30 years. On 12 February 2013, a 600 m² (6,500 sq ft) section of the roof of the turbine-building collapsed, adjacent to the sarcophagus, causing a new release of radioactivity and temporary evacuation of the area. At first it was assumed that the roof collapsed because of the weight of snow, however the amount of snow was not exceptional, and the report of a Ukrainian fact-finding panel concluded that the collapse was the result of sloppy repair work and aging of the structure. Experts warned the sarcophagus itself was on the verge of collapse.^{[252][253]}

In 1997, the international Chernobyl Shelter Fund was founded to design and build a more permanent cover for the unstable and short-lived sarcophagus. It received €864 million from international donors in 2011 and was managed by the European Bank for Reconstruction and Development (EBRD).^[254] The new shelter was named the New Safe Confinement and construction began in 2010. It is a metal arch 105 metres (344 ft) high and spanning 257 metres (843 ft) built on rails adjacent to the reactor No. 4 building so that it could be slid over the top of the existing sarcophagus. The New Safe Confinement was completed in 2016 and slid into place over top the sarcophagus on 29 November.^[255] The huge steel arch was moved into place over several weeks.^[256] Unlike the original sarcophagus, the New Safe Confinement is designed to allow the reactor to be safely dismantled using remotely operated equipment.



A stitched panorama view of the Chernobyl Nuclear Power Plant site in Ukraine, pictures taken in June 2013. Descriptions of the buildings from left to right: First half of the New Safe Confinement (under construction) after second lifting operation (had not yet reached its final height), reactor 4 with existing shelter building and the new and old ventilation shafts, reactor 3, cranes to dismantle the old ventilation shaft, reactor 2, reactor 1.

Waste management

Used fuel from units 1–3 was stored in the units' cooling ponds, and in an interim spent fuel storage facility pond, ISF-1, which now holds most of the spent fuel from units 1–3, allowing those reactors to be decommissioned under less restrictive conditions. Approximately 50 of the fuel assemblies from units 1 and 2 were damaged and required special handling. Moving fuel to ISF-1 was thus carried out in three stages: fuel from unit 3 was moved first, then all undamaged fuel from units 1 and 2, and finally the damaged fuel from units 1 and 2. Fuel transfers to ISF-1 were completed in June 2016.^[257]

A need for larger, longer-term radioactive waste management at the Chernobyl site is to be fulfilled by a new facility designated ISF-2. This facility is to serve as dry storage for used fuel assemblies from units 1–3 and other operational wastes, as well as material from decommissioning units 1–3 (which will be the first RBMK units decommissioned anywhere).

A contract was signed in 1999 with Areva NP (now Framatome) for construction of ISF-2. In 2003, after a significant part of the storage structures had been built, technical deficiencies in the design concept became apparent. In 2007, Areva withdrew and Holtec International was contracted for a new design and construction of ISF-2. The new design was approved in 2010, work started in 2011, and construction was completed in August 2017.^[258]

ISF-2 is the world's largest nuclear fuel storage facility, expected to hold more than 21,000 fuel assemblies for at least 100 years. The project includes a processing facility able to cut the RBMK fuel assemblies and to place the material in canisters, to be filled with inert gas and welded shut. The canisters are then to be transported to dry storage vaults, where the fuel containers will be enclosed for up to 100 years. Expected processing capacity is 2,500 fuel assemblies per year.^[112]

Fuel-containing materials

According to official estimates, about 95% of the fuel in reactor No. 4 at the time of the accident (about 180 tonnes (180 long tons; 200 short tons)) remains inside the shelter, with a total radioactivity of nearly 18 million curies (670 PBq). The radioactive material consists of core fragments, dust, and lava-like "fuel containing materials" (FCM)—also called "corium"—that flowed through the wrecked reactor building before hardening into a ceramic form.


Three different lavas are present in the basement of the reactor building: black, brown, and a porous ceramic. The lava materials are silicate glasses with inclusions of other materials within them. The porous lava is brown lava that dropped into water and thus cooled rapidly. It is unclear how long the ceramic form will retard the release of radioactivity. From 1997 to 2002, a series of published papers suggested that the self-irradiation of the lava would convert all 1,200 tonnes (1,200 long tons; 1,300 short tons) into a submicrometre and mobile powder within a few weeks.^[259]

It has been reported that the degradation of the lava is likely to be a slow, gradual process, rather than sudden and rapid.^[260] The same paper states that the loss of uranium from the wrecked reactor is only 10 kg (22 lb) per year; this low rate of uranium leaching suggests that the lava is resisting its environment.^[260] The paper also states that when the shelter is improved, the leaching rate of the lava will decrease.^[260] As of 2021, some fuel had already degraded significantly. The famous elephant's foot, which originally was so hard that it required the use of an armor piercing AK-47 round to remove a chunk, had softened to a texture similar to sand.^{[261][262]}

Prior to the completion of the New Safe Confinement building, rainwater acted as a neutron moderator, triggering increased fission in the remaining materials, risking criticality. Gadolinium nitrate solution was used to quench neutrons to slow the fission. Even after completion of the building, fission reactions may be increasing; scientists are working to understand the cause and risks. While neutron activity has declined across most of the destroyed fuel, from 2017 until late 2020 a doubling in neutron density was recorded in the sub-reactor space, before levelling off in early 2021. This indicated increasing levels of fission as water levels dropped, the opposite of what had been expected, and atypical compared to other fuel-containing areas. The fluctuations have led to fears that a self-sustaining reaction could be created, which would likely spread more radioactive dust and debris throughout the New Safe Confinement, making future cleanup even more difficult.

Potential solutions include using a robot to drill into the fuel and insert boron carbide control rods.^[261] In early 2021, a ChNPP press release stated that the observed increase in neutron densities had leveled off since the beginning of that year.

Exclusion zone



A map of the Exclusion Zone

The Exclusion Zone was originally an area with a radius of 30 kilometres (19 mi) in all directions from the plant, but was subsequently greatly enlarged to include an area measuring approximately 2,600 km² (1,000 sq mi), officially called the "zone of alienation". The area has largely reverted to forest and was overrun by wildlife due to the lack of human competition for space and resources.^[263]

Mass media sources have provided a variety of generalized estimates for when the Zone could be considered habitable again. These informal estimates have ranged^[264] from approximately 300 years^[265] (corresponding to 10 half-lives of the widespread radionuclides Cesium-137 and Strontium-90), to multiples of 20,000 years,^[264] referring to the half-life of Plutonium-239 which contaminates the central portion of the Zone.



The entrance to the zone of alienation around Chernobyl

In the years following the disaster, residents known as *samosely* illegally returned to their abandoned homes to regain their lives. Most people are retired and survive mainly from farming and packages delivered by visitors.^{[266][267]} As of 2016, 187 locals had returned to the zone and were living permanently there.^[263]

In 2011, Ukraine opened the sealed zone around the Chernobyl reactor to tourists wishing to learn more about the 1986 tragedy.^{[268][269][270]} Sergii Mirnyi, a radiation reconnaissance officer at the time of the accident, and now an academic at National University of Kyiv-Mohyla Academy, has written about the psychological and physical effects on survivors and visitors, and worked as an advisor to Chernobyl tourism groups.^{[270][271]}

Forest fire concerns

During the dry season, forest fires are a perennial concern in areas contaminated by radioactive material. Dry conditions and build-up of debris make the forests a ripe breeding ground for wildfires.^[272] Depending on prevailing atmospheric conditions, smoke from wildfires could potentially spread more radioactive material outside the exclusion zone.^{[273][274]} In Belarus, the Bellesrad organization is tasked with overseeing food cultivation and forestry management in the area.

In April 2020, forest fires spread through 20,000 hectares (49,000 acres) of the exclusion zone, causing increased radiation from the release of caesium-137 and strontium-90 from the ground and biomass. The increase in radioactivity was detectable by the monitoring network but did not pose a threat to human health. The average radiation dose that Kyiv residents received as a result of the fires was estimated to be 1 nSv.^{[275][276]}

Recovery projects

The Chernobyl Trust Fund was created in 1991 by the United Nations to help victims of the Chernobyl accident.^[277] It is administered by the United Nations Office for the Coordination of Humanitarian Affairs, which also manages strategy formulation, resource mobilization, and advocacy efforts.^[278] Beginning in 2002, under the United Nations Development Programme, the fund shifted its focus from emergency assistance to long-term development.^{[239][278]}

The Chernobyl Shelter Fund was established in 1997 at the G8 summit in Denver to finance the Shelter Implementation Plan (SIP). The plan called for transforming the site into an ecologically safe condition through stabilization of the sarcophagus and construction of a New Safe Confinement (NSC) structure. While the original cost estimate for the SIP was US\$768 million, the 2006 estimate was \$1.2 billion. The SIP is being managed by a consortium of Bechtel, Battelle, and Électricité de France, and conceptual design for the NSC consisted of a movable arch, constructed away from the shelter to avoid high radiation, then slid over the sarcophagus. The NSC was moved into position in November 2016 and was expected to be completed by late 2017.^[279]

In 2003, the United Nations Development Programme launched the Chernobyl Recovery and Development Programme (CRDP) for the recovery of affected areas.^[280] The programme was initiated in February 2002 based on the recommendations in the report on Human Consequences of the Chernobyl Nuclear Accident. The main goal of the CRDP was supporting the Government of Ukraine in mitigating long-term social, economic, and ecological consequences of the Chernobyl catastrophe. CRDP works in the four most affected Ukrainian areas: Kyivska, Zhytomyrska,

Chernihivska and Rivnenska.

More than 18,000 Ukrainian children affected by the disaster have been treated in the resort town of Tará, Cuba, since 1990.^[281]

The International Project on the Health Effects of the Chernobyl Accident was created and received US\$20 million, mainly from Japan, in hopes of discovering the main cause of health problems due to iodine-131 radiation. These funds were divided among Ukraine, Belarus, and Russia, the three most affected countries, for further investigation of health effects. As there was significant corruption in former Soviet countries, most of the foreign aid was given to Russia, and no results from the funding were demonstrated.

Nuclear debate

The Chernobyl accident attracted a great deal of interest. Because of the distrust that many people had in the Soviet authorities, which engaged in a major cover-up of the disaster, a great deal of debate about the situation at the site occurred in the First World during the early days of the event. Because of defective intelligence based on satellite imagery, it was thought that unit number three had also had a dire accident. Journalists mistrusted many professionals, and they in turn encouraged the public to mistrust them.^[190]

The accident raised already heightened concerns about fission reactors worldwide, and while most concern was focused on those of the same unusual design, hundreds of disparate nuclear reactor proposals, including those under construction at Chernobyl, reactors numbers 5 and 6, were eventually cancelled. With ballooning costs as a result of new nuclear reactor safety system standards and the legal and political costs in dealing with the increasingly hostile/anxious public opinion, there was a precipitous drop in the rate of new reactor construction after 1986.^[282]

The accident also raised concerns about the cavalier safety culture in the Soviet nuclear power industry, slowing industry growth and forcing the Soviet government to become less secretive about its operating procedures.^{[283][c]} The government coverup of the Chernobyl disaster was a catalyst for glasnost, which "paved the way for reforms leading to the Soviet collapse."^[284] Numerous structural and construction quality issues, as well as deviations from the original plant design, had been known to the KGB since at least 1973 and passed on to the Central Committee, which took no action and classified the information.^[285]

In Italy, the Chernobyl accident was reflected in the outcome of the 1987 referendum. As a result of



Anti-nuclear protest after the Chernobyl disaster on May Day, 1986 in West Berlin



Nuclear power protest in Berlin, 2011

that referendum, Italy began phasing out its nuclear power plants in 1988, a decision that was effectively reversed in 2008. A 2011 referendum reiterated Italians' strong objections to nuclear power, thus abrogating the government's 2008 decision.

In Germany, the Chernobyl accident led to the creation of a federal environment ministry, after several states had already created such a post. The post has been held, among others, by Angela Merkel who would later become leader of the opposition and then chancellor. The German environmental minister was given the authority over reactor safety as well, a responsibility the current minister still holds today. The Chernobyl disaster is also credited with strengthening the anti-nuclear movement in Germany, which culminated in the decision to end the use of nuclear power made by the 1998–2005 Schröder government.^[286] A temporary reversal of this policy was in turn reverted after the Fukushima nuclear disaster.

In direct response to the Chernobyl disaster, a conference to create a Convention on Early Notification of a Nuclear Accident was called in 1986 by the International Atomic Energy Agency. The resulting treaty has bound signatory member states to provide notification of any nuclear and radiation accidents that occur within its jurisdiction that could affect other states, along with the Convention on Assistance in the Case of a Nuclear Accident or Radiological Emergency.

The Chernobyl disaster, along with the space shuttle *Challenger* disaster, the Three Mile Island accident, and the Bhopal disaster have been used together as case studies, both by the US government and by third parties, in research concerning the root causes of such disasters, such as sleep deprivation^[287] and mismanagement.^[288]

Cultural impact

The Chernobyl tragedy has inspired many artists across the world to create works of art, animation, video games, theatre and cinema about the disaster. The HBO series *Chernobyl* and the book *Voices from Chernobyl* by the Ukrainian-Belarusian writer Svetlana Alexievich are two well-known works that talk about the catastrophe that destroyed millions of lives.^[289] The Ukrainian artist Roman Gumanyuk created a series of artworks called "Pripyat Lights, or Chernobyl shadows" that includes 30 oil paintings about the Chernobyl accident. The series of artwork was exhibited at the National Fine Art Museum of Kyrgyzstan in Bishkek, the Kasteev State Museum of Arts of Kazakhstan in Almaty, the Vashchenko Art Gallery of Gomel in Belarus, and at the Museum of Chernobyl in Kharkiv in Ukraine in the years 2012–2013.^{[290][291]}

The video game *S.T.A.L.K.E.R.: Shadows of Chernobyl* released by THQ in 2007, is a first-person



After Chernobyl, nuclear debate became a topic in galleries and exhibitions. Artwork by French-American Jean Dupuy in 1986 dedicated to Chernobyl disaster.

shooter set in the Exclusion Zone.^[292] A prequel called *S.T.A.L.K.E.R.: Clear Sky* was released in 2008 following with a sequel *S.T.A.L.K.E.R.: Call of Pripjat* released in 2010. Finally, the horror film *Chernobyl Diaries* released in 2012 is about six tourists that hire a tour guide to take them to the abandoned city of Pripjat where they discover they are not alone.^[293]

Filmmakers have created documentaries that examine the aftermath of the disaster over the years. Documentaries like the Oscar-winning *Chernobyl Heart* released in 2003, explore how radiation affected people living in the area and information about the long-term side effects of radiation exposure over the years that include mental disabilities, physical disabilities, and genetic mutations after the disaster.^[294] *The Babushkas of Chernobyl* released in 2015, is a documentary that explores the story of the three women who decided to return to the exclusion zone after the disaster. In the documentary, the Babushkas show the polluted water, their food from radioactive gardens, and explain how they manage to survive in this exclusion zone despite the radioactive levels of it.^{[295][296]} The documentary *The Battle of Chernobyl*, released in 2006, shows a rare original footage a day before the disaster in the city of Pripjat, then through different methods the documentary goes in depth on the chronological events that led to the explosion of the reactor No. 4 and the disaster response in which 50,000 men from Soviet Union engaged to liquidate the radioactivity of the damaged reactor.^{[297][298]} The critically acclaimed 2019 historical drama television miniseries Chernobyl revolves around the Chernobyl disaster of 1986 and the cleanup efforts that followed.

Tourism

In July 2019, Ukrainian president Volodymyr Zelenskyy announced that the Chernobyl site would become an official tourist attraction. Zelenskyy said, "We must give this territory of Ukraine a new life," after Chernobyl saw an increase in visitors since the HBO mini-series.^{[299][300]} Dr. T. Steen, a microbiology and immunology teacher at Georgetown's School of Medicine, recommends tourists to wear clothes and shoes they are comfortable with throwing away. Most importantly, Steen suggests to avoid plant life, especially the depths of the forest due to the high levels of radiation. Because the areas were not cleaned in the aftermath of the disaster, they remain highly contaminated. Research showed that fungus, moss, and mushrooms are radioactive. Drinking or eating from there could be dangerous. Generally speaking, Chernobyl can be a safe place, Dr. Steen said, "but it depends on how people behave."^[301]

See also

- Capture of Chernobyl – part of the 2022 Russian invasion of Ukraine
- Individual involvement in the Chernobyl disaster – People involved in the Chernobyl nuclear accident
- List of Chernobyl-related articles
- List of books about the Chernobyl disaster – Continuing list of books about the Chernobyl meltdown
- List of industrial disasters

- [Lists of nuclear disasters and radioactive incidents](#)
- [Nuclear fallout effects on an ecosystem](#) – Effects of radiological fallout on an ecosystem
- [Consequences of the Chernobyl disaster in France](#)

References

Notes

- Sometimes spelled as the **Chornobyl disaster** because of the Ukrainian name for Chernobyl. Russian: Авария на Чернобыльской АЭС. Ukrainian: Чорнобильська катастрофа.
- Although most reports on the Chernobyl accident refer to a number of graphite fires, it is highly unlikely that the graphite itself burned. According to the [General Atomics](#) website:^[43] "It is often incorrectly assumed that the combustion behavior of graphite is similar to that of charcoal and coal. Numerous tests and calculations have shown that it is virtually impossible to burn high-purity, nuclear-grade graphites." On Chernobyl, the same source states: "Graphite played little or no role in the progression or consequences of the accident. The red glow observed during the Chernobyl accident was the expected color of luminescence for graphite at 700°C and not a large-scale graphite fire, as some have incorrectly assumed." Similarly, nuclear physicist Yevgeny Velikhov,^[44] noted some two weeks after the accident, "Until now the possibility of a catastrophe really did exist: A great quantity of fuel and graphite of the reactor was in an **incandescent** state." That is, all the nuclear-**decay heat** that was generated inside the uranium fuel (heat that would normally be extracted by back-up coolant pumps, in an undamaged reactor) was instead responsible for making the fuel itself and any graphite in contact with it, glow red-hot. This is contrary to the often-cited interpretation, which is that the graphite was red-hot chiefly because it was chemically **oxidizing** with the air.
- "No one believed the first newspaper reports, which patently understated the scale of the catastrophe and often contradicted one another. The confidence of readers was re-established only after the press was allowed to examine the events in detail without the original censorship restrictions. The policy of openness (**glasnost**) and 'uncompromising criticism' of outmoded arrangements had been proclaimed at the 27th Congress (of the **Communist Party of Soviet Union**), but it was only in the tragic days following the Chernobyl disaster that glasnost began to change from an official slogan into an everyday practice. The truth about Chernobyl that eventually hit the newspapers opened the way to a more truthful examination of other social problems. More and more articles were written about drug abuse, crime, corruption and the mistakes of leaders of various ranks. A wave of 'bad news' swept over the readers in 1986–87, shaking the consciousness of society. Many were horrified to find out about the numerous calamities of which they had previously had no idea. It often seemed to people that there were many more outrages in the epoch of **perestroika** than before although, in fact, they had simply not been informed about them previously." Kagarlitsky 1989, pp. 333–334.

Footnotes

- "Accident of 1986" (<https://chnpp.gov.ua/en/about/history-of-the-chnpp/accident-of-1986>). *Chornobyl NPP*. Retrieved 14 July 2022.

2. "Chernobyl: Assessment of Radiological and Health Impact, 2002 update; Chapter II – The release, dispersion and deposition of radionuclides" (<https://www.oecd-nea.org/rp/reports/2003/nea3508-chernobyl.pdf>) (PDF). OECD-NEA. 2002. Archived (<https://web.archive.org/web/20150622010856/https://www.oecd-nea.org/rp/reports/2003/nea3508-chernobyl.pdf>) (PDF) from the original on 22 June 2015. Retrieved 3 June 2015.
3. "The Chornobyl Accident" (<https://www.unscear.org/unscear/en/areas-of-work/chernobyl.html>). *United Nations Scientific Committee on the Effects of Atomic Radiation*. Retrieved 19 September 2023.
4. Steinhauser, Georg; Brandl, Alexander; Johnson, Thomas E. (2014). "Comparison of the Chernobyl and Fukushima nuclear accidents: A review of the environmental impacts" (<https://linkinghub.elsevier.com/retrieve/pii/S004896971301173X>). *Science of the Total Environment*. 470–471: 800–817. Bibcode:2014ScTEen.470..800S (<https://ui.adsabs.harvard.edu/abs/2014ScTEen.470..800S>). doi:10.1016/j.scitotenv.2013.10.029 (<https://doi.org/10.1016%2Fj.scitotenv.2013.10.029>). ISSN 0048-9697 (<https://www.worldcat.org/issn/0048-9697>). PMID 24189103 (<https://pubmed.ncbi.nlm.nih.gov/24189103>).
5. Jorgensen, Timothy J. (25 April 2016). "Forget Fukushima: Chernobyl still holds record as worst nuclear accident for public health" (<https://theconversation.com/forget-fukushima-chernobyl-still-holds-record-as-worst-nuclear-accident-for-public-health-57942>). *The Conversation*. Retrieved 8 May 2024.
6. Samet, Jonathan M.; Seo, Joann (21 April 2016). The Financial Costs of the Chernobyl Nuclear Power Plant Disaster: A Review of the Literature (https://globalhealth.usc.edu/wp-content/uploads/2016/01/2016_chernobyl_costs_report.pdf) (PDF) (Report). USC Institute on Inequalities in Global Health. pp. 14–15. Retrieved 8 May 2024.
7. McCall, Chris (April 2016). "Chernobyl disaster 30 years on: lessons not learned". *The Lancet*. **387** (10029): 1707–1708. doi:10.1016/s0140-6736(16)30304-x (<https://doi.org/10.1016%2Fs0140-6736%2816%2930304-x>). ISSN 0140-6736 (<https://www.worldcat.org/issn/0140-6736>). PMID 27116266 (<https://pubmed.ncbi.nlm.nih.gov/27116266>). S2CID 39494685 (<https://api.semanticscholar.org/CorpusID:39494685>).
8. "Chernobyl-Born Radionuclides in Geological Environment". *Groundwater Vulnerability*. Special Publications. John Wiley & Sons, Inc. 2014. pp. 25–38. doi:10.1002/9781118962220.ch2 (<https://doi.org/10.1002%2F9781118962220.ch2>). ISBN 978-1-118-96222-0.
9. Steadman, Philip; Hodgkinson, Simon (1990). *Nuclear Disasters & The Built Environment: A Report to the Royal Institute*. Butterworth Architecture. p. 55. ISBN 978-0-40850-061-6.
10. Wagemaker, G.; Guskova, A. K.; Bebeshko, V. G.; Griffiths, N. M.; Krishenko, N. A. (1996). "Clinically Observed Effects in Individuals Exposed to Radiation as a Result of the Chernobyl Accident". *One Decade After Chernobyl: Summing up the Consequences of the Accident, Proceedings of an International Conference, Vienna.*: 173–198.
11. Zohuri, Bahman; McDaniel, Patrick (2019). *Thermodynamics in Nuclear Power Plant Systems* (2nd ed.). Springer. p. 597. ISBN 978-3-319-93918-6.
12. "Chernobyl Accident 1986 – World Nuclear Association" (<https://world-nuclear.org/information-library/safety-and-security/safety-of-plants/chernobyl-accident>). *world-nuclear.org*. 26 April 2024. Retrieved 9 May 2024.
13. "Chernobyl 25th anniversary – Frequently Asked Questions" (https://www.who.int/ionizing_radiation/chernobyl/20110423_FAQs_Chernobyl.pdf) (PDF). *World Health Organization*. 23 April 2011. Archived (https://web.archive.org/web/20120417011209/http://www.who.int/ionizing_radiation/chernobyl/20110423_FAQs_Chernobyl.pdf) (PDF) from the original on 17 April 2012. Retrieved 14 April 2012.

14. "UNSCEAR assessments of the Chernobyl accident" (<http://www.unscear.org/unscear/en/chernobyl.html>). *www.unscear.org*. Archived (<https://web.archive.org/web/20110513235907/http://www.unscear.org/unscear/en/chernobyl.html>) from the original on 13 May 2011. Retrieved 13 September 2007.
15. "World Health Organization report explains the health impacts of the world's worst-ever civil nuclear accident" (<https://web.archive.org/web/20110404181327/http://www.who.int/mediacentre/news/releases/2006/pr20/en/index.html>). *World Health Organization*. 26 April 2006. Archived from the original (<https://www.who.int/mediacentre/news/releases/2006/pr20/en/index.html>) on 4 April 2011. Retrieved 4 April 2011.
16. "Chernobyl nuclear power plant site to be cleared by 2065" (<https://web.archive.org/web/20121005150746/http://www.kyivpost.com/content/ukraine/chornobyl-nuclear-power-plant-site-to-be-cleared-b-56391.html>). *Kyiv Post*. 3 January 2010. Archived from the original (<http://www.kyivpost.com/news/nation/detail/56391/>) on 5 October 2012.
17. Ragheb, M. (22 March 2011). "Decay Heat Generation in Fission Reactors" (<https://web.archive.org/web/20130514074247/http://www.ewp.rpi.edu/hartford/~ernesto/F2011/EP/MaterialsforStudents/Petty/Ragheb-Ch8-2011.PDF>) (PDF). *University of Illinois at Urbana-Champaign*. Archived from the original (<http://www.ewp.rpi.edu/hartford/~ernesto/F2011/EP/MaterialsforStudents/Petty/Ragheb-Ch8-2011.PDF>) (PDF) on 14 May 2013. Retrieved 26 January 2013.
18. "DOE Fundamentals Handbook – Nuclear physics and reactor theory" (<https://web.archive.org/web/20140319145623/http://energy.gov/sites/prod/files/2013/06/f2/h1019v1.pdf#page=85.5>) (PDF). United States Department of Energy. January 1996. p. 61. Archived from the original (<http://energy.gov/sites/prod/files/2013/06/f2/h1019v1.pdf#page=85.5>) (PDF) on 19 March 2014. Retrieved 3 June 2010.
19. "Standard Review Plan for the Review of Safety Analysis Reports for Nuclear Power Plants: LWR Edition (NUREG-0800)" (<https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr0800/>). *United States Nuclear Regulatory Commission*. May 2010. Archived (<https://web.archive.org/web/20100619163526/http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr0800/>) from the original on 19 June 2010. Retrieved 2 June 2010.
20. Medvedev, Zhores A. (1990). *The Legacy of Chernobyl* (First American ed.). W.W. Norton & Company. ISBN 978-0-393-30814-3.
21. Dmitriev, Viktor (30 November 2013). "Turbogenerator Rundown" (<http://accident.ru/rotor.html>). *Причины Чернобыльской аварии известны* (in Russian). N/A. Archived (<https://web.archive.org/web/20211003020646/http://accident.ru/rotor.html>) from the original on 3 October 2021. Retrieved 19 September 2021. "На АЭС с реакторами РБМК-1000 используется выбег главных циркуляционных насосов (ГЦН) как самозащита при внезапном исчезновении электропитания собственных нужд (СН). Пока не включится резервное питание, циркуляция может осуществляться за счет выбега. С этой целью для увеличения продолжительности выбега, на валу электродвигателя –привода ГЦН установлен маховик с достаточно большой маховой массой."
22. "Main Circulating Pumps" (http://reactors.narod.ru/rbmk/08_mcp.htm). *Справочник "Функционирование АЭС (на примере РБМК-1000)"* (in Russian). N/A. 19 September 2021. Archived (https://web.archive.org/web/20210920212739/http://reactors.narod.ru/rbmk/08_mcp.htm) from the original on 20 September 2021. Retrieved 19 September 2021. "Для увеличения времени выбега на валу электродвигателя установлен маховик."
23. "INSAG-7: The Chernobyl Accident: Updating of INSAG-1" (http://www-pub.iaea.org/MTCD/publications/PDF/Pub913e_web.pdf) (PDF). *IAEA*. 1992. Archived (https://web.archive.org/web/20181020210817/https://www-pub.iaea.org/MTCD/publications/PDF/Pub913e_web.pdf) (PDF) from the original on 20 October 2018. Retrieved 8 November 2018.
24. *Karpan 2006*, pp. 312–313.

25. Dyatlov 2003, p. 30.
26. Karpan, N. V. (2006). "Who exploded the Chernobyl NPP, Chronology of events before the accident" (<https://web.archive.org/web/20200401174807/http://www.physiciansofchernobyl.org.ua/rus/books/Karpan.html>). *Chernobyl. Vengeance of the peaceful atom (in Russian)* (<http://www.physiciansofchernobyl.org.ua/rus/books/Karpan.html>). Dnepropetrovsk: IKK "Balance Club". ISBN 978-966-8135-21-7. Archived from the original (<http://www.physiciansofchernobyl.org.ua/rus/books/Karpan/44.pdf>) (PDF) on 1 April 2020. Retrieved 16 August 2009.
27. Рабочая Программа: Испытаний Турбогенератора № 8 Чернобыльской Аэс В Режимх Совместного Выбега С Нагрузкой Собственных Нужд (<http://rrc2.narod.ru/book/app7.html>) [Work Program: Tests of the Turbogenerator No. 8 of the Chernobyl AESP in Run-Off Modes With the Load of Own Needs]. *rrc2.narod.ru* (in Russian). Archived (<https://web.archive.org/web/20181105215345/http://rrc2.narod.ru/book/app7.html>) from the original on 5 November 2018. Retrieved 8 November 2018.
28. "What Happened at Chernobyl?" (<https://web.archive.org/web/20110714210818/http://nuclearfissionary.com/2010/03/03/what-happened-at-chernobyl/>). *Nuclear Fissionary*. Archived from the original (<http://nuclearfissionary.com/2010/03/03/what-happened-at-chernobyl/>) on 14 July 2011. Retrieved 12 January 2011.
29. Dyatlov 2003, p. 31.
30. "Chernobyl: Assessment of Radiological and Health Impact, 2002 update; Chapter I – The site and accident sequence" (<https://www.oecd-nea.org/rp/reports/2003/nea3508-chernobyl.pdf>) (PDF). *OECD-NEA*. 2002. Archived (<https://web.archive.org/web/20150622010856/https://www.oecd-nea.org/rp/reports/2003/nea3508-chernobyl.pdf>) (PDF) from the original on 22 June 2015. Retrieved 3 June 2015.
31. "N. V. Karpan" (<http://www.physiciansofchernobyl.org.ua/rus/books/Karpan.html>). *Physicians of Chernobyl Association (in Russian)*. Archived (<https://web.archive.org/web/20120227033355/http://www.physiciansofchernobyl.org.ua/rus/books/Karpan.html>) from the original on 27 February 2012. Retrieved 3 September 2013.
32. Hjelmggaard, Kim (17 April 2016). "Chernobyl: Timeline of a nuclear nightmare" (<https://www.usatoday.com/story/news/world/2016/04/17/chernobyl-timeline-disaster-30th-anniversary/82899108/>). *USA Today*. Archived (<https://web.archive.org/web/20190626180550/https://www.usatoday.com/story/news/world/2016/04/17/chernobyl-timeline-disaster-30th-anniversary/82899108/>) from the original on 26 June 2019. Retrieved 18 June 2019.
33. "Chernobyl – A Timeline of The Worst Nuclear Accident in History" (<https://interestingengineering.com/chernobyl-a-timeline-of-the-worst-nuclear-accident-in-history>). *interestingengineering.com*. 11 May 2019. Archived (<https://web.archive.org/web/20190626180547/https://interestingengineering.com/chernobyl-a-timeline-of-the-worst-nuclear-accident-in-history>) from the original on 26 June 2019. Retrieved 18 June 2019.
34. Dyatlov 2003.
35. Dyatlov 2003.
36. Dyatlov, Anatoly. "4" (<http://rrc2.narod.ru/book/gl4.html>). *Chernobyl. How did it happen? (in Russian)*. Archived (<https://web.archive.org/web/20060516131842/http://rrc2.narod.ru/book/gl4.html>) from the original on 16 May 2006. Retrieved 5 May 2005.
37. Higginbotham, Adam (2019). *Midnight in Chernobyl: the untold story of the world's greatest nuclear disaster* (First Simon & Schuster hardcover ed.). Simon & Schuster. ISBN 978-1-5011-3464-7.

38. Adamov, E. O.; Cherkashov, Yu. M.; et al. (2006). *Channel Nuclear Power Reactor RBMK* (<http://accident.ru/book.html>) (in Russian) (Hardcover ed.). Moscow, Russia: GUP NIKIET. ISBN 978-5-98706-018-6. Archived (<https://web.archive.org/web/20090802042756/http://accident.ru/book.html>) from the original on 2 August 2009. Retrieved 14 September 2009.
39. Kostin, Igor (26 April 2011). "Chernobyl nuclear disaster – in pictures" (<https://www.theguardian.com/environment/gallery/2011/apr/26/chernobyl-nuclear-disaster-in-pictures>). *The Guardian*. Archived (<https://web.archive.org/web/20181108184910/https://www.theguardian.com/environment/gallery/2011/apr/26/chernobyl-nuclear-disaster-in-pictures>) from the original on 8 November 2018. Retrieved 8 November 2018.
40. "Chernobyl as it was" (http://www.reactors.narod.ru/pub/chern_2/chern_2.htm). *narod.ru* (in Russian). Archived (https://web.archive.org/web/20060517063327/http://www.reactors.narod.ru/pub/chern_2/chern_2.htm) from the original on 17 May 2006. Retrieved 29 April 2006.
41. Wendorf, Marcia (11 May 2019). "Chernobyl – A Timeline of The Worst Nuclear Accident in History" (<https://interestingengineering.com/chernobyl-a-timeline-of-the-worst-nuclear-accident-in-history>). *Interesting Engineering*. Archived (<https://web.archive.org/web/20190626180547/https://interestingengineering.com/chernobyl-a-timeline-of-the-worst-nuclear-accident-in-history>) from the original on 26 June 2019. Retrieved 18 June 2019.
42. Davletbaev, R. I. (1995). *Last shift Chernobyl. Ten years later. Inevitability or chance?* (<http://accident.ru/Davlet.html>) (in Russian). Moscow, Russia: Energoatomizdat. ISBN 978-5-283-03618-2. Archived (<https://web.archive.org/web/20091224094453/http://accident.ru/Davlet.html>) from the original on 24 December 2009. Retrieved 30 November 2009.
43. "Graphites" (<https://web.archive.org/web/20120717102758/http://gt-mhr.ga.com/safety.php>). *General Atomics*. Archived from the original (<http://gt-mhr.ga.com/safety.php>) on 17 July 2012. Retrieved 13 October 2016.
44. Mulvey, Stephen (18 April 2006). "The Chernobyl nightmare revisited" (<http://news.bbc.co.uk/2/hi/europe/4918742.stm>). *BBC News*. Archived (<https://web.archive.org/web/20181108185240/http://news.bbc.co.uk/2/hi/europe/4918742.stm>) from the original on 8 November 2018. Retrieved 8 November 2018.
45. De Geer, Lars-Erik; Persson, Christer; Rodhe, Henning (November 2017). "A Nuclear Jet at Chernobyl Around 21:23:45 UTC on April 25, 1986" (<http://su.diva-portal.org/smash/get/diva2:1168987/FULLTEXT01>). *Nuclear Technology*. **201**: 11–22. doi:10.1080/00295450.2017.1384269 (<https://doi.org/10.1080%2F00295450.2017.1384269>). Archived (<https://web.archive.org/web/20180721042656/http://su.diva-portal.org/smash/get/diva2:1168987/FULLTEXT01>) from the original on 21 July 2018. Retrieved 20 September 2019.
46. Meyer, C. M. (March 2007). "Chernobyl: what happened and why?" (<https://web.archive.org/web/20131211073343/http://www.eepublishers.co.za/images/upload/Meyer%20Chernobyl%205.pdf>) (PDF). *Energize*. Muldersdrift, South Africa. p. 41. ISSN 1818-2127 (<https://www.worldcat.org/issn/1818-2127>). Archived from the original (<http://www.eepublishers.co.za/images/upload/Meyer%20Chernobyl%205.pdf>) (PDF) on 11 December 2013.
47. Bond, Michael (21 August 2004). "Cheating Chernobyl" (<https://www.newscientist.com/article/mg18324615-300-cheating-chernobyl/>). *New Scientist*. Vol. 183, no. 2461. p. 46. ISSN 0262-4079 (<https://www.worldcat.org/issn/0262-4079>). Archived (<https://web.archive.org/web/20210805065004/https://www.newscientist.com/article/mg18324615-300-cheating-chernobyl/>) from the original on 5 August 2021. Retrieved 5 August 2021.
48. Checherov, K. P. (25–27 November 1998). *Development of ideas about reasons and processes of emergency on the 4th unit of Chernobyl NPP 26.04.1986* (in Russian). Slavutich, Ukraine: International conference "Shelter-98".

49. "Meltdown in Chernobyl (Video)" (<https://web.archive.org/web/20150621122802/http://channel.nationalgeographic.com/videos/meltdown-in-chernobyl/>). *National Geographic Channel*. 10 August 2011. Archived from the original (<http://channel.nationalgeographic.com/videos/meltdown-in-chernobyl/>) on 21 June 2015. Retrieved 21 June 2015.
50. Shcherbak, Y. (1987). Medvedev, G. (ed.). "Chernobyl". Vol. 6. Yunost. p. 44.
51. Higginbotham, Adam (26 March 2006). "Chernobyl 20 years on" (<https://www.theguardian.com/world/2006/mar/26/nuclear.russia>). *The Observer*. London, England. Archived (<https://web.archive.org/web/20130830011011/http://www.theguardian.com/world/2006/mar/26/nuclear.russia>) from the original on 30 August 2013. Retrieved 22 March 2010.
52. "Special Report: 1997: Chernobyl: Containing Chernobyl?" (http://news.bbc.co.uk/2/hi/special_report/1997/chernobyl/33005.stm). *BBC News*. 21 November 1997. Archived (https://web.archive.org/web/20110319223944/http://news.bbc.co.uk/2/hi/special_report/1997/chernobyl/33005.stm) from the original on 19 March 2011. Retrieved 20 August 2011.
53. McKenna, James T. (26 April 2016). "Chernobyl Anniversary Recalls Helo Pilots' Bravery" (<http://www.rotorandwing.com/2016/04/26/chernobyl-anniversary-recalls-helo-pilots-bravery/>). *Rotor & Wing International*. Archived (<https://web.archive.org/web/20180705093114/http://www.rotorandwing.com/2016/04/26/chernobyl-anniversary-recalls-helo-pilots-bravery/>) from the original on 5 July 2018. Retrieved 8 November 2018.
54. Zeilig, Martin (August–September 1995). "Louis Slotin And 'The Invisible Killer'" (https://web.archive.org/web/20080516101332/http://www.mphpa.org/classic/FH/LA/Louis_Slotin_1.htm). *The Beaver*. **75** (4): 20–27. Archived from the original (http://www.mphpa.org/classic/FH/LA/Louis_Slotin_1.htm) on 16 May 2008. Retrieved 28 April 2008.
55. Medvedev, Grigori (1989). *The Truth About Chernobyl* (Hardcover. First American edition published by Basic Books in 1991 ed.). VAAP. ISBN 978-2-226-04031-2.
56. Medvedev, Grigori. "The Truth About Chernobyl" (<https://apps.dtic.mil/dtic/tr/fulltext/u2/a335076.pdf>) (PDF). Archived (<https://web.archive.org/web/20190705081449/https://apps.dtic.mil/dtic/tr/fulltext/u2/a335076.pdf>) (PDF) from the original on 5 July 2019. Retrieved 18 July 2019.
57. *Disasters that Shook the World*. New York: Time Home Entertainment. 2012. ISBN 978-1-60320-247-3.
58. Валентина Шевченко: 'Провести демонстрацію 1 травня 1986–го наказали з Москви' (<https://web.archive.org/web/20160426221138/http://www.istpravda.com.ua/articles/2011/04/25/36971/>). *Istorychna Pravda* (in Ukrainian). 25 April 2011. Archived from the original (<http://www.istpravda.com.ua/articles/2011/04/25/36971/>) on 26 April 2016. Retrieved 20 August 2011.
59. Sahota, M. (dir.); Smith, A. (nar.); Lanning, G. (prod.); Joyce, C. (ed). (17 August 2004). "Meltdown in Chernobyl". *Seconds From Disaster*. Season 1. Episode 7. National Geographic Channel.
60. Marples, David R. (1988). *The Social Impact of the Chernobyl Disaster* (<https://archive.org/details/socialimpactof00marp>). New York: St Martin's Press. ISBN 9780312024321.
61. "Table 2.2 Number of people affected by the Chernobyl accident (to December 2000)" (<http://www.unicef.org/newsline/chernobylreport.pdf>) (PDF). *The Human Consequences of the Chernobyl Nuclear Accident*. UNDP and UNICEF. 22 January 2002. p. 32. Archived (<https://web.archive.org/web/20170201120932/https://www.unicef.org/newsline/chernobylreport.pdf>) (PDF) from the original on 1 February 2017. Retrieved 17 September 2010.
62. "Table 5.3: Evacuated and resettled people" (<http://www.unicef.org/newsline/chernobylreport.pdf>) (PDF). *The Human Consequences of the Chernobyl Nuclear Accident*. UNDP and UNICEF. 22 January 2002. p. 66. Archived (<https://web.archive.org/web/20170201120932/https://www.unicef.org/newsline/chernobylreport.pdf>) (PDF) from the original on 1 February 2017. Retrieved 17 September 2010.

63. "LIVING WITH CATASTROPHE" (<https://www.independent.co.uk/arts-entertainment/living-with-catastrophe-1524915.html>). *The Independent*. 10 December 1995. Archived (<https://web.archive.org/web/20190423140441/https://www.independent.co.uk/arts-entertainment/living-with-catastrophe-1524915.html>) from the original on 23 April 2019. Retrieved 8 February 2019.
64. "25 years after Chernobyl, how Sweden found out" (<http://sverigesradio.se/sida/artikel.aspx?programid=2054&artikel=4468603>). *Sveriges Radio*. 22 April 2011. Archived (<https://web.archive.org/web/20181109070828/https://sverigesradio.se/sida/artikel.aspx?programid=2054&artikel=4468603>) from the original on 9 November 2018. Retrieved 8 November 2018.
65. Schmemmann, Serge (29 April 1986). "Soviet Announces Nuclear Accident at Electric Plant" (<https://www.nytimes.com/learning/general/onthisday/big/0426.html>). *The New York Times*. p. A1. Archived (<https://web.archive.org/web/20140427011434/http://www.nytimes.com/learning/general/onthisday/big/0426.html>) from the original on 27 April 2014. Retrieved 26 April 2014.
66. Baverstock, K. (26 April 2011). "Chernobyl 25 years on". *BMJ*. **342** (apr26 1): d2443. doi:10.1136/bmj.d2443 (<https://doi.org/10.1136/bmj.d2443>). ISSN 0959-8138 (<https://www.worldcat.org/issn/0959-8138>). PMID 21521731 (<https://pubmed.ncbi.nlm.nih.gov/21521731>). S2CID 12917536 (<https://api.semanticscholar.org/CorpusID:12917536>).
67. "Timeline: A chronology of events surrounding the Chernobyl nuclear disaster" (<http://chernobylgallery.com/chernobyl-disaster/timeline/>). *The Chernobyl Gallery*. 15 February 2013. Archived (<https://web.archive.org/web/20150318013918/http://chernobylgallery.com/chernobyl-disaster/timeline/>) from the original on 18 March 2015. Retrieved 8 November 2018. "**28 April – Monday 09:30** – Staff at the Forsmark Nuclear Power Plant, Sweden, detect a dangerous surge in radioactivity. Initially picked up when a routine check reveals that the soles shoes worn by a radiological safety engineer at the plant were radioactive. [**28 April – Monday**] **21:02** – Moscow TV news announce that an accident has occurred at the Chornobyl Nuclear Power Plant.[...] [**28 April – Monday**] **23:00** – A Danish nuclear research laboratory announces that an MCA (maximum credible accident) has occurred in the Chernobyl nuclear reactor. They mention a complete meltdown of one of the reactors and that all radioactivity has been released."
68. Video footage of Chernobyl disaster on 28 April (https://www.youtube.com/watch?v=sC7n_QgJRks) on YouTube (in Russian).
69. "1986: американський ТБ-сюжет про Чорнобиль. Порівняйте з радянським" (<http://www.istpravda.com.ua/videos/2011/04/25/36966/>). *Історична правда* (in Ukrainian). 25 April 2011. Archived (<https://web.archive.org/web/20110502133614/http://www.istpravda.com.ua/videos/2011/04/25/36966/>) from the original on 2 May 2011. Retrieved 2 May 2011.
70. Bogatov, S. A.; Borovoi, A. A.; Lagunenکو, A. S.; Pazukhin, E. M.; Strizhov, V. F.; Khvoshchinskii, V. A. (2009). "Formation and spread of Chernobyl lavas". *Radiochemistry*. **50** (6): 650–654. doi:10.1134/S1066362208050131 (<https://doi.org/10.1134/S1066362208050131>). S2CID 95752280 (<https://api.semanticscholar.org/CorpusID:95752280>).
71. Petrov, Yu. B.; Udalov, Yu. P.; Subrt, J.; Bakardjieva, S.; Sazavsky, P.; Kiselova, M.; Selucky, P.; Bezdiccka, P.; Jorneau, C.; Piluso, P. (2009). "Behavior of melts in the UO₂-SiO₂ system in the liquid-liquid phase separation region". *Glass Physics and Chemistry*. **35** (2): 199–204. doi:10.1134/S1087659609020126 (<https://doi.org/10.1134/S1087659609020126>). S2CID 135616447 (<https://api.semanticscholar.org/CorpusID:135616447>).
72. Journeau, Christophe; Boccaccio, Eric; Jégou, Claude; Piluso, Pascal; Cognet, Gérard (2001). "Flow and Solidification of Corium in the VULCANO Facility". Engineering case studies online. Commissariat à l'énergie atomique et aux énergies alternatives. CiteSeerX 10.1.1.689.108 (<https://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.689.108>). OCLC 884784975 (<https://www.worldcat.org/oclc/884784975>).

73. Medvedev, Z. (1990). *The Legacy of Chernobyl* (<https://archive.org/details/legacyofchernoby00medv>). W. W. Norton & Company Incorporated. pp. 58–59 (<https://archive.org/details/legacyofchernoby00medv/page/58>). ISBN 978-0-393-30814-3.
74. Checherov, Konstantin (2006). "The Unpeaceful Atom of Chernobyl". *Person* (1).
75. Kramer, Sarah (26 April 2016). "The amazing true story behind the Chernobyl 'suicide squad' that helped save Europe" (<http://www.businessinsider.com/chernobyl-volunteers-divers-nuclear-mission-2016-4>). *Business Insider*. Archived (<https://web.archive.org/web/20161009180156/http://www.businessinsider.com/chernobyl-volunteers-divers-nuclear-mission-2016-4>) from the original on 9 October 2016. Retrieved 7 October 2016.
76. Samodelova, Svetlana (25 April 2011). Белые пятна Чернобыля (<http://www.mk.ru/politics/sng/2011/04/25/584047-belyie-pyatna-chernobyilya.html>). *МОСКОВСКИЙ КОМСОМОЛЕЦ* (in Russian). Archived (<https://web.archive.org/web/20161009160659/http://www.mk.ru/politics/sng/2011/04/25/584047-belyie-pyatna-chernobyilya.html>) from the original on 9 October 2016. Retrieved 7 October 2016.
77. "Soviets Report Heroic Acts at Chernobyl Reactor With AM Chernobyl Nuclear Bjt" (<https://apnews.com/bfb4a0cf2479ee940116c74141e8a332>). *Associated Press*. 15 May 1986. Archived (<https://web.archive.org/web/20140429204527/http://www.apnewsarchive.com/1986/Soviet-Press-Reports-Heroic-Acts-at-Chernobyl-Reactor-With-AM-Chernobyl-Nuclear-Bjt/id-bfb4a0cf2479ee940116c74141e8a332>) from the original on 29 April 2014. Retrieved 26 April 2014.
78. Zhukovsky, Vladimir; Itkin, Vladimir; Chernenko, Lev (16 May 1986). Чернобыль: адрес мужества (<http://www.myslenedrevo.com.ua/uk/Sci/HistSources/Chornobyl/1986/05/16/ChernobylAdresMuzhestva.html>) [Chernobyl: the address of courage]. *TASS* (in Russian). Archived (<https://web.archive.org/web/20181108224502/https://www.myslenedrevo.com.ua/uk/Sci/HistSources/Chornobyl/1986/05/16/ChernobylAdresMuzhestva.html>) from the original on 8 November 2018. Retrieved 5 November 2018.
79. Hawkes, Nigel; et al. (1986). *Chernobyl: The End of the Nuclear Dream*. London, England: Pan Books. p. 178. ISBN 978-0-330-29743-1.
80. Президент Петр Порошенко вручил государственные награды работникам Чернобыльской атомной электростанции и ликвидаторам последствий аварии на ЧАЭС. (<https://www.ukrinform.ru/rubric-society/2449795-prezident-vrucil-nagrady-geroamlikvidatoram-i-rabotnikam-caes.html>) [President Petro Poroshenko presented state awards to employees of the Chernobyl nuclear power plant and the liquidators of the consequences of the Chernobyl NPP accident.] (in Russian). Archived (<https://web.archive.org/web/20190514115713/https://www.ukrinform.ru/rubric-society/2449795-prezident-vrucil-nagrady-geroamlikvidatoram-i-rabotnikam-caes.html>) from the original on 14 May 2019. Retrieved 28 May 2019.
81. Воспоминания старшего инженера-механика реакторного цеха №2 Алексея Ананенка (<https://web.archive.org/web/20181108224413/http://www.souzchernobyl.org/?id=2440>) [Memoirs of the senior engineer-mechanic of reactor shop №2 Alexey Ananenko]. *Exposing the Chernobyl Myths* (in Russian). Archived from the original (<http://www.souzchernobyl.org/?id=2440>) on 8 November 2018. Retrieved 8 November 2018.
82. Человек широкой души: Вот уже девятнадцатая годовщина Чернобыльской катастрофы заставляет нас вернуться в своих воспоминаниях к апрельским дням 1986 года (<https://web.archive.org/web/20160426031626/http://www.postchernobyl.kiev.ua/pamyati-tovarishha/>) [A man of broad souls: The nineteenth anniversary of the Chernobyl catastrophe forces us to return to our memories of the April days of 1986]. *Post Chernobyl* (in Russian). 16 April 2005. Archived from the original (<http://www.postchernobyl.kiev.ua/pamyati-tovarishha/>) on 26 April 2016. Retrieved 3 May 2016.

83. Sich, A. R. (1994). *The Chernobyl Accident* (<https://www.osti.gov/biblio/10153756#page=6>) (Technical report). Vol. 35. Oak Ridge National Laboratory. p. 13. 1. Archived (<https://web.archive.org/web/20220225015921/https://www.osti.gov/biblio/10153756#page=6>) from the original on 25 February 2022. Retrieved 25 February 2022.
84. Burnett, Tom (28 March 2011). "When the Fukushima Meltdown Hits Groundwater" (<http://hawaiiinewsdaily.com/2011/03/when-the-fukushima-meltdown-hits-groundwater>). *Hawai'i News Daily*. Archived (<https://web.archive.org/web/20120511134329/http://hawaiiinewsdaily.com/2011/03/when-the-fukushima-meltdown-hits-groundwater/>) from the original on 11 May 2012. Retrieved 20 May 2012.
85. "To Catch a Falling Core: Lessons of Chernobyl for Russian Nuclear Industry" (<https://pulitzercenter.org/reporting/catch-falling-core-lessons-chernobyl-russian-nuclear-industry>). *Pulitzer Center*. 18 September 2012. Archived (<https://web.archive.org/web/20190629031621/https://pulitzercenter.org/reporting/catch-falling-core-lessons-chernobyl-russian-nuclear-industry>) from the original on 29 June 2019. Retrieved 29 June 2019.
86. Kramer, Andrew E. (22 March 2011). "After Chernobyl, Russia's Nuclear Industry Emphasizes Reactor Safety" (<https://www.nytimes.com/2011/03/23/business/energy-environment/23chernobyl.html>). *The New York Times*. Archived (<https://web.archive.org/web/20190629033119/https://www.nytimes.com/2011/03/23/business/energy-environment/23chernobyl.html>) from the original on 29 June 2019. Retrieved 29 June 2019.
87. Anderson, Christopher (January 2019). "Soviet Official Admits That Robots Couldn't Handle Chernobyl Cleanup" (<https://www.the-scientist.com/news/soviet-official-admits-that-robots-couldnt-handle-chernobyl-cleanup-61583>). *The Scientist*. Archived (<https://web.archive.org/web/20190410204859/https://www.the-scientist.com/news/soviet-official-admits-that-robots-couldnt-handle-chernobyl-cleanup-61583>) from the original on 10 April 2019. Retrieved 1 June 2019.
88. Edwards, Mike W. (May 1987). "Chernobyl – One Year After". *National Geographic*. Vol. 171, no. 5. p. 645. ISSN 0027-9358 (<https://www.worldcat.org/issn/0027-9358>). OCLC 643483454 (<https://www.worldcat.org/oclc/643483454>).
89. Ebel, Robert E.; Center for Strategic and International Studies (1994). *Chernobyl and its aftermath: a chronology of events* (1994 ed.). CSIS. ISBN 978-0-89206-302-4.
90. Hill, Kyle (4 December 2013). "Chernobyl's Hot Mess, 'the Elephant's Foot', Is Still Lethal" (<http://nautil.us/blog/chernobyls-hot-mess-the-elephants-foot-is-still-lethal>). *Nautilus*. Archived (<https://web.archive.org/web/20181115173340/http://nautil.us/blog/chernobyls-hot-mess-the-elephants-foot-is-still-lethal>) from the original on 15 November 2018. Retrieved 8 November 2018.
91. Belyaev, I. "Чернобыль – вахта смерти" (https://elib.biblioatom.ru/text/belyaev_chernobyl-vahta-smerti_2009/p58/?hl=%D0%B1%D0%B0%D1%80%D0%B4%D0%B0) [Chernobyl – Watch of Death]. *Biblioatom* (in Russian). Rosatom. Retrieved 18 May 2024.
92. "Chernobyl's silent graveyards" (http://news.bbc.co.uk/2/shared/spl/hi/pop_ups/06/in_pictures_chernobyl0s_silent_graveyards_/html/1.stm). *BBC News*. 20 April 2006. Archived (https://web.archive.org/web/20181105043521/http://news.bbc.co.uk/2/shared/spl/hi/pop_ups/06/in_pictures_chernobyl0s_silent_graveyards_/html/1.stm) from the original on 5 November 2018. Retrieved 8 November 2018.
93. Petryna, Adriana (2002). *Life Exposed: Biological Citizens After Chernobyl*. Princeton, New Jersey: Princeton University Press.
94. "Medal for Service at the Chernobyl Nuclear Disaster" (<http://collectinghistory.net/chernobyl/index.html>). *CollectingHistory.net*. 26 April 1986. Archived (<https://web.archive.org/web/20130905161244/http://collectinghistory.net/chernobyl/index.html>) from the original on 5 September 2013. Retrieved 12 September 2013.
95. "History of the International Atomic Energy Agency", IAEA, Vienna (1997).

96. "Chernobyl (Chornobyl) Nuclear Power Plant" (https://timetravel.mementoweb.org/memento/2011/http://www.insc.anl.gov/neisb/neisb4/NEISB_3.3.A1.html). *NEI Source Book* (4th ed.). Nuclear Energy Institute. Archived from the original (http://www.insc.anl.gov/neisb/neisb4/NEISB_3.3.A1.html) on 2 July 2016. Retrieved 31 July 2010.
97. Pakhomov, Sergey A.; Dubasov, Yuri V. (2009). "Estimation of Explosion Energy Yield at Chernobyl NPP Accident" (<https://doi.org/10.1007%2Fs00024-009-0029-9>). *Pure and Applied Geophysics*. **167** (4–5): 575. Bibcode:2010PApGe.167..575P (<https://ui.adsabs.harvard.edu/abs/2010PApGe.167..575P>). doi:10.1007/s00024-009-0029-9 (<https://doi.org/10.1007%2Fs00024-009-0029-9>).
98. "New theory rewrites opening moments of Chernobyl disaster" (<https://phys.org/news/2017-11-theory-rewrites-moments-chernobyl-disaster.html>). Taylor and Francis. 17 November 2017. Archived (<https://web.archive.org/web/20190710232127/https://phys.org/news/2017-11-theory-rewrites-moments-chernobyl-disaster.html>) from the original on 10 July 2019. Retrieved 10 July 2019.
99. "New Study Rewrites First Seconds of Chernobyl Accident" (<http://www.sci-news.com/physics/new-study-first-seconds-chernobyl-accident-05452.html>). *Sci News*. 21 November 2017. Archived (<https://web.archive.org/web/20180612141921/http://www.sci-news.com/physics/new-study-first-seconds-chernobyl-accident-05452.html>) from the original on 12 June 2018. Retrieved 8 November 2018.
100. Embury-Dennis, Tom. "Scientists might be wrong about cause of Chernobyl disaster, new study claims fresh evidence points to initial nuclear explosion rather than steam blast" (<https://www.independent.co.uk/news/world/europe/chernobyl-disaster-cause-scientists-wrong-nuclear-power-plant-accident-ukraine-study-a8067026.html>). *The Independent*. Archived (<https://web.archive.org/web/20171121164613/http://www.independent.co.uk/news/world/europe/chernobyl-disaster-cause-scientists-wrong-nuclear-power-plant-accident-ukraine-study-a8067026.html>) from the original on 21 November 2017. Retrieved 21 November 2017.
101. "Facts: The accident was by far the most devastating in the history of nuclear power" (<https://web.archive.org/web/20110805035908/http://www.iaea.org/Publications/Booklets/Chernoten/facts.html>). *International Atomic Energy Agency (IAEA)*. 21 September 1997. Archived from the original (<http://www.iaea.org/Publications/Booklets/Chernoten/facts.html>) on 5 August 2011. Retrieved 20 August 2011.
102. Marples, David R. (May–June 1996). "The Decade of Despair" (<https://books.google.com/books?id=xAwAAAAAMBAJ&pg=PA20>). *The Bulletin of the Atomic Scientists*. **52** (3): 20–31. Bibcode:1996BuAtS..52c..20M (<https://ui.adsabs.harvard.edu/abs/1996BuAtS..52c..20M>). doi:10.1080/00963402.1996.11456623 (<https://doi.org/10.1080%2F00963402.1996.11456623>). Archived (<https://web.archive.org/web/20170427033605/https://books.google.com/books?id=xAwAAAAAMBAJ&lpg=PA20&pg=PA20>) from the original on 27 April 2017. Retrieved 25 March 2016.
103. European Greens and UK scientists Ian Fairlie PhD and David Sumner (April 2006). "Torch: The Other Report On Chernobyl – executive summary" (<http://www.chernobylreport.org/?p=summary>). *Chernobylreport.org*. Archived (<https://web.archive.org/web/20110910013949/http://www.chernobylreport.org/?p=summary>) from the original on 10 September 2011. Retrieved 20 August 2011.
104. "Tchernobyl, 20 ans après" (http://www.rfi.fr/actufr/articles/076/article_43250.asp). *RFI* (in French). 24 April 2006. Archived (https://web.archive.org/web/20060430063029/http://www.rfi.fr/actufr/articles/076/article_43250.asp) from the original on 30 April 2006. Retrieved 24 April 2006.

105. "L'accident et ses conséquences: Le panache radioactif" (http://www.irsn.fr/FR/popup/Pages/tchernobyl_animation_nuage.aspx) [The accident and its consequences: The plume]. *Institut de Radioprotection et de Sûreté Nucléaire (IRSN)* (in French). Retrieved 16 December 2006.
106. Jensen, Mikael; Lindhé, John-Christer (Autumn 1986). "International Reports – Sweden: Monitoring the Fallout" (<https://web.archive.org/web/20110628234739/http://www.iaea.org/Publications/Magazines/Bulletin/Bull283/28302793032.pdf>) (PDF). *IAEA Bulletin*. Archived from the original (<http://www.iaea.org/Publications/Magazines/Bulletin/Bull283/28302793032.pdf>) (PDF) on 28 June 2011.
107. Mould, Richard Francis (2000). *Chernobyl Record: The Definitive History of the Chernobyl Catastrophe*. CRC Press. p. 48. ISBN 978-0-7503-0670-6.
108. Ikäheimonen, T. K. (ed.). *Ympäristön Radioaktiivisuus Suomessa – 20 Vuotta Tshernobylista* (<https://web.archive.org/web/20070808223651/http://www.stuk.fi/julkaisut/stuk-a/stuk-a217-s.1-198.pdf>) [*Environmental Radioactivity in Finland – 20 Years from Chernobyl*] (PDF). Säteilyturvakeskus Strålsäkerhetscentralen (STUK, Radiation and Nuclear Safety Authority). Archived from the original (<http://www.stuk.fi/julkaisut/stuk-a/stuk-a217-s.1-198.pdf>) (PDF) on 8 August 2007.
109. "3.1.5. Deposition of radionuclides on soil surfaces" (http://www-pub.iaea.org/MTCD/publications/PDF/Pub1239_web.pdf) (PDF). *Environmental Consequences of the Chernobyl Accident and their Remediation: Twenty Years of Experience, Report of the Chernobyl Forum Expert Group 'Environment'*. Vienna: International Atomic Energy Agency (IAEA). 2006. pp. 23–25. ISBN 978-92-0-114705-9. Archived (https://web.archive.org/web/20110409033554/http://www-pub.iaea.org/MTCD/publications/PDF/Pub1239_web.pdf) (PDF) from the original on 9 April 2011. Retrieved 12 September 2013.
110. Gould, Peter (1990). *Fire In the Rain: The Dramatic Consequences of Chernobyl*. Baltimore, Maryland: Johns Hopkins Press.
111. Gray, Richard (22 April 2007). "How we made the Chernobyl rain" (<https://www.telegraph.co.uk/news/worldnews/1549366/How-we-made-the-Chernobyl-rain.html>). *The Daily Telegraph*. London, England. Archived (<https://web.archive.org/web/20091118194620/http://www.telegraph.co.uk/news/worldnews/1549366/How-we-made-the-Chernobyl-rain.html>) from the original on 18 November 2009. Retrieved 27 November 2009.
112. "Chernobyl Accident 1986" (<http://world-nuclear.org/info/Safety-and-Security/Safety-of-Plants/Chernobyl-Accident/>). *World Nuclear Association*. April 2015. Archived (<https://web.archive.org/web/20150420143903/http://www.world-nuclear.org/info/safety-and-security/safety-of-plants/chernobyl-accident/>) from the original on 20 April 2015. Retrieved 21 April 2015.
113. Zoriy, Pedro; Dederichs, Herbert; Pillath, Jürgen; Heuel-Fabianek, Burkhard; Hill, Peter; Lennartz, Reinhard (2016). "Long-term monitoring of radiation exposure of the population in radioactively contaminated areas of Belarus – The Korma Report II (1998–2015)" ([Schriften des Forschungszentrums Jülich: Reihe Energie & Umwelt / Energy & Environment. Forschungszentrum Jülich, Zentralbibliothek, Verlag. Retrieved 21 December 2016.](http://wwwz.b1.fz-juelich.de/verlagextern1/redirect.asp?id_schriften=48598&URL_DMS=http://dmssrv.zb.kf.a-juelich.de/w2p2/autologin1.asp?action=ExpDownload&Path=%5CPublic%20FZJ%5CPublikationen%5CSchriftenreihen%5CEnergie_Umwelt_342.pdf&online=online&)
114. "Nouveau regard sur Tchernobyl: L'impact sur la santé et l'environnement" (<https://web.archive.org/web/20101228021056/http://www.sfen.org/fr/themes/tchernobyl.pdf>) [A new look at Chernobyl: The impact on health and the environment] (PDF). *Extrait de la Revue Générale Nucléaire* [*Excerpt of the General Nuclear Review*] (in French). Société française d'énergie nucléaire: 7. March–April 2006. Archived from the original (<http://www.sfen.org/fr/themes/tchernobyl.pdf>) (PDF) on 28 December 2010.

115. Gudixsen, P.; et al. (1989). "Chernobyl Source Term, Atmospheric Dispersion, and Dose Estimation" (<https://digital.library.unt.edu/ark:/67531/metadc1060364/>). *Health Physics* (Submitted manuscript). **57** (5): 697–706. doi:10.1097/00004032-198911000-00001 (<https://doi.org/10.1097%2F00004032-198911000-00001>). PMID 2592202 (<https://pubmed.ncbi.nlm.nih.gov/2592202>). Archived (<https://web.archive.org/web/20181108184853/https://digital.library.unt.edu/ark:/67531/metadc1060364/>) from the original on 8 November 2018. Retrieved 12 October 2018.
116. "Chernobyl, Ten Years On: Assessment of Radiological and Health Impact" (<https://www.oecd-nea.org/rp/chernobyl/chernobyl-1995.pdf>) (PDF). *OECD-NEA*. 1995. Archived (<https://web.archive.org/web/20150622010906/https://www.oecd-nea.org/rp/chernobyl/chernobyl-1995.pdf>) (PDF) from the original on 22 June 2015. Retrieved 3 June 2015.
117. "Rules of Thumb & Practical Hints" (<https://web.archive.org/web/20110628183818/http://www.srp-uk.org/resources/rules-of-thumb-a-practical-hints>). *Society for Radiological Protection*. Archived from the original (<http://www.srp-uk.org/resources/rules-of-thumb-a-practical-hints>) on 28 June 2011. Retrieved 12 September 2013.
118. "Half-life" (https://web.archive.org/web/20130830080624/http://www.colorado.edu/physics/2000/isotopes/radioactive_decay3.html). *University of Colorado Boulder*. 20 September 1999. Archived from the original (http://www.colorado.edu/physics/2000/isotopes/radioactive_decay3.html) on 30 August 2013. Retrieved 12 September 2013.
119. Lyle, Ken. "Mathematical half life decay rate equations" (http://www.chem.purdue.edu/gchelp/howtosolveit/Nuclear/Half_Life.htm). *Purdue University*. Archived (https://web.archive.org/web/20131004213526/http://www.chem.purdue.edu/gchelp/howtosolveit/Nuclear/Half_Life.htm) from the original on 4 October 2013. Retrieved 12 September 2013.
120. "Unfall im japanischen Kernkraftwerk Fukushima" (https://web.archive.org/web/20110819093109/http://www.zamg.ac.at/aktuell/index.php?seite=1&artikel=ZAMG_2011-03-24GMT11:24). *Central Institution for Meteorology and Geodynamics* (in German). 24 March 2011. Archived from the original (http://www.zamg.ac.at/aktuell/index.php?seite=1&artikel=ZAMG_2011-03-24GMT11:24) on 19 August 2011. Retrieved 20 August 2011.
121. Wessells, Colin (20 March 2012). "Cesium-137: A Deadly Hazard" (<http://large.stanford.edu/courses/2012/ph241/wessells1/>). *Stanford University*. Archived (<https://web.archive.org/web/20131030013102/http://large.stanford.edu/courses/2012/ph241/wessells1/>) from the original on 30 October 2013. Retrieved 13 February 2013.
122. Zamostian, P.; Moysich, K. B.; Mahoney, M. C.; McCarthy, P.; Bondar, A.; Noschenko, A. G.; Michalek, A. M. (2002). "Influence of various factors on individual radiation exposure from the chernobyl disaster" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC149393>). *Environmental Health*. **1** (1): 4. Bibcode:2002EnvHe...1....4Z (<https://ui.adsabs.harvard.edu/abs/2002EnvHe...1....4Z>). doi:10.1186/1476-069X-1-4 (<https://doi.org/10.1186%2F1476-069X-1-4>). PMC 149393 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC149393>). PMID 12495449 (<https://pubmed.ncbi.nlm.nih.gov/12495449>).
123. Smith, Jim T.; Beresford, Nicholas A. (2005). *Chernobyl: Catastrophe and Consequences*. Berlin, Germany: Springer. ISBN 978-3-540-23866-9.
124. *Environmental consequences of the Chernobyl accident and their remediation: Twenty years of experience. Report of the Chernobyl Forum Expert Group 'Environment'* (http://www-pub.iaea.org/MTCD/publications/PDF/Pub1239_web.pdf) (PDF). Vienna, Austria: International Atomic Energy Agency. 2006. p. 180. ISBN 978-92-0-114705-9. Archived (https://web.archive.org/web/20110409033554/http://www-pub.iaea.org/MTCD/publications/PDF/Pub1239_web.pdf) (PDF) from the original on 9 April 2011. Retrieved 13 March 2011.

125. Kryshev, I. I. (1995). "Radioactive contamination of aquatic ecosystems following the Chernobyl accident". *Journal of Environmental Radioactivity*. **27** (3): 207–219.
Bibcode:1995JEnvR..27..207K (<https://ui.adsabs.harvard.edu/abs/1995JEnvR..27..207K>).
doi:10.1016/0265-931X(94)00042-U (<https://doi.org/10.1016%2F0265-931X%2894%2900042-U>).
126. EURATOM Council Regulations No. 3958/87, No. 994/89, No. 2218/89, No. 770/90.
127. Fleishman, David G.; Nikiforov, Vladimir A.; Saulus, Agnes A.; Komov, Victor T. (1994). "¹³⁷Cs in fish of some lakes and rivers of the Bryansk region and north-west Russia in 1990–1992". *Journal of Environmental Radioactivity*. **24** (2): 145–158. doi:10.1016/0265-931X(94)90050-7 (<https://doi.org/10.1016%2F0265-931X%2894%2990050-7>).
128. Alhajji, Eskander; Ismail, Iyas M.; Al-Masri, Mohammad S.; Salman, Nouman; Al-Haleem, Mohammad A.; Doubal, Ahmad W. (1 March 2014). "Sedimentation rates in the Lake Qattinah using ²¹⁰Pb and ¹³⁷Cs as geochronometer" (<https://doi.org/10.2478%2Fs13386-013-0142-5>). *Geochronometria*. **41** (1): 81–86. Bibcode:2014Gchrm..41...81A (<https://ui.adsabs.harvard.edu/abs/2014Gchrm..41...81A>). doi:10.2478/s13386-013-0142-5 (<https://doi.org/10.2478%2Fs13386-013-0142-5>). "The two distinct peaks observed on the ¹³⁷Cs record of both cores, corresponding to 1965 and 1986, have allowed a successful validation of the CRS model.
[...]¹³⁷₅₅Cs appeared in the environment since the early 1950s following the first nuclear weapon testing. Two maxima can be identified, the first about 1965 caused by nuclear weapon testing, and the second corresponding to the Chernobyl accident in 1986"
129. Mulvey, Stephen (20 April 2006). "Wildlife defies Chernobyl radiation" (<http://news.bbc.co.uk/2/hi/europe/4923342.stm>). *BBC News*. Archived (<https://web.archive.org/web/20171105054818/http://news.bbc.co.uk/2/hi/europe/4923342.stm>) from the original on 5 November 2017. Retrieved 8 November 2018.
130. *The International Chernobyl Project: Technical Report*. Vienna, Austria: IAEA. 1991. ISBN 978-9-20129-191-2.
131. Møller, A. P.; Mousseau, T. A. (1 December 2011). "Conservation consequences of Chernobyl and other nuclear accidents" (<https://www.sciencedirect.com/science/article/pii/S000632071100317X>). *Biological Conservation*. **144** (12): 2787–2798. Bibcode:2011BCons.144.2787M (<https://ui.adsabs.harvard.edu/abs/2011BCons.144.2787M>). doi:10.1016/j.biocon.2011.08.009 (<https://doi.org/10.1016%2Fj.biocon.2011.08.009>). ISSN 0006-3207 (<https://www.worldcat.org/issn/0006-3207>). S2CID 4110805 (<https://api.semanticscholar.org/CorpusID:4110805>).
132. Weigelt, E.; Scherb, H. (2004). "Spaltgeburtenrate in Bayern vor und nach dem Reaktorunfall in Tschernobyl". *Mund-, Kiefer- und Gesichtschirurgie*. **8** (2): 106–110. doi:10.1007/s10006-004-0524-1 (<https://doi.org/10.1007%2Fs10006-004-0524-1>). PMID 15045533 (<https://pubmed.ncbi.nlm.nih.gov/15045533>). S2CID 26313953 (<https://api.semanticscholar.org/CorpusID:26313953>).
133. Yablokov, Alexey V.; Nesterenko, Vassily B.; Nesterenko, Alexey V. (21 September 2009). "Chapter III. Consequences of the Chernobyl Catastrophe for the Environment" (<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1749-6632.2009.04830.x>). *Annals of the New York Academy of Sciences*. **1181** (1): 221–286. Bibcode:2009NYASA1181..221Y (<https://ui.adsabs.harvard.edu/abs/2009NYASA1181..221Y>). doi:10.1111/j.1749-6632.2009.04830.x (<https://doi.org/10.1111%2Fj.1749-6632.2009.04830.x>). PMID 20002049 (<https://pubmed.ncbi.nlm.nih.gov/20002049>). S2CID 2831227 (<https://api.semanticscholar.org/CorpusID:2831227>) – via Wiley Online Library.
134. Zavilgelsky GB, Abilev SK, Sukhodolets SS, Ahmad SI. Isolation and analysis of UV and radio-resistant bacteria from Chernobyl. *J Photochem Photobiol B*, May 1998: vol. 43, no. 2, pp. 152–157.

135. "Voice of America. "Scientists Study Chernobyl Fungus as Protection against Space Radiation." Online resource, last updated August 2020. Retrieved June 2021" (<https://learningenglish.voanews.com/a/scientists-study-chernobyl-fungus-as-protection-against-space-radiation/5524225.html>). 2 August 2020. Archived (<https://web.archive.org/web/20220305100444/http://learningenglish.voanews.com/a/scientists-study-chernobyl-fungus-as-protection-against-space-radiation/5524225.html>) from the original on 5 March 2022. Retrieved 12 June 2021.
136. Rybacki, Josef (February 2021). "Establishing the crime of 'ecocide' " (<https://www.lawgazette.co.uk/practice-points/establishing-the-crime-of-ecocide/5107209.article>). *Law Gazette*. Retrieved 21 June 2023.
137. Krogh, Peter F. (Peter Frederic) (1994). "Ecocide : a Soviet legacy" (<https://repository.library.georgetown.edu/handle/10822/552539>). *Great Decisions 1994*. Retrieved 21 June 2023.
138. "Ecocide – the genocide of the 21st century? Eastern European perspective" (<http://www.cirsd.org/en/expert-analysis?slug=ecocide-%E2%80%93-the-genocide-of-the-21st-century-eastern-european-perspective>). *CIRSD*. Retrieved 21 June 2023.
139. Feshbach, Murray; Friendly, Alfred (1992). *Ecocide in the USSR: health and nature under siege*. New York: Basic Books. ISBN 978-0-465-01664-8.
140. Suess, Timm (March 2009). "Chernobyl journal" (<https://web.archive.org/web/20180917034354/http://timmsuess.com/projects/chernobyl-journal/>). *timmsuess.com*. Archived from the original (<http://timmsuess.com/projects/chernobyl-journal/>) on 17 September 2018. Retrieved 8 November 2018.
141. Baker, Robert J.; Chesser, Ronald K. (2000). "The Chernobyl nuclear disaster and subsequent creation of a wildlife preserve" (<http://www.nsrll.ttu.edu/chornobyl/wildlifepreserve.htm>). *Environmental Toxicology and Chemistry*. **19** (5): 1231–1232. doi:10.1002/etc.5620190501 (<https://doi.org/10.1002%2Fetc.5620190501>). S2CID 17795690 (<https://api.semanticscholar.org/CorpusID:17795690>). Archived (<https://web.archive.org/web/20180930055813/http://www.nsrll.ttu.edu/chornobyl/wildlifepreserve.htm>) from the original on 30 September 2018. Retrieved 8 November 2018 – via Natural Science Research Laboratory.
142. "'Radiation-Eating' Fungi Finding Could Trigger Recalculation Of Earth's Energy Balance And Help Feed Astronauts" (<https://web.archive.org/web/20181108224505/https://www.sciencedaily.com/releases/2007/05/070522210932.htm>). *Science Daily*. 23 May 2007. Archived from the original (<https://www.sciencedaily.com/releases/2007/05/070522210932.htm>) on 8 November 2018. Retrieved 8 November 2018.
143. "25 Jahre Tschernobyl: Deutsche Wildschweine immer noch verstrahlt" (<https://www.welt.de/wissenschaft/article12874184/Deutsche-Wildschweine-immer-noch-verstrahlt.html>) [25 years of Chernobyl: German wild boars still contaminated]. *Die Welt* (in German). 18 March 2011. Archived (<https://web.archive.org/web/20110831151558/http://www.welt.de/wissenschaft/article12874184/Deutsche-Wildschweine-immer-noch-verstrahlt.html>) from the original on 31 August 2011. Retrieved 20 August 2011.
144. Meli, Maria Assunta; Cantaluppi, Chiara; Desideri, Donatella; Benedetti, Claudio; Feduzi, Laura; Ceccotto, Federica; Fasson, Andrea (2013). "Radioactivity measurements and dosimetric evaluation in meat of wild and bred animals in central Italy". *Food Control*. **30**: 272–279. doi:10.1016/j.foodcont.2012.07.038 (<https://doi.org/10.1016%2Fj.foodcont.2012.07.038>).
145. Steiner, M.; Fielitz, U. (6 June 2009). "Deer Truffles – The Dominant Source of Radiocaesium Contamination of Wild Boar" (<https://www.radioprotection.org/articles/radiopro/abs/2009/05/radiopro44108/radiopro44108.html>). *Radioprotection*. **44** (5): 585–588. doi:10.1051/radiopro/20095108 (<https://doi.org/10.1051%2Fradiopro%2F20095108>) – via EDP Sciences.

146. Stäger, Felix; Zok, Dorian; Schiller, Anna-Katharina; Feng, Bin; Steinhauser, Georg (30 August 2023). "Disproportionately High Contributions of 60 Year Old Weapons-137Cs Explain the Persistence of Radioactive Contamination in Bavarian Wild Boars" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10501199>). *Environmental Science & Technology*. **57** (36): 13601–13611. Bibcode:2023EnST...5713601S (<https://ui.adsabs.harvard.edu/abs/2023EnST...5713601S>). doi:10.1021/acs.est.3c03565 (<https://doi.org/10.1021%2Facs.est.3c03565>). PMC 10501199 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10501199>). PMID 37646445 (<https://pubmed.ncbi.nlm.nih.gov/37646445>).
147. Deryabina, T. G.; Kuchmel, S. V.; Nagorskaya, L. L.; Hinton, T. G.; Beasley, J. C.; Lerebours, A.; Smith, J. T. (October 2015). "Long-term census data reveal abundant wildlife populations at Chernobyl" (<https://doi.org/10.1016%2Fj.cub.2015.08.017>). *Current Biology*. **25** (19): R824–R826. Bibcode:2015CBio...25.R824D (<https://ui.adsabs.harvard.edu/abs/2015CBio...25.R824D>). doi:10.1016/j.cub.2015.08.017 (<https://doi.org/10.1016%2Fj.cub.2015.08.017>). PMID 26439334 (<https://pubmed.ncbi.nlm.nih.gov/26439334>).
148. Orange, Richard (23 September 2013). "Record low number of radioactive sheep" (<http://www.thelocal.no/20130923/chernobyl-radiation-in-norway-sheep-hits-new-low>). *The Local*. Norway. Archived (<https://web.archive.org/web/20131103130842/http://www.thelocal.no/20130923/chernobyl-radiation-in-norway-sheep-hits-new-low>) from the original on 3 November 2013. Retrieved 1 November 2013.
149. "Fortsatt nedforing etter radioaktivitet i dyr som har vært på utmarksbeite" (<https://web.archive.org/web/20131103080938/https://www.slf.dep.no/no/erstatning/palegg-og-restriksjoner/radioaktivitet/fortsatt-nedforing-etter-radioaktivitet-i-dyr-som-har-v%C3%A6rt-p%C3%A5-utmarksbeite>). *Statens landbruksforvaltning* (in Norwegian). 30 June 2010. Archived from the original (<http://www.slf.dep.no/no/erstatning/palegg-og-restriksjoner/radioaktivitet/fortsatt-nedforing-etter-radioaktivitet-i-dyr-som-har-v%C3%A6rt-p%C3%A5-utmarksbeite>) on 3 November 2013. Retrieved 21 June 2015.
150. Macalister, Terry; Carter, Helen (12 May 2009). "Britain's farmers still restricted by Chernobyl nuclear fallout" (<https://www.theguardian.com/environment/2009/may/12/farmers-restricted-chernobyl-disaster>). *The Guardian*. Archived (<https://web.archive.org/web/20131102095940/http://www.theguardian.com/environment/2009/may/12/farmers-restricted-chernobyl-disaster>) from the original on 2 November 2013. Retrieved 1 November 2013.
151. Rawlinson, Kevin; Hovenden, Rachel (7 July 2010). "Scottish sheep farms finally free of Chernobyl fallout" (<https://www.independent.co.uk/news/science/scottish-sheep-farms-finally-free-of-chernobyl-fallout-2020059.html>). *The Independent*. Archived (<https://web.archive.org/web/20131216193052/http://www.independent.co.uk/news/science/scottish-sheep-farms-finally-free-of-chernobyl-fallout-2020059.html>) from the original on 16 December 2013. Retrieved 1 November 2013.
152. "Post-Chernobyl disaster sheep controls lifted on last UK farms" (<https://www.bbc.co.uk/news/uk-england-cumbria-18299228>). *BBC News*. 1 June 2012. Archived (<https://web.archive.org/web/20131220173331/http://www.bbc.co.uk/news/uk-england-cumbria-18299228>) from the original on 20 December 2013. Retrieved 1 November 2013.
153. "Welsh sheep controls revoked" (<http://www.food.gov.uk/news-updates/news/2012/nov/chernobyl>). *Food Standards Agency*. 29 November 2012. Archived (<https://web.archive.org/web/20131103142059/http://www.food.gov.uk/news-updates/news/2012/nov/chernobyl>) from the original on 3 November 2013. Retrieved 1 November 2013.

154. Smith, Jim T. (3 April 2007). "Are passive smoking, air pollution and obesity a greater mortality risk than major radiation incidents?" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1851009>). *BMC Public Health*. **7** (1): 49. doi:10.1186/1471-2458-7-49 (<https://doi.org/10.1186%2F1471-2458-7-49>). PMC 1851009 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1851009>). PMID 17407581 (<https://pubmed.ncbi.nlm.nih.gov/17407581>).
155. Hallenbeck, William H. (1994). *Radiation Protection*. CRC Press. p. 15. ISBN 978-0-87371-996-4. "Reported thus far are 237 cases of acute radiation sickness and 31 deaths."
156. Mould (2000), p. 29. "The number of deaths in the first three months were 31."
157. Shramovych, Viacheslav; Chornous, Hanna (12 June 2019). "Chernobyl survivors assess fact and fiction in TV series" (<https://www.bbc.co.uk/news/world-europe-48580177>). *BBC News*. Archived (<https://web.archive.org/web/20190831023217/https://www.bbc.co.uk/news/world-europe-48580177>) from the original on 31 August 2019. Retrieved 16 September 2019.
158. LaCapria, Kim (6 June 2019). "The Chernobyl 'Bridge of Death' " (<https://www.truthorfiction.com/the-chernobyl-bridge-of-death/>). *TruthOrFiction.com*. Archived (<https://web.archive.org/web/20190611235720/https://www.truthorfiction.com/the-chernobyl-bridge-of-death/>) from the original on 11 June 2019. Retrieved 22 July 2019.
159. Stover, Dawn (5 May 2019). "The human drama of Chernobyl" (<https://thebulletin.org/2019/05/the-human-drama-of-chernobyl/>). *Bulletin of the Atomic Scientists*. Archived (<https://web.archive.org/web/20190808223653/https://thebulletin.org/2019/05/the-human-drama-of-chernobyl/>) from the original on 8 August 2019. Retrieved 22 July 2019.
160. Guskova, A. K. (2012). "Medical consequences of the Chernobyl accident: Aftermath and unsolved problems". *Atomic Energy*. **113** (2): 135–142. doi:10.1007/s10512-012-9607-5 (<https://doi.org/10.1007%2Fs10512-012-9607-5>). S2CID 95291429 (<https://api.semanticscholar.org/CorpusID:95291429>).
161. Lax, Eric (13 July 1986). "The Chernobyl Doctor" (<https://www.nytimes.com/1986/07/13/magazine/the-chernobyl-doctor.html>). *The New York Times*. p. 22. Archived (<https://web.archive.org/web/20190702171033/https://www.nytimes.com/1986/07/13/magazine/the-chernobyl-doctor.html>) from the original on 2 July 2019. Retrieved 22 July 2019.
162. Gale, Robert Peter (24 May 2019). "Chernobyl, the HBO miniseries: Fact and fiction (Part II)" (https://cancerletter.com/articles/20190524_3/). *The Cancer Letter*. Archived (https://web.archive.org/web/20191209220855/https://cancerletter.com/articles/20190524_3/) from the original on 9 December 2019. Retrieved 22 July 2019.
163. Mettler, Fred A. "Medical decision making and care of casualties from delayed effects of a nuclear detonation" (<https://web.archive.org/web/20180712190941/http://www.nationalacademies.org/hmd/~media/Files/Activity%20Files/PublicHealth/NucEventPrepWS/METTLERIOMNuclearWorkshop1.pdf>) (PDF). Archived from the original (<http://www.nationalacademies.org/hmd/~media/Files/Activity%20Files/PublicHealth/NucEventPrepWS/METTLERIOMNuclearWorkshop1.pdf>) (PDF) on 12 July 2018. Retrieved 10 April 2018.
164. "Bounding Analysis of Effects of Fractionation of Radionuclides in Fallout on Estimation of Doses to Atomic Veterans DTRA-TR-07-5" (http://www.dtra.mil/Portals/61/Documents/NTPR/4-Rad_Exp_Rpts/30_DTRA-TR-07-5_Fractionation_Report.pdf) (PDF). 2007. Archived (https://web.archive.org/web/20200809031600/https://www.dtra.mil/Portals/61/Documents/NTPR/4-Rad_Exp_Rpts/30_DTRA-TR-07-5_Fractionation_Report.pdf) (PDF) from the original on 9 August 2020. Retrieved 24 July 2019.

165. Gusev, Igor A.; Guskova, Angelina Konstantinovna; Mettler, Fred Albert (2001). *Medical management of radiation accidents* (<https://books.google.com/books?id=Y-k5h07NkFcC&q=%22beta+burns%22&pg=PA77>). CRC Press. p. 77. ISBN 978-0-8493-7004-5. Archived (<https://web.archive.org/web/20210829024249/https://books.google.com/books?id=Y-k5h07NkFcC&q=%22beta+burns%22&pg=PA77>) from the original on 29 August 2021. Retrieved 25 October 2020.
166. International Atomic Energy Agency, Chernobyl's Legacy: Health, Environmental and Socio-Economic Impacts and Recommendations to the Governments of Belarus, the Russian Federation and Ukraine, The Chernobyl Forum: 2003–2005.
167. Rahu, M.; Rahu, K.; Auvinen, A.; Tekkel, M.; Stengrevics, A.; Hakulinen, T.; Boice, J. D.; Inskip, P. D. (2006). "Cancer risk among Chernobyl cleanup workers in Estonia and Latvia, 1986–1998" (<https://doi.org/10.1002%2Fijc.21733>). *International Journal of Cancer*. **119** (1): 162–168. doi:10.1002/ijc.21733 (<https://doi.org/10.1002%2Fijc.21733>). PMID 16432838 (<https://pubmed.ncbi.nlm.nih.gov/16432838>). S2CID 22413224 (<https://api.semanticscholar.org/CorpusID:22413224>).
168. Furitsu, Katsumi; Ryo, Haruko; Yeliseeva, Klaudiya G.; Thuy, Le Thi Thanh; Kawabata, Hiroaki; Krupnova, Evelina V.; Trusova, Valentina D.; Rzhetsky, Valery A.; Nakajima, Hiroo; Kartel, Nikolai; Nomura, Taisei (2005). "Microsatellite mutations show no increases in the children of the Chernobyl liquidators". *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*. **581** (1–2): 69–82. Bibcode:2005MRGTE.581...69F (<https://ui.adsabs.harvard.edu/abs/2005MRGTE.581...69F>). doi:10.1016/j.mrgentox.2004.11.002 (<https://doi.org/10.1016%2Fj.mrgentox.2004.11.002>). PMID 15725606 (<https://pubmed.ncbi.nlm.nih.gov/15725606>).
169. Bennett, Burton; Repacholi, Michael; Carr, Zhanat, eds. (2006). *Health Effects of the Chernobyl Accident and Special Health Care Programmes: Report of the UN Chernobyl Forum, Expert Group "Health"* (http://whqlibdoc.who.int/publications/2006/9241594179_eng.pdf) (PDF). Geneva, Switzerland: World Health Organization (WHO). p. 79. ISBN 978-92-4-159417-2. Archived (https://web.archive.org/web/20110812174332/http://whqlibdoc.who.int/publications/2006/9241594179_eng.pdf) (PDF) from the original on 12 August 2011. Retrieved 20 August 2011.
170. Lee, T. R. (1996). "ENVIRONMENTAL STRESS REACTIONS FOLLOWING THE CHERNOBYL ACCIDENT". *One Decade After Chernobyl: Summing up the Consequences of the Accident, Proceedings of an International Conference, Vienna*: 283–310.
171. Jargin, Sergei V. (14 November 2016). "Debate on the Chernobyl Disaster". *International Journal of Health Services*. **47** (1): 150–159. doi:10.1177/0020731416679343 (<https://doi.org/10.1177%2F0020731416679343>). PMID 27956579 (<https://pubmed.ncbi.nlm.nih.gov/27956579>). S2CID 46867192 (<https://api.semanticscholar.org/CorpusID:46867192>).
172. "Holos Ukrainy". 7 June 1995. p. 4.
173. Wells, John (October 1988). "Chernobyl to Leningrad via Paris" (<http://www.armadale.org.uk/chernobyl.htm>). *The BNL Magazine*. Archived (<https://web.archive.org/web/20220305100442/http://www.armadale.org.uk/chernobyl.htm>) from the original on 5 March 2022. Retrieved 5 September 2019.
174. Fairlie, Ian; Sumner, David (2006). *The Other Report on Chernobyl (TORCH)*. Berlin, Germany: The European Greens.
175. Pröhl, Gerhard; Mück, Konrad; Likhtarev, Ilya; Kovgan, Lina; Golikov, Vladislav (February 2002). "Reconstruction of the ingestion doses received by the population evacuated from the settlements in the 30-km zone around the Chernobyl reactor". *Health Physics*. **82** (2): 173–181. doi:10.1097/00004032-200202000-00004 (<https://doi.org/10.1097%2F00004032-200202000-00004>). PMID 11797892 (<https://pubmed.ncbi.nlm.nih.gov/11797892>). S2CID 44929090 (<https://api.semanticscholar.org/CorpusID:44929090>).

176. Mück, Konrad; Pröhl, Gerhard; Likhtarev, Ilya; Kovgan, Lina; Golikov, Vladislav; Zeger, Johann (February 2002). "Reconstruction of the inhalation dose in the 30-km zone after the Chernobyl accident". *Health Physics*. **82** (2): 157–172. doi:10.1097/00004032-200202000-00003 (<https://doi.org/10.1097%2F00004032-200202000-00003>). PMID 11797891 (<https://pubmed.ncbi.nlm.nih.gov/11797891>). S2CID 31580079 (<https://api.semanticscholar.org/CorpusID:31580079>).
177. Kuchinskaya, Olga (2007). *'We will die and become science': the production of invisibility and public knowledge about Chernobyl radiation effects in Belarus* (<https://escholarship.org/uc/item/9fb6527b>) (PhD Thesis). University of California San Diego. p. 133. Archived (<https://web.archive.org/web/20150715075426/https://escholarship.org/uc/item/9fb6527b>) from the original on 15 July 2015. Retrieved 14 July 2015.
178. Mycio, Mary (2005). *Wormwood Forest: A Natural History of Chernobyl* (<https://archive.org/details/wormwoodforest00mary>). Washington, D.C.: Joseph Henry Press. ISBN 978-0-30910-309-1.
179. Chesser, Ronald K.; Baker, Robert J. (2006). "Growing Up with Chernobyl: Working in a radioactive zone, two scientists learn tough lessons about politics, bias and the challenges of doing good science". *American Scientist*. Vol. 94, no. 6. pp. 542–549. doi:10.1511/2006.62.1011 (<https://doi.org/10.1511%2F2006.62.1011>). JSTOR 27858869 (<https://www.jstor.org/stable/27858869>).
180. Mycio, Mary (21 January 2013). "Do Animals in Chernobyl's Fallout Zone Glow? The scientific debate about Europe's unlikeliest wildlife sanctuary" (http://www.slate.com/articles/health_and_science/nuclear_power/2013/01/wildlife_in_chernobyl_debate_over_mutations_and_populations_of_plants_and.html). *Slate*. Archived (https://web.archive.org/web/20170731205133/http://www.slate.com/articles/health_and_science/nuclear_power/2013/01/wildlife_in_chernobyl_debate_over_mutations_and_populations_of_plants_and.html) from the original on 31 July 2017. Retrieved 8 November 2018.
181. Dobrzyński, Ludwik; Fornalski, Krzysztof W; Feinendegen, Ludwig E (2015). "Cancer Mortality Among People Living in Areas With Various Levels of Natural Background Radiation" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4674188>). *Dose-Response*. **13** (3): 155932581559239. doi:10.1177/1559325815592391 (<https://doi.org/10.1177%2F1559325815592391>). PMC 4674188 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4674188>). PMID 26674931 (<https://pubmed.ncbi.nlm.nih.gov/26674931>).
182. Beresford, Nicholas A; Copplestone, David (2011). "Effects of ionizing radiation on wildlife: What knowledge have we gained between the Chernobyl and Fukushima accidents?" (<https://doi.org/10.1002%2Fieam.238>). *Integrated Environmental Assessment and Management*. **7** (3): 371–373. Bibcode:2011IEAM....7..371B (<https://ui.adsabs.harvard.edu/abs/2011IEAM....7..371B>). doi:10.1002/ieam.238 (<https://doi.org/10.1002%2Fieam.238>). PMID 21608117 (<https://pubmed.ncbi.nlm.nih.gov/21608117>).
183. Walden, Patrick (22 March 2014). "Mousseau's Presentation to The Helen Caldicott Symposium on the Medical and Ecological Consequences of Fukushima March 11, 2013: A Criticism" (<https://atomicinsights.com/critical-analysis-mousseau-fukushima-presentation/>). *Atomic Insights*. Archived (<https://web.archive.org/web/20190329210322/https://atomicinsights.com/critical-analysis-mousseau-fukushima-presentation/>) from the original on 29 March 2019. Retrieved 8 November 2018.
184. Odling-Smee, Lucy; Giles, Jim; Fuyuno, Ichiko; Cyranoski, David; Marris, Emma (2007). "Where are they now?" (<https://doi.org/10.1038%2F445244a>). *Nature*. **445** (7125): 244–245. Bibcode:2007Natur.445..244O (<https://ui.adsabs.harvard.edu/abs/2007Natur.445..244O>). doi:10.1038/445244a (<https://doi.org/10.1038%2F445244a>). PMID 17230161 (<https://pubmed.ncbi.nlm.nih.gov/17230161>).

185. Møller, Anders Pape; Mousseau, Timothy A. (2015). "Strong effects of ionizing radiation from Chernobyl on mutation rates" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4322348>). *Scientific Reports*. **5**: 8363. Bibcode:2015NatSR...5E8363M (<https://ui.adsabs.harvard.edu/abs/2015NatSR...5E8363M>). doi:10.1038/srep08363 (<https://doi.org/10.1038%2Fsrep08363>). PMC 4322348 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4322348>). PMID 25666381 (<https://pubmed.ncbi.nlm.nih.gov/25666381>).
186. Barker, Robert J.; Van Den Bussche, Ronald A.; Wright, Amanda J.; Wiggins, Lara E.; Hamilton, Meredith J.; Reat, Erin P.; Smith, Micheal H.; Lomakin, Micheal D.; Chesser, Ronald K. (April 1996). "High levels of genetic change in rodents of Chernobyl". *Nature*. **380** (6576): 707–708. Bibcode:1996Natur.380..707B (<https://ui.adsabs.harvard.edu/abs/1996Natur.380..707B>). doi:10.1038/380707a0 (<https://doi.org/10.1038%2F380707a0>). PMID 8614463 (<https://pubmed.ncbi.nlm.nih.gov/8614463>). S2CID 4351740 (<https://api.semanticscholar.org/CorpusID:4351740>). **(Retracted, see doi:10.1038/36382 (<https://doi.org/10.1038%2F36382>), PMID 9363899 (<https://pubmed.ncbi.nlm.nih.gov/9363899>))**
187. Grady, Denise (7 May 1996). "Chernobyl's Voles Live But Mutations Surge" (<https://www.nytimes.com/1996/05/07/science/chernobyl-s-voles-live-but-mutations-surge.html>). *The New York Times*. Archived (<https://web.archive.org/web/20181108184928/https://www.nytimes.com/1996/05/07/science/chernobyl-s-voles-live-but-mutations-surge.html>) from the original on 8 November 2018. Retrieved 8 November 2018.
188. "Publications on Chornobyl" (<http://www.nsrl.ttu.edu/chornobyl/publications.htm>). *Texas Tech University*. Archived (<https://web.archive.org/web/20171114040355/http://www.nsrl.ttu.edu/chornobyl/publications.htm>) from the original on 14 November 2017. Retrieved 8 November 2018.
189. Baker, Robert J.; Van Den Bussche, Ronald A.; Wright, Amanda J.; Wiggins, Lara E.; Hamilton, Meredith J.; Reat, Erin P.; Smith, Michael H.; Lomakin, Michael D.; Chesser, Ronald K. (1997). "Retraction Note to: High levels of genetic change in rodents of Chernobyl" (<https://doi.org/10.1038%2F36384>). *Nature*. **390** (6655): 100. doi:10.1038/36384 (<https://doi.org/10.1038%2F36384>). PMID 9363899 (<https://pubmed.ncbi.nlm.nih.gov/9363899>). S2CID 4392597 (<https://api.semanticscholar.org/CorpusID:4392597>).
190. Kasperson, Roger E.; Stallen, Pieter Jan M. (1991). *Communicating Risks to the Public: International Perspectives*. Berlin, Germany: Springer Science and Media. pp. 160–162. ISBN 978-0-7923-0601-6.
191. Knudsen, L. B. (1991). "Legally-induced abortions in Denmark after Chernobyl". *Biomedicine & Pharmacotherapy*. **45** (6): 229–231. doi:10.1016/0753-3322(91)90022-L (<https://doi.org/10.1016%2F0753-3322%2891%2990022-L>). PMID 1912378 (<https://pubmed.ncbi.nlm.nih.gov/1912378>).
192. Trichopoulos, D.; Zavitsanos, X.; Koutis, C.; Drogari, P.; Proukakis, C.; Petridou, E. (1987). "The victims of chernobyl in Greece: Induced abortions after the accident" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1248180>). *BMJ*. **295** (6606): 1100. doi:10.1136/bmj.295.6606.1100 (<https://doi.org/10.1136%2Fbmj.295.6606.1100>). PMC 1248180 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1248180>). PMID 3120899 (<https://pubmed.ncbi.nlm.nih.gov/3120899>).
193. Ketchum, Linda E. (1987). "Lessons of Chernobyl: SNM Members Try to Decontaminate World Threatened by Fallout" (<http://jnm.snmjournals.org/cgi/pmidlookup?view=long&pmid=3585500>). *Journal of Nuclear Medicine*. **28** (6): 933–942. PMID 3585500 (<https://pubmed.ncbi.nlm.nih.gov/3585500>). Archived (<https://web.archive.org/web/20220305100443/https://jnm.snmjournals.org/content/28/6/933.long>) from the original on 5 March 2022. Retrieved 26 August 2016.
194. "Chernobyl's Hot Zone Holds Some Surprises" (<https://www.npr.org/2011/03/16/134585523/Chernobyls-Hot-Zone-Holds-Some-Surprises>). *NPR*. 16 March 2011. Archived (<https://web.archive.org/web/20181108184718/https://www.npr.org/2011/03/16/134585523/Chernobyls-Hot-Zone-Holds-Some-Surprises>) from the original on 8 November 2018. Retrieved 8 November 2018.

195. Cedervall, Bjorn (10 March 2010). "Chernobyl-related abortions" (<http://health.phys.iit.edu/archives/2010-March/028156.html>). *RadSafe*. Archived (<https://web.archive.org/web/20161217112841/http://health.phys.iit.edu/archives/2010-March/028156.html>) from the original on 17 December 2016. Retrieved 8 November 2018.
196. Little, J. (1993). "The Chernobyl accident, congenital anomalies and other reproductive outcomes". *Paediatric and Perinatal Epidemiology*. **7** (2): 121–151. doi:10.1111/j.1365-3016.1993.tb00388.x (<https://doi.org/10.1111%2Fj.1365-3016.1993.tb00388.x>). PMID 8516187 (<https://pubmed.ncbi.nlm.nih.gov/8516187>).
197. Odland, V; Ericson, A (1991). "Incidence of legal abortion in Sweden after the Chernobyl accident". *Biomedicine & Pharmacotherapy*. **45** (6): 225–228. doi:10.1016/0753-3322(91)90021-k (<https://doi.org/10.1016%2F0753-3322%2891%2990021-k>). PMID 1912377 (<https://pubmed.ncbi.nlm.nih.gov/1912377>).
198. Harjulehto, T; Rahola, T; Suomela, M; Arvela, H; Saxén, L (1991). "Pregnancy outcome in Finland after the Chernobyl accident". *Biomedicine & Pharmacotherapy*. **45** (6): 263–266. doi:10.1016/0753-3322(91)90027-q (<https://doi.org/10.1016%2F0753-3322%2891%2990027-q>). PMID 1912382 (<https://pubmed.ncbi.nlm.nih.gov/1912382>).
199. Dolk, H.; Nichols, R. (1999). "Evaluation of the impact of Chernobyl on the prevalence of congenital anomalies in 16 regions of Europe. EUROCAT Working Group" (<https://doi.org/10.1093%2Fije%2F28.5.941>). *International Journal of Epidemiology*. **28** (5): 941–948. doi:10.1093/ije/28.5.941 (<https://doi.org/10.1093%2Fije%2F28.5.941>). PMID 10597995 (<https://pubmed.ncbi.nlm.nih.gov/10597995>).
200. Castronovo, Frank P. (1999). "Teratogen update: Radiation and chernobyl". *Teratology*. **60** (2): 100–106. doi:10.1002/(sici)1096-9926(199908)60:2<100::aid-tera14>3.3.co;2-8 (<https://doi.org/10.1002%2F%28sici%291096-9926%28199908%2960%3A2%3C100%3A%3Aaid-tera14%3E3.3.co%3B2-8>). PMID 10440782 (<https://pubmed.ncbi.nlm.nih.gov/10440782>).
201. Verreet, Tine; Verslegers, Mieke; Quintens, Roel; Baatout, Sarah; Benotmane, Mohammed A (2016). "Current Evidence for Developmental, Structural, and Functional Brain Defects following Prenatal Radiation Exposure" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4921147>). *Neural Plasticity*. **2016**: 1–17. doi:10.1155/2016/1243527 (<https://doi.org/10.1155%2F2016%2F1243527>). PMC 4921147 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4921147>). PMID 27382490 (<https://pubmed.ncbi.nlm.nih.gov/27382490>).
202. Costa, E. O. A.; Silva, D. d. M. e.; Melo, A. V. d.; Godoy, F. R.; Nunes, H. F.; Pedrosa, E. R.; Flores, B. C.; Rodovalho, R. G.; Da Silva, C. C.; Da Cruz, A. D. (2011). "The effect of low-dose exposure on germline microsatellite mutation rates in humans accidentally exposed to caesium-137 in Goiania" (<https://doi.org/10.1093%2Fmutage%2Fger028>). *Mutagenesis*. **26** (5): 651–655. doi:10.1093/mutage/ger028 (<https://doi.org/10.1093%2Fmutage%2Fger028>). PMID 21712431 (<https://pubmed.ncbi.nlm.nih.gov/21712431>).
203. Yeager, Meredith; Machiela, Mitchell J.; Kothiyal, Prachi; Dean, Michael; Bodelon, Clara; Suman, Shalabh; Wang, Mingyi; Mirabello, Lisa; Nelson, Chase W.; Zhou, Weiyin; Palmer, Cameron (14 May 2021). "Lack of transgenerational effects of ionizing radiation exposure from the Chernobyl accident" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9398532>). *Science*. **372** (6543): 725–729. Bibcode:2021Sci...372..725Y (<https://ui.adsabs.harvard.edu/abs/2021Sci...372..725Y>). doi:10.1126/science.abg2365 (<https://doi.org/10.1126%2Fscience.abg2365>). ISSN 0036-8075 (<https://www.worldcat.org/issn/0036-8075>). PMC 9398532 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9398532>). PMID 33888597 (<https://pubmed.ncbi.nlm.nih.gov/33888597>). S2CID 233371673 (<https://api.semanticscholar.org/CorpusID:233371673>).

204. "Assessing the Chernobyl Consequences" (<https://web.archive.org/web/20130830073635/http://www.iaea.org/Publications/Magazines/Bulletin/Bull383/boxp6.html>). *International Atomic Energy Agency*. Archived from the original (<http://www.iaea.org/Publications/Magazines/Bulletin/Bull383/boxp6.html>) on 30 August 2013.
205. "UNSCEAR 2008 Report to the General Assembly, Annex D" (http://www.unscear.org/docs/reports/2008/11-80076_Report_2008_Annex_D.pdf) (PDF). *United Nations Scientific Committee on the Effects of Atomic Radiation*. 2008. Archived (https://web.archive.org/web/20110804232629/http://www.unscear.org/docs/reports/2008/11-80076_Report_2008_Annex_D.pdf) (PDF) from the original on 4 August 2011. Retrieved 18 May 2012.
206. "UNSCEAR 2008 Report to the General Assembly" (http://www.unscear.org/docs/reports/2008/09-86753_Report_2008_GA_Report_corr2.pdf) (PDF). *United Nations Scientific Committee on the Effects of Atomic Radiation*. 2008. Archived (https://web.archive.org/web/20120503203201/http://www.unscear.org/docs/reports/2008/09-86753_Report_2008_GA_Report_corr2.pdf) (PDF) from the original on 3 May 2012. Retrieved 16 May 2012.
207. "Chernobyl: the true scale of the accident" (<https://www.who.int/mediacentre/news/releases/2005/pr38/en/>). *World Health Organization*. 5 September 2005. Archived (<https://web.archive.org/web/20180225095828/http://www.who.int/mediacentre/news/releases/2005/pr38/en/>) from the original on 25 February 2018. Retrieved 8 November 2018.
208. Cardis, Elisabeth; Krewski, Daniel; Boniol, Mathieu; Drozdovitch, Vladimir; Darby, Sarah C.; Gilbert, Ethel S.; Akiba, Suminori; Benichou, Jacques; Ferlay, Jacques; Gandini, Sara; Hill, Catherine; Howe, Geoffrey; Kesminiene, Ausrele; Moser, Mirjana; Sanchez, Marie; Storm, Hans; Voisin, Laurent; Boyle, Peter (2006). "Estimates of the cancer burden in Europe from radioactive fallout from the Chernobyl accident" (<https://doi.org/10.1002%2Fijc.22037>). *International Journal of Cancer*. **119** (6): 1224–1235. doi:10.1002/ijc.22037 (<https://doi.org/10.1002%2Fijc.22037>). PMID 16628547 (<https://pubmed.ncbi.nlm.nih.gov/16628547/>). S2CID 37694075 (<https://api.semanticscholar.org/CorpusID:37694075>).
209. "Chernobyl Cancer Death Toll Estimate More Than Six Times Higher Than the 4000 Frequently Cited, According to a New UCS Analysis" (https://web.archive.org/web/20110602031829/http://www.ucsusa.org/news/press_release/chernobyl-cancer-death-toll-0536.html). *Union of Concerned Scientists*. 22 April 2011. Archived from the original (http://www.ucsusa.org/news/press_release/chernobyl-cancer-death-toll-0536.html) on 2 June 2011. Retrieved 8 November 2018. "The UCS analysis is based on radiological data provided by UNSCEAR, and is consistent with the findings of the Chernobyl Forum and other researchers."
210. González, Abel J. (2014). "Imputability of Health Effects to Low-Dose Radiation Exposure Situations" (http://www.iaea.org/inis/collection/NCLCollectionStore/_Public/46/092/46092732.pdf) (PDF). *Nuclear Law in Progress*. Buenos Aires: XXI AIDN/INLA Congress. p. 5. Archived (https://web.archive.org/web/20161016193141/http://www.iaea.org/inis/collection/NCLCollectionStore/_Public/46/092/46092732.pdf) (PDF) from the original on 16 October 2016. Retrieved 8 November 2018.
211. Jargin, Sergei V. (2012). "On the RET Rearrangements in Chernobyl-Related Thyroid Cancer" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3235888>). *Journal of Thyroid Research*. **2012**: 373879. doi:10.1155/2012/373879 (<https://doi.org/10.1155%2F2012%2F373879>). PMC 3235888 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3235888>). PMID 22175034 (<https://pubmed.ncbi.nlm.nih.gov/22175034/>).
212. Lee, Jae-Ho; Shin, Sang Won (November 2014). "Overdiagnosis and screening for thyroid cancer in Korea" (<https://doi.org/10.1016%2FS0140-6736%2814%2962242-X>). *The Lancet*. **384** (9957): 1848. doi:10.1016/S0140-6736(14)62242-X ([https://doi.org/10.1016%2FS0140-6736\(14\)62242-X](https://doi.org/10.1016%2FS0140-6736%2814%2962242-X)). PMID 25457916 (<https://pubmed.ncbi.nlm.nih.gov/25457916/>).

213. "Chernobyl's Legacy: Health, Environmental and Socio-Economic Impacts" (<https://web.archive.org/web/20100215212227/http://www.iaea.org/Publications/Booklets/Chernobyl/chernobyl.pdf>) (PDF). *Chernobyl Forum*. IAEA. Archived from the original (<http://www.iaea.org/Publications/Booklets/Chernobyl/chernobyl.pdf>) (PDF) on 15 February 2010. Retrieved 21 April 2012.
214. "Chernobyl health effects" (<http://www.unscear.org/unscear/en/chernobyl.html#Health>). *UNSCEAR.org*. Archived (<https://web.archive.org/web/20110513235907/http://www.unscear.org/unscear/en/chernobyl.html#Health>) from the original on 13 May 2011. Retrieved 23 March 2011.
215. Rosenthal, Elisabeth (6 September 2005). "Experts find reduced effects of Chernobyl" (<https://www.nytimes.com/2005/09/06/international/europe/06chernobyl.html>). *The New York Times*. Archived (<https://web.archive.org/web/20130617213858/http://www.nytimes.com/2005/09/06/international/europe/06chernobyl.html>) from the original on 17 June 2013. Retrieved 14 February 2008.
216. "Thyroid Cancer" (https://web.archive.org/web/20110706181730/http://www.genzyme.ca/thera/ty/ca_en_p_tp_thera-ty.asp). *Genzyme.ca*. Archived from the original (http://www.genzyme.ca/thera/ty/ca_en_p_tp_thera-ty.asp) on 6 July 2011. Retrieved 31 July 2010.
217. "Excerpt from UNSCEAR 2001 Report Annex – Hereditary effects of radiation" (<http://www.unscear.org/docs/chernobylherd.pdf>) (PDF). *UNSCEAR*. Archived (<https://web.archive.org/web/20110807025805/http://www.unscear.org/docs/chernobylherd.pdf>) (PDF) from the original on 7 August 2011. Retrieved 20 August 2011.
218. Bogdanova, Tetyana I.; Zurnadzy, Ludmyla Y.; Greenebaum, Ellen; McConnell, Robert J.; Robbins, Jacob; Epstein, Ovsy V.; Olijnyk, Valery A.; Hatch, Maureen; Zablotska, Lydia B.; Tronko, Mykola D. (2006). "A cohort study of thyroid cancer and other thyroid diseases after the Chornobyl accident" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2983485>). *Cancer*. **107** (11): 2559–2566. doi:10.1002/cncr.22321 (<https://doi.org/10.1002%2Fcncr.22321>). PMC 2983485 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2983485>). PMID 17083123 (<https://pubmed.ncbi.nlm.nih.gov/17083123>).
219. Dinets, A.; Hulchiy, M.; Sofiadis, A.; Ghaderi, M.; Hoog, A.; Larsson, C.; Zedenius, J. (2012). "Clinical, genetic, and immunohistochemical characterization of 70 Ukrainian adult cases with post-Chornobyl papillary thyroid carcinoma" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3361791>). *European Journal of Endocrinology*. **166** (6): 1049–1060. doi:10.1530/EJE-12-0144 (<https://doi.org/10.1530%2FEJE-12-0144>). PMC 3361791 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3361791>). PMID 22457234 (<https://pubmed.ncbi.nlm.nih.gov/22457234>).
220. Rosen, Alex. "Why nuclear energy is not an answer to global warming" (<https://www.ippnw.eu/en/nuclear-energy-and-security/artikel/8f469763ccbdf176d66611c425ad9b2/why-nuclear-energy-is-not-an-answer.html>). *IPPNW*. Archived (<https://web.archive.org/web/20190629140848/http://www.ippnw.eu/en/nuclear-energy-and-security/artikel/8f469763ccbdf176d66611c425ad9b2/why-nuclear-energy-is-not-an-answer.html>) from the original on 29 June 2019. Retrieved 29 June 2019.
221. "20 years after Chernobyl – The ongoing health effects" (<https://archive.today/20120629110109/http://www.ippnw-students.org/chernobyl/research.html>). *IPPNW*. April 2006. Archived from the original (<http://www.ippnw-students.org/chernobyl/research.html>) on 29 June 2012. Retrieved 24 April 2006.
222. Mettler, Fred. "Chernobyl's Legacy" (https://web.archive.org/web/20110805035918/http://www.iaea.org/Publications/Magazines/Bulletin/Bull472/htmls/chernobyls_legacy2.html). *IAEA Bulletin*. **47** (2). Archived from the original (http://www.iaea.org/Publications/Magazines/Bulletin/Bull472/htmls/chernobyls_legacy2.html) on 5 August 2011. Retrieved 20 August 2011.

223. "What's the situation at Chernobyl?" (https://web.archive.org/web/20110828163959/http://www.iaea.org/blog/Infolog/?page_id=25). *IAEA.org*. Archived from the original (http://www.iaea.org/blog/Infolog/?page_id=25) on 28 August 2011. Retrieved 20 August 2011.
224. "UNSCEAR assessment of the Chernobyl accident" (<http://www.unscear.org/unscear/en/chernobyl.html>). *United Nations Scientific Committee of the Effects of Atomic Radiation*. Archived (<https://web.archive.org/web/20110513235907/http://www.unscear.org/unscear/en/chernobyl.html>) from the original on 13 May 2011. Retrieved 31 July 2010.
225. "Historical milestones" (http://www.unscear.org/unscear/about_us/history.html). *United Nations Scientific Committee of the Effects of Atomic Radiation*. Archived (https://web.archive.org/web/20120511134245/http://www.unscear.org/unscear/about_us/history.html) from the original on 11 May 2012. Retrieved 14 April 2012.
226. Zatspein, I.; Verger, P.; Robert-Gnansia, E.; Gagnière, B.; Tirmarche, M.; Khmel, R.; Babicheva, I.; Lazjuk, G. (2007). "Down syndrome time-clustering in January 1987 in Belarus: link with the Chernobyl accident?" (<https://pubmed.ncbi.nlm.nih.gov/17706919/>). *Reproductive Toxicology (Elmsford, N.Y.)*. **24** (3–4): 289–295. Bibcode:2007RepTx..24..289Z (<https://ui.adsabs.harvard.edu/abs/2007RepTx..24..289Z>). doi:10.1016/j.reprotox.2007.06.003 (<https://doi.org/10.1016%2Fj.reprotox.2007.06.003>). PMID 17706919 (<https://pubmed.ncbi.nlm.nih.gov/17706919/>). Archived (<https://web.archive.org/web/20230515000000/https://pubmed.ncbi.nlm.nih.gov/17706919/>) from the original on 15 May 2023. Retrieved 7 February 2024.
227. Berrington De González, Amy; Mahesh, M; Kim, KP; Bhargavan, M; Lewis, R; Mettler, F; Land, C (2009). "Projected Cancer Risks from Computed Tomographic Scans Performed in the United States in 2007" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6276814>). *Archives of Internal Medicine*. **169** (22): 2071–2077. doi:10.1001/archinternmed.2009.440 (<https://doi.org/10.1001%2Farchinternmed.2009.440>). PMC 6276814 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6276814>). PMID 20008689 (<https://pubmed.ncbi.nlm.nih.gov/20008689/>).
228. Normile, D. (2011). "Fukushima Revives the Low-Dose Debate" (<https://doi.org/10.1126%2Fscience.332.6032.908>). *Science*. **332** (6032): 908–910. Bibcode:2011Sci...332..908N (<https://ui.adsabs.harvard.edu/abs/2011Sci...332..908N>). doi:10.1126/science.332.6032.908 (<https://doi.org/10.1126%2Fscience.332.6032.908>). PMID 21596968 (<https://pubmed.ncbi.nlm.nih.gov/21596968/>).
229. Gronlund, Lisbeth (17 April 2011). "How Many Cancers Did Chernobyl Really Cause?" (<http://allthingsnuclear.org/post/4704112149/how-many-cancers-did-chernobyl-really-cause-updated>). *Union of Concerned Scientists*. Archived (<https://web.archive.org/web/20110421041043/http://allthingsnuclear.org/post/4704112149/how-many-cancers-did-chernobyl-really-cause-updated>) from the original on 21 April 2011. Retrieved 8 November 2018.
230. "The Chernobyl Catastrophe. Consequences on Human Health" (<http://www.greenpeace.org/international/Global/international/planet-2/report/2006/4/chernobylhealthreport.pdf>) (PDF). *Greenpeace*. 2006. Archived (<https://web.archive.org/web/20110322033230/http://www.greenpeace.org/international/Global/international/planet-2/report/2006/4/chernobylhealthreport.pdf>) (PDF) from the original on 22 March 2011. Retrieved 15 March 2011.
231. Hawley, Charles; Schmitt, Stefan (18 April 2006). "Greenpeace vs. the United Nations: The Chernobyl Body Count Controversy" (<http://www.spiegel.de/international/0,1518,411864,00.html>). *Der Spiegel*. Archived (<https://web.archive.org/web/20110319065148/http://www.spiegel.de/international/0,1518,411864,00.html>) from the original on 19 March 2011. Retrieved 15 March 2011.

232. Balonov, M. I. "Review 'Chernobyl: Consequences of the Disaster for the Population and the Environment' " (<https://web.archive.org/web/20120119125747/http://www.nyas.org/asset.axd?id=8b4c4bfc-3b35-434f-8a5c-ee5579d11dbb&t=634507382459270000>). *Annals of the New York Academy of Sciences*. Wiley-Blackwell. Archived from the original (<http://www.nyas.org/asset.axd?id=8b4c4bfc-3b35-434f-8a5c-ee5579d11dbb&t=634507382459270000>) on 19 January 2012. Retrieved 15 March 2011.
233. "Kenneth Mossman" (<https://web.archive.org/web/20120702130118/http://sols.asu.edu/people/faculty/kmossman.php>). *ASU School of Life Sciences*. Archived from the original (<http://sols.asu.edu/people/faculty/kmossman.php>) on 2 July 2012. Retrieved 8 November 2018.
234. Mossman, Kenneth L. (1998). "The linear no-threshold debate: Where do we go from here?". *Medical Physics*. **25** (3): 279–284, discussion 300. Bibcode:1998MedPh..25..279M (<https://ui.adsabs.harvard.edu/abs/1998MedPh..25..279M>). doi:10.1118/1.598208 (<https://doi.org/10.1118/1.598208>). PMID 9547494 (<https://pubmed.ncbi.nlm.nih.gov/9547494>).
235. Shkolnikov, V.; McKee, M.; Vallin, J.; Aksel, E.; Leon, D.; Chenet, L.; Meslé, F. (1999). "Cancer mortality in Russia and Ukraine: Validity, competing risks and cohort effects" (<https://doi.org/10.1093%2Fije%2F28.1.19>). *International Journal of Epidemiology*. **28** (1): 19–29. doi:10.1093/ije/28.1.19 (<https://doi.org/10.1093%2Fije%2F28.1.19>). PMID 10195659 (<https://pubmed.ncbi.nlm.nih.gov/10195659>).
236. Johnston, Louis; Williamson, Samuel H. (2023). "What Was the U.S. GDP Then?" (<http://www.measuringworth.com/datasets/usgdp/>). *MeasuringWorth*. Retrieved 30 November 2023. United States Gross Domestic Product deflator figures follow the *MeasuringWorth* series.
237. Johnson, Thomas (author/director) (2006). *The battle of Chernobyl* (<https://www.andanafilms.com/catalogueFiche.php?idFiche=255&rub=Toutes%20les%20fiches%20films>). Play Film / Discovery Channel. (see 1996 interview with Mikhail Gorbachev).
238. Gorbachev, Mikhail (21 April 2006). "Turning point at Chernobyl" (<https://www.japantimes.co.jp/opinion/2006/04/21/commentary/world-commentary/turning-point-at-chernobyl/>). *The Japan Times*. Retrieved 24 May 2024.
239. "Chernobyl nuclear disaster-affected areas spring to life, 33 years on" (<https://news.un.org/en/story/2019/04/1037451>). *UN News*. 26 April 2019. Archived (<https://web.archive.org/web/20190428013533/https://news.un.org/en/story/2019/04/1037451>) from the original on 28 April 2019. Retrieved 28 April 2019.
240. Shlyakhter, Alexander; Wilson, Richard (1992). "Chernobyl and Glasnost: The Effects of Secrecy on Health and Safety". *Environment: Science and Policy for Sustainable Development*. **34** (5): 25. Bibcode:1992ESPSD..34e..25S (<https://ui.adsabs.harvard.edu/abs/1992ESPSD..34e..25S>). doi:10.1080/00139157.1992.9931445 (<https://doi.org/10.1080%2F00139157.1992.9931445>).
241. Gorbachev, Mikhail (21 April 2006). "Turning point at Chernobyl" (<https://www.japantimes.co.jp/opinion/2006/04/21/commentary/world-commentary/turning-point-at-chernobyl/>).
242. Marples, David R. (1996). *Belarus: From Soviet Rule to Nuclear Catastrophe*. Basingstoke, Hampshire: MacMillan Press.
243. May, Niels F.; Maissen, Thomas (17 June 2021). *National History and New Nationalism in the Twenty-First Century: A Global Comparison* (<https://books.google.com/books?id=EUcrEAAQBAJ&q=%22Chernobyl%22+%22Holodomor%22&pg=PT211>). Routledge. ISBN 9781000396348. Archived (<https://web.archive.org/web/20210912223203/https://books.google.com/books?id=EUcrEAAQBAJ&q=%22Chernobyl%22+%22Holodomor%22&pg=PT211>) from the original on 12 September 2021. Retrieved 27 August 2021. "Members of the Ukrainian national movement regarded both Holodomor and Chernobyl as 'genocide against the Ukrainian people'."

244. Prūsas, Zenonas. "KODĖL UKRAINIEČIAI TYLI?" (<http://partizanai.org/i-laisve-1989-106-143/2831-kodel-ukrainieciai-tyli>) [Why are the Ukrainians silent?]. *partizanai.org* (in Lithuanian). Archived (<https://web.archive.org/web/20201030230959/http://partizanai.org/i-laisve-1989-106-143/2831-kodel-ukrainieciai-tyli>) from the original on 30 October 2020. Retrieved 20 December 2020. "Įdomu, kad tautiniam atgimimui sustiprinti yra labai daug padariusi Černobilio atominės energijos reaktoriaus katastrofa. Daugelis ukrainiečių tai suprato, kaip dar vieną rusų pastangų išnaikinti ukrainiečius, panašiai kaip per 1932–33 metų badmetį. [translation: Interestingly, the Chernobyl nuclear reactor disaster has done a great deal to strengthen national revival. Many Ukrainians understood this as another Russian effort to exterminate the Ukrainians, much like during the famine of 1932–33.]"
245. Shandro, Vasily; Bazhan, Oleg (20 April 2021). "Чорнобильська катастрофа як вирок командно-адміністративній системі СРСР: інтерв'ю з істориком Олегом Бажаном" (<https://hromadske.radio/podcasts/hromadska-hvylya/867587>). *Громадське радіо* (in Ukrainian). Archived (<https://web.archive.org/web/20211003040047/https://hromadske.radio/podcasts/hromadska-hvylya/867587>) from the original on 3 October 2021. Retrieved 17 September 2021. "Коли відбулася Чорнобильська катастрофа, щоб організувати КФБ, потім проводили відповідну профілактичну роботу з доцентом Української сільськогосподарської академії Києва Григорієм Каліновським. Він Чорнобильську трагедію показав, як геноцид українського народу. Говорив: «Кацапи в 33-му році не заморили голодом Україну, хоч нині це зробити атомом». Тобто вже тоді були такі порівняння."
246. Marlow, Max (9 June 2019). "The tragedy of Chernobyl sums up the cruel failures of communism" (<https://www.telegraph.co.uk/politics/2019/06/09/tragedy-chernobyl-sums-cruel-failures-communism/>). *The Telegraph*. The Telegraph (UK). Archived (<https://ghostarchive.org/archive/20220110/https://www.telegraph.co.uk/politics/2019/06/09/tragedy-chernobyl-sums-cruel-failures-communism/>) from the original on 10 January 2022. Retrieved 14 October 2021.
247. Plokhyy, Serhii. "The Chernobyl Cover-Up: How Officials Botched Evacuating an Irradiated City" (<https://www.history.com/news/chernobyl-disaster-coverup>). *History.com*. Archived (<https://web.archive.org/web/20211019013138/https://www.history.com/news/chernobyl-disaster-coverup>) from the original on 19 October 2021. Retrieved 14 October 2021.
248. Holzer, Sepp (2010). *Sepp Holzer's permaculture : a practical guide to small-scale, integrative farming and gardening* (<https://www.worldcat.org/oclc/694395083>). Translated by Anna Sapsford-Francis (1st English language ed.). White River Junction, Vermont: Chelsea Green Pub. ISBN 978-1-60358-370-1. OCLC 694395083 (<https://www.worldcat.org/oclc/694395083>).
249. "Information Notice No. 93–71: Fire At Chernobyl Unit 2" (<https://www.nrc.gov/reading-rm/doc-collections/gen-comm/info-notices/1993/in93071.html>). *Nuclear Regulatory Commission*. 13 September 1993. Archived (<https://web.archive.org/web/20120112040027/http://www.nrc.gov/reading-rm/doc-collections/gen-comm/info-notices/1993/in93071.html>) from the original on 12 January 2012. Retrieved 20 August 2011.
250. "Chernobyl-3" (<https://pris.iaea.org/pris/CountryStatistics/ReactorDetails.aspx?current=575>). *IAEA Power Reactor Information System*. Archived (<https://web.archive.org/web/20181108230003/https://pris.iaea.org/pris/CountryStatistics/ReactorDetails.aspx?current=575>) from the original on 8 November 2018. Retrieved 8 November 2018. Site polled in May 2008 reports shutdown for units 1, 2, 3 and 4 respectively at 30 November 1996, 11 October 1991, 15 December 2000 and 26 April 1986.

251. " "Shelter" object" (<http://www.chornobyl.in.ua/en/shelter.htm>). *Chernobyl, Pripyat, the Chernobyl nuclear power plant and the exclusion zone*. Archived (<https://web.archive.org/web/20110722200757/http://www.chornobyl.in.ua/en/shelter.htm>) from the original on 22 July 2011. Retrieved 8 May 2012. "The bulk of work that had been implemented in order to eliminate the consequences of the accident and minimize the escape of radionuclides into the environment was to construct a protective shell over the destroyed reactor at Chernobyl.[...] work on the construction of a protective shell was the most important, extremely dangerous and risky. The protective shell, which was named the «**Shelter**» object, was created in a very short period of time—six months. [...] Construction of the "**Shelter**" object began after mid-May 1986. The State Commission decided on the long-term conservation of the fourth unit of the Chernobyl Nuclear Power Plant in order to prevent the release of radionuclides into the environment and to reduce the influence of penetrating radiation at the Chernobyl Nuclear Power Plant site."
252. "Collapse of Chernobyl nuke plant building attributed to sloppy repair work, aging" (<https://web.archive.org/web/20130429110724/http://mainichi.jp/english/english/newsselect/news/20130425p2a00m0na017000c.html>). *Mainichi Shimbun*. 25 April 2013. Archived from the original (<http://mainichi.jp/english/english/newsselect/news/20130425p2a00m0na017000c.html>) on 29 April 2013. Retrieved 26 April 2013.
253. "Ukraine: Chernobyl nuclear roof collapse 'no danger'" (<https://www.bbc.co.uk/news/world-europe-21449760>). *BBC News*. 13 February 2013. Archived (<https://web.archive.org/web/20160112183342/http://www.bbc.co.uk/news/world-europe-21449760>) from the original on 12 January 2016. Retrieved 23 December 2016.
254. "Chernobyl I Chernobyl Accident I Chernobyl Disaster – World Nuclear Association" (<https://world-nuclear.org/information-library/safety-and-security/safety-of-plants/chernobyl-accident.aspx>). *world-nuclear.org*. Retrieved 18 April 2022.
255. Walker, Shaun (29 November 2016). "Chernobyl disaster site enclosed by shelter to prevent radiation leaks" (<https://www.theguardian.com/world/2016/nov/29/chernobyl-nuclear-disaster-site-covered-with-shelter-prevent-radiation-leaks-ukraine>). *The Guardian*. ISSN 0261-3077 (<http://www.worldcat.org/issn/0261-3077>). Archived (<https://web.archive.org/web/20161222104254/https://www.theguardian.com/world/2016/nov/29/chernobyl-nuclear-disaster-site-covered-with-shelter-prevent-radiation-leaks-ukraine>) from the original on 22 December 2016. Retrieved 23 December 2016.
256. Nechepurenko, Ivan; Fountain, Henry (29 November 2016). "Giant Arch, a Feat of Engineering, Now Covers Chernobyl Site in Ukraine" (<https://www.nytimes.com/2016/11/29/world/europe/chernobyl-disaster-cover.html>). *The New York Times*. ISSN 0362-4331 (<https://www.worldcat.org/issn/0362-4331>). Archived (<https://web.archive.org/web/20161217012626/http://www.nytimes.com/2016/11/29/world/europe/chernobyl-disaster-cover.html>) from the original on 17 December 2016. Retrieved 23 December 2016.
257. "Chernobyl units 1–3 now clear of damaged fuel" (<https://world-nuclear-news.org/Articles/Chernobyl-units-1-3-now-clear-of-damaged-fuel>). *World Nuclear News*. 7 June 2016. Archived (<https://web.archive.org/web/20190630223325/http://world-nuclear-news.org/Articles/Chernobyl-units-1-3-now-clear-of-damaged-fuel>) from the original on 30 June 2019. Retrieved 30 June 2019.
258. "Holtec clear to start testing ISF2 at Chernobyl" (<https://world-nuclear-news.org/Articles/Holtec-clear-to-start-testing-ISF2-at-Chernobyl>). *World Nuclear News*. 4 August 2017. Archived (<https://web.archive.org/web/20190918070303/http://world-nuclear-news.org/Articles/Holtec-clear-to-start-testing-ISF2-at-Chernobyl>) from the original on 18 September 2019. Retrieved 17 September 2019.

259. Baryakhtar, V.; Gonchar, V.; Zhidkov, A.; Zhidkov, V. (2002). "Radiation damages and self-sputtering of high-radioactive dielectrics: spontaneous emission of submicronic dust particles" (<http://www.icmp.lviv.ua/journal/zbirnyk.31/005/art05.pdf>) (PDF). *Condensed Matter Physics*. **5** (3{31}): 449–471. Bibcode:2002CMPPh...5..449B (<https://ui.adsabs.harvard.edu/abs/2002CMPH...5..449B>). doi:10.5488/cmp.5.3.449 (<https://doi.org/10.5488%2Fcmp.5.3.449>). Archived (<https://web.archive.org/web/20131101175848/http://www.icmp.lviv.ua/journal/zbirnyk.31/005/art05.pdf>) (PDF) from the original on 1 November 2013. Retrieved 30 October 2013.
260. Borovoi, A. A. (2006). "Nuclear fuel in the shelter". *Atomic Energy*. **100** (4): 249. doi:10.1007/s10512-006-0079-3 (<https://doi.org/10.1007%2Fs10512-006-0079-3>). S2CID 97015862 (<https://api.semanticscholar.org/CorpusID:97015862>).
261. Stone, Richard (5 May 2021). "'It's like the embers in a barbecue pit.' Nuclear reactions are smoldering again at Chernobyl" (<https://www.science.org/content/article/nuclear-reactions-reawaken-chernobyl-reactor>). *Science*. American Association for the Advancement of Science. Archived (<https://web.archive.org/web/20210510004508/https://www.sciencemag.org/news/2021/05/nuclear-reactions-reawaken-chernobyl-reactor>) from the original on 10 May 2021. Retrieved 10 May 2021.
262. Higginbotham, Adam (2019). *Midnight in Chernobyl: The Untold Story of the World's Greatest Nuclear Disaster*. Random House. p. 340. ISBN 978-1-4735-4082-8. "The substance proved too hard for a drill mounted on a motorized trolley, ... Finally, a police marksman arrived and shot a fragment of the surface away with a rifle. The sample revealed that the Elephant's Foot was a solidified mass of silicon dioxide, titanium, zirconium, magnesium, and uranium ..."
263. Oliphant, Roland (24 April 2016). "30 years after Chernobyl disaster, wildlife is flourishing in radioactive wasteland" (<https://www.telegraph.co.uk/news/2016/04/23/wildlife-returns-to-radioactive-wasteland-of-chernobyl/>). *The Daily Telegraph*. Archived (<https://web.archive.org/web/20160427011132/http://www.telegraph.co.uk/news/2016/04/23/wildlife-returns-to-radioactive-wasteland-of-chernobyl/>) from the original on 27 April 2016. Retrieved 27 April 2016.
264. "Chernobyl will be uninhabitable for at least 3,000 years, say nuclear experts" (<https://www.csmonitor.com/World/Global-News/2016/0424/Chernobyl-will-be-uninhabitable-for-at-least-3-000-years-say-nuclear-experts>). *Christian Science Monitor*. 24 April 2016. Archived (<https://web.archive.org/web/20200426171834/https://www.csmonitor.com/World/Global-News/2016/0424/Chernobyl-will-be-uninhabitable-for-at-least-3-000-years-say-nuclear-experts>) from the original on 26 April 2020. Retrieved 10 May 2020.
265. "Chornobyl by the numbers" (<https://www.cbc.ca/news/world/chornobyl-by-the-numbers-1.1097000>). *CBC*. 2011. Archived (<https://web.archive.org/web/20200917161615/https://www.cbc.ca/news/world/chornobyl-by-the-numbers-1.1097000>) from the original on 17 September 2020. Retrieved 9 July 2020.
266. "What life is like in the shadows of Chernobyl" (<https://www.abc.net.au/news/2016-04-23/living-in-the-shadows-of-chernobyl/7342368>). *ABC News*. 23 April 2016. Retrieved 1 May 2022.
267. Turner, Ben (3 February 2022). "What is the Chernobyl Exclusion Zone?" (<https://www.livescience.com/chernobyl-exclusion-zone>). *livescience.com*. Retrieved 1 May 2022.
268. "Ukraine to Open Chernobyl Area to Tourists in 2011" (<http://www.foxnews.com/world/2010/12/13/ukraine-open-chernobyl-area-tourists-1172479551/>). *Fox News*. Associated Press. 13 December 2010. Archived (<https://web.archive.org/web/20120308011104/http://www.foxnews.com/world/2010/12/13/ukraine-open-chernobyl-area-tourists-1172479551/>) from the original on 8 March 2012. Retrieved 2 March 2012.
269. "Tours of Chernobyl sealed zone officially begin" (<https://web.archive.org/web/20130430053527/http://www.travelsnitch.org/categories/features/tours-of-chernobyl-sealed-zone-officially-begin/>). *TravelSnitch*. 18 March 2011. Archived from the original (<http://www.travelsnitch.org/categories/features/tours-of-chernobyl-sealed-zone-officially-begin/>) on 30 April 2013.

270. Boyle, Rebecca (2017). "Greetings from Isotopia" (<https://www.sciencehistory.org/distillations/magazine/greetings-from-isotopia>). *Distillations*. Vol. 3, no. 3. pp. 26–35. Archived (<https://web.archive.org/web/20180615004504/https://www.sciencehistory.org/distillations/magazine/greetings-from-isotopia>) from the original on 15 June 2018. Retrieved 19 June 2018.
271. Digges, Charles (4 October 2006). "Reflections of a Chernobyl liquidator – the way it was and the way it will be" (<http://bellona.org/news/nuclear-issues/accidents-and-incidents/2006-10-reflections-of-a-chernobyl-liquidator-the-way-it-was-and-the-way-it-will-be>). *Bellona*. Archived (<https://web.archive.org/web/20180620181614/http://bellona.org/news/nuclear-issues/accidents-and-incidents/2006-10-reflections-of-a-chernobyl-liquidator-the-way-it-was-and-the-way-it-will-be>) from the original on 20 June 2018. Retrieved 20 June 2018.
272. Evangeliou, Nikolaos; Balkanski, Yves; Cozic, Anne; Hao, Wei Min; Møller, Anders Pape (December 2014). "Wildfires in Chernobyl-contaminated forests and risks to the population and the environment: A new nuclear disaster about to happen?" (<https://doi.org/10.1016%2Fj.envint.2014.08.012>). *Environment International*. **73**: 346–358. Bibcode:2014EnInt..73..346E (<https://ui.adsabs.harvard.edu/abs/2014EnInt..73..346E>). doi:10.1016/j.envint.2014.08.012 (<https://doi.org/10.1016%2Fj.envint.2014.08.012>). ISSN 0160-4120 (<https://www.worldcat.org/issn/0160-4120>). PMID 25222299 (<https://pubmed.ncbi.nlm.nih.gov/25222299>).
273. Evans, Patrick (7 July 2012). "Chernobyl's radioactive trees and the forest fire risk" (<https://www.bbc.com/news/magazine-18721292>). *BBC News*. Archived (<https://web.archive.org/web/20181017170142/https://www.bbc.com/news/magazine-18721292>) from the original on 17 October 2018. Retrieved 20 June 2018.
274. Nuwer, Rachel (14 March 2014). "Forests Around Chernobyl Aren't Decaying Properly" (<http://www.smithsonianmag.com/science-nature/forests-around-chernobyl-arent-decaying-properly-180950075/>). *Smithsonian*. Archived (<https://web.archive.org/web/20190102034531/https://www.smithsonianmag.com/science-nature/forests-around-chernobyl-arent-decaying-properly-180950075/>) from the original on 2 January 2019. Retrieved 8 November 2018.
275. "Fires in Ukraine in the exclusion zone around the Chernobyl power plant" (https://www.irsn.fr/EN/newsroom/News/Documents/IRSN_Information-Report_Fires-in-Ukraine-in-the-Exclusion-Zone-around-chernobyl-NPP_15042020.pdf) (PDF). *IRNS*. Archived (https://web.archive.org/web/20200419041110/https://www.irsn.fr/EN/newsroom/News/Documents/IRSN_Information-Report_Fires-in-Ukraine-in-the-Exclusion-Zone-around-chernobyl-NPP_15042020.pdf) (PDF) from the original on 19 April 2020. Retrieved 26 April 2020.
276. "IAEA Sees No Radiation-Related Risk from Fires in Chornobyl Exclusion Zone" (<https://www.iaea.org/newscenter/pressreleases/iaea-sees-no-radiation-related-risk-from-fires-in-chornobyl-exclusion-zone>). *www.iaea.org*. 24 April 2020. Archived (<https://web.archive.org/web/20200501033533/https://www.iaea.org/newscenter/pressreleases/iaea-sees-no-radiation-related-risk-from-fires-in-chornobyl-exclusion-zone>) from the original on 1 May 2020. Retrieved 26 April 2020.
277. Crossette, Barbara (29 November 1995). "Chernobyl Trust Fund Depleted as Problems of Victims Grow" (<https://www.nytimes.com/1995/11/29/world/chernobyl-trust-fund-depleted-as-problems-of-victims-grow.html>). *The New York Times*. ISSN 0362-4331 (<https://www.worldcat.org/issn/0362-4331>). Archived (<https://web.archive.org/web/20190428013532/https://www.nytimes.com/1995/11/29/world/chernobyl-trust-fund-depleted-as-problems-of-victims-grow.html>) from the original on 28 April 2019. Retrieved 28 April 2019.
278. "History of the United Nations and Chernobyl" (<http://chernobyl.undp.org/english/history.shtml>). *The United Nations and Chernobyl*. Archived (<https://web.archive.org/web/20170719203953/http://chernobyl.undp.org/english/history.shtml>) from the original on 19 July 2017. Retrieved 28 April 2019.

279. "Chernobyl's New Safe Confinement" (<http://www.ebrd.com/what-we-do/sectors/nuclear-safety/chernobyl-new-safe-confinement.html>). *European Bank for Reconstruction and Development*. Archived (<https://web.archive.org/web/20171026163924/http://www.ebrd.com/what-we-do/sectors/nuclear-safety/chernobyl-new-safe-confinement.html>) from the original on 26 October 2017. Retrieved 26 October 2017.
280. "CRDP: Chernobyl Recovery and Development Programme" (<https://web.archive.org/web/20070704002250/http://www.undp.org.ua/?page=projects&projects=14>). *United Nations Development Programme*. Archived from the original (<http://www.undp.org.ua/?page=projects&projects=14>) on 4 July 2007. Retrieved 31 July 2010.
281. Schipani, Andres (2 July 2009). "Revolutionary care: Castro's doctors give hope to the children of Chernobyl" (<https://www.theguardian.com/world/2009/jul/02/cuba-chernobyl-health-children>). *The Guardian*. Archived (<https://web.archive.org/web/20190626180551/https://www.theguardian.com/world/2009/jul/02/cuba-chernobyl-health-children>) from the original on 26 June 2019. Retrieved 15 June 2019.
282. Juhn, Poong-Eil; Kupitz, Juergen (1996). "Nuclear power beyond Chernobyl: A changing international perspective" (<https://www.iaea.org/sites/default/files/publications/magazines/bulletin/bull38-1/38104780209.pdf>) (PDF). *IAEA Bulletin*. **38** (1): 2. Archived (<https://web.archive.org/web/20150508143703/https://www.iaea.org/sites/default/files/publications/magazines/bulletin/bull38-1/38104780209.pdf>) (PDF) from the original on 8 May 2015. Retrieved 13 March 2015.
283. Kagarlitsky, Boris (1989). "Perestroika: The Dialectic of Change". In Kaldor, Mary; Holden, Gerald; Falk, Richard A. (eds.). *The New Detente: Rethinking East-West Relations*. United Nations University Press. ISBN 978-0-86091-962-9.
284. "Chernobyl cover-up a catalyst for glasnost" (http://www.nbcnews.com/id/12403612/ns/world_news-europe/t/chernobyl-cover-up-catalyst-glasnost/). *NBC News*. Associated Press. 24 April 2006. Archived (https://web.archive.org/web/20150621102111/http://www.nbcnews.com/id/12403612/ns/world_news-europe/t/chernobyl-cover-up-catalyst-glasnost/) from the original on 21 June 2015. Retrieved 21 June 2015.
285. Government Authorities or Not Fully Developed (12 June 2018). "Chornobyl nuclear disaster was tragedy in the making, declassified KGB files show I" (<http://euromaidanpress.com/2018/06/12/chernobyl-nuclear-plant-was-doomed-declassified-kgb-documents-reveal/>). *Euromaidan Press*. Archived (<https://web.archive.org/web/20190618120916/http://euromaidanpress.com/2018/06/12/chernobyl-nuclear-plant-was-doomed-declassified-kgb-documents-reveal/>) from the original on 18 June 2019. Retrieved 18 June 2019.
286. Hanneke Brooymans. France, Germany: A tale of two nuclear nations, *The Edmonton Journal*, 25 May 2009.
287. Mitler, M. M.; Carskadon, M. A.; Czeisler, C. A.; Dement, W. C.; Dinges, D. F.; Graeber, R. C. (1988). "Catastrophes, Sleep, and Public Policy: Consensus Report" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2517096>). *Sleep*. **11** (1): 100–109. doi:10.1093/sleep/11.1.100 (<https://doi.org/10.1093/sleep/11.1.100>). PMC 2517096 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2517096>). PMID 3283909 (<https://pubmed.ncbi.nlm.nih.gov/3283909>).
288. "Challenger disaster compared to Bhopal, Chernobyl, TMI" (https://www.bhopal.net/old_bhopal_web/bhopalnet/presscoverage/houstonchronicle/archive/19861203-challenger.html). Archived (https://web.archive.org/web/20190507075707/https://www.bhopal.net/old_bhopal_web/bhopalnet/presscoverage/houstonchronicle/archive/19861203-challenger.html) from the original on 7 May 2019. Retrieved 7 May 2019.
289. "Exploring how Chernobyl impacted Ukrainian cultural heritage" (<https://www.clotmag.com/news/insight-exploring-how-chernobyl-impacted-ukrainian-cultural-heritage-part-2>). 13 October 2021. Retrieved 29 April 2022.

290. "Paintings by artist Roman Gumanyuk" (<https://web.archive.org/web/20180805124316/http://gumanyuk.com/#!/Gallery>). 5 August 2018. Archived from the original (<http://gumanyuk.com/#!/Gallery>) on 5 August 2018. Retrieved 29 April 2022.
291. "Series of artworks Pripyat Lights, or Chernobyl Shadows of artist Roman Gumanyuk" (<https://web.archive.org/web/20180823224639/http://www.chernobylshadows.com/index.html>). 23 August 2018. Archived from the original (<http://www.chernobylshadows.com/index.html>) on 23 August 2018. Retrieved 29 April 2022.
292. "S.T.A.L.K.E.R.: Shadow of Chernobyl" (<https://www.stalker-game.com/en/?page=gameplay>). *www.stalker-game.com*. Retrieved 29 April 2022.
293. "Chernobyl Diaries" (<https://www.boxofficemojo.com/release/rl1967883777/>). *Box Office Mojo*. Retrieved 29 April 2022.
294. "Chernobyl Heart (2003) | The Embryo Project Encyclopedia" (<https://embryo.asu.edu/pages/c-hernobyl-heart-2003>). *embryo.asu.edu*. Retrieved 2 May 2022.
295. "Review: 'The Babushkas of Chernobyl'" (<https://povmagazine.com/review-the-babushkas-of-chernobyl/>). *POV Magazine*. 14 June 2017. Retrieved 2 May 2022.
296. "Home" (<https://thebabushkasofchernobyl.com/>). *The Babushkas of Chernobyl*. Retrieved 2 May 2022.
297. "The best documentaries about Chernobyl" (<https://guidedoc.tv/blog/the-best-documentaries-about-chernobyl/>). *Guidedoc.tv*. Retrieved 2 May 2022.
298. Johnson, Thomas. *La bataille de Tchernobyl* (<https://www.imdb.com/title/tt1832484/>). *Passé sous silence*. Retrieved 2 May 2022.
299. Guy, Lianne Kolirin, Jack (11 July 2019). "Chernobyl to become official tourist attraction, Ukraine says" (<https://www.cnn.com/travel/article/chernobyl-tourist-attraction-intl-scli/index.html>). *CNN*. Retrieved 29 April 2022.
300. "Chernobyl to become 'official tourist attraction'" (<https://www.bbc.com/news/world-europe-48943814>). *BBC News*. 10 July 2019. Archived (<https://web.archive.org/web/20191212141728/http://www.bbc.com/news/world-europe-48943814>) from the original on 12 December 2019. Retrieved 16 December 2019.
301. Mettler, Katie (12 July 2019). "Ukraine wants Chernobyl to be a tourist trap. But scientists warn: Don't kick up dust" (<https://www.washingtonpost.com/travel/2019/07/12/ukraine-wants-chernobyl-be-tourist-trap-scientists-warn-dont-kick-up-dust/>). *The Washington Post*. Retrieved 9 May 2022.

Works cited

- Dyatlov, Anatoly (2003). *Chernobyl. How did it happen* (in Russian). Nauchtechlitzdat, Moscow. ISBN 978-5-93728-006-0.

Further reading

External links

- Official UN Chernobyl site (<https://web.archive.org/web/20080828234653/http://chernobyl.undp.org/>)
- International Chernobyl Portal chernobyl.info, UN Inter-Agency Project ICRIN (<https://swap.sta>

[nford.edu/20091112210932/http%3A//www.chernobyl.info/](http://www.nford.edu/20091112210932/http%3A//www.chernobyl.info/))

- [Frequently Asked Chernobyl Questions \(https://web.archive.org/web/20110225215043/http://www.iaea.or.at/NewsCenter/Features/Chernobyl-15/cherno-faq.shtml\)](https://web.archive.org/web/20110225215043/http://www.iaea.or.at/NewsCenter/Features/Chernobyl-15/cherno-faq.shtml), by the IAEA
- [Chernobyl disaster facts and information \(https://web.archive.org/web/20190517230215/https://www.nationalgeographic.com/culture/topics/reference/chernobyl-disaster/\)](https://web.archive.org/web/20190517230215/https://www.nationalgeographic.com/culture/topics/reference/chernobyl-disaster/), by [National Geographic](#)
- [Chernobyl Recovery and Development Programme \(United Nations Development Programme\) \(https://web.archive.org/web/20120213074912/http://www.crdp.org.ua/en/\)](https://web.archive.org/web/20120213074912/http://www.crdp.org.ua/en/)
- [Footage and documentary films about Chernobyl disaster \(https://www.net-film.ru/en/found-page-1/?search=qChernobyl\)](https://www.net-film.ru/en/found-page-1/?search=qChernobyl) on [Net-Film Newsreels and Documentary Films Archive \(https://www.net-film.ru/en/\)](#)
- [Photographs from inside the zone of alienation and City of Prypyat \(2010\) \(https://web.archive.org/web/20110715154617/http://www.rapik.com/photo/thumbnails.php?album=38\)](https://web.archive.org/web/20110715154617/http://www.rapik.com/photo/thumbnails.php?album=38)
- [Photographs from the City of Pripyat, and of those affected by the disaster \(https://web.archive.org/web/20120322030018/http://www.chelu.eu/Blog/?p=88\)](https://web.archive.org/web/20120322030018/http://www.chelu.eu/Blog/?p=88)
- [English Russia Photos of a RBMK-based power plant \(http://englishrussia.com/index.php/2009/04/29/at-the-nuclear-power-plant/\)](http://englishrussia.com/index.php/2009/04/29/at-the-nuclear-power-plant/), showing details of the reactor hall, pumps, and the control room
- [Post-Soviet Pollution: Effects of Chernobyl \(https://web.archive.org/web/20121215050646/http://repository.library.georgetown.edu/handle/10822/552539\)](https://web.archive.org/web/20121215050646/http://repository.library.georgetown.edu/handle/10822/552539) from the [Dean Peter Krogh Foreign Affairs Digital Archives](#)
- [Map of residual radioactivity around Chernobyl \(https://map.safecast.org/?y=51.3883&x=30.1002&z=13&l=0&m=0\)](https://map.safecast.org/?y=51.3883&x=30.1002&z=13&l=0&m=0)

Retrieved from "https://en.wikipedia.org/w/index.php?title=Chernobyl_disaster&oldid=1236265258"